

021

OMP

TWENTY TWENTY-ONE
CATALOG

2020 WORLD CHAMPIONS WORLD 2020

MERCEDES AMG PETRONAS MOTORSPORT

2020 FIA FORMULA 1 WORLD CONSTRUCTORS' CHAMPIONS

SÉBASTIEN OGIER AND JULIEN INGRASSIA

2020 WORLD RALLY CHAMPIONS



Official Team Supplier



**AMG
PETRONAS**
MOTORSPORT

Official Team Supplier World Rally Team

**GR TOYOTA
GAZOO
Racing**

OMP SINCE 1973 RACING SPIRITS SINCE 1973

1973

First OMP product: it's a Fiat 500 rollbar. First OMP "logo": the letters "OMP" written with a typewriter. First offers: OMP is getting noticed by a growing number of teams and asked to become official supplier in important Italian racetrack competitions all along the decade.

OMP ROLL-BARS

1981

By this year, the catalogue has increased to cover any safety device for racing cars, so the firm decides to extend its production to racewear.



1982

Mauro Baldi, the first F1 driver to wear an OMP suit ever.



1986

First FIA homologation for an OMP fire retardant suit.



1989

April 23: OMP becomes popular all over the world, millions of people see live on television Gerard Berger saved from the flames of his Ferrari at Imola, thanks to fireproof overalls and gloves made by OMP.



1990

OMP supplies one of the most beloved and successful drivers in F1 history, the Brazilian champion Ayrton Senna. The partnership will last until his tragic death in 1994. OMP still keeps in its showroom /museum some overalls and gloves used by Ayrton.



1996

Michael Schumacher chooses OMP overalls and gloves as he switches to Ferrari. It's the beginning of an historic partnership between OMP and the German legend.



2008

In February 2008 the control of OMP was acquired by SAYE S.P.A Group, held by the genovese Delprato brothers.



2010

The company officially returns to the top F1 championship, signing important partnership agreements with Renault F1, Scuderia Toro Rosso and HRT for the supply of technical equipment for pilots and mechanics and for the first time in its history OMP has become a belt supplier safety devices designed and built entirely in the Ronco Scrivia R&D laboratory.



2012

OMP becomes FIA official supplier OMP introduces on the market innovative belts Dyneema fiber in motorsport, which won numerous awards for the level of security and comfort achieved. OMP develops Cefal3, the electrically activated fire extinguisher smallest and lightest in the world.



2013

OMP provides the drivers' overalls in the film, by award-winning director Ron Howard, "RUSH", faithfully reproduced in detail and embroidered by hand.



2016

Sebastien Ogier, Julien Ingrassia and Volkswagen Motorsport become FIA World Rally Champions from 2012 to 2016 in partnership with OMP. Teaming up with OTK group and creating a revolutionary range of products, OMP revolutionizes the world of karting.




2017

OMP presents "One Art", the first totally customizable fire retardant suit. The "Print Art" technology guarantees complete control on the design of the suit.



2017-2020

Mercedes AMG Petronas Motorsport F1 Team wins the FIA F1 Manufacturers' World Championship for 4 years in a row with OMP harnesses.



2019

OMP acquires Bell Racing Helmets, giving birth to the biggest worldwide group in motorsport safety equipment.



2020

OMP Group's products contribute to 6 FIA World Titles wins out of 6.





SQUADRA CORSE

Official Team Supplier



AMG
PETRONAS
MOTORSPORT

SHIPPARTNERSHIPPARTNERSHIPPARTN

Official Team Supplier



AMG
PETRONAS
MOTORSPORT



SQUADRA CORSE

Official Team Supplier World Rally Team



BMW Motorsport

dallara

Dallara Race Car Manufacturer



Mygale - Designer & Manufacturer



Honda - J.A.S. Motorsport



Dome Racing



Ginetta Racing Cars



SKODA Motorsport



SEAT Motorsport



VOLKSWAGEN Motorsport



SAFETY FIA QUALITY
SAFETY QUALITY
SAFETY FIA QUALITY

FIA Motorsport



Since 2012, OMP and the FIA have been committed side by side on roads and racetracks to guarantee the protection of the people of racing. Technical racing clothing for FIA officials and safety car drivers across a range of FIA world championships (from F1 down) comes exclusively from OMP: fire retardant suits, shoes, gloves and underwear, and also helmets.

FIA Karting Academy



In 2017 OMP gained the honor to supply technical racewear to the young contestants CIK-FIA Academy Trophy, the forge of tomorrow's motorsport champions: a collaboration OMP is particularly proud of.

CALLUM BRADSHAW TONY KART RACING TEAM
CIK-FIA OK KARTING WORLD CHAMPION 2020



JEREMY IGLESIAS FORMULA K RACING TEAM
CIK-FIA KZ KARTING WORLD CHAMPION 2020



LDKARTWORLDKARTPARTNERSKART



Factory




OMP Racing is an Italian company, established in 1973 in Genoa and having today its headquarters at Ronco Scrivia. OMP is a world leader in the field of design and manufacture of safety equipment for race cars (suits, gloves, shoes, seats, safety belts, helmets etc.). Since 2008 the control of the company has been acquired by Genoa-based SAYE S.p.A. Part of OMP is Racing Spirit, the leisurewear brand of the Group. OMP is a TÜV SÜD and KPMG certificated company.



Today **OMP products** are in all world racing championships, among which Formula 1; World Rally Championship - WRC; Rally Cross World Championship - WRX; Formula E; World Endurance Championship - WEC, IndyCar Series; NASCAR. OMP is one of the very few companies in the world which are able to offer a complete range of items dedicated to race cars and to drivers' safety, with over 2,000 products in its catalogue, almost entirely homologated by the Fédération Internationale de l'Automobile - FIA.



2021 OMP IN THE WORLD





Available on beta-tools.it



Available on [magnetimarelli-checkstar.com catalogue](http://magnetimarelli-checkstar.com/catalogue)



toyotires.com



Available on ducatistore.com



Gruppo Beta Utensili




Magneti Marelli - checkstar

TOYO TIRES

Toyo Tires



MBM Extreme Designer



U.C. SAMPDORIA

U.C. Sampdoria office chair (HA/777E/SAM/BW)
available on ompracing.com



GENOA CFC

Genoa CFC office chair (blue/red HA/777/gen7br - red/blue HA/777/gen/rb) available on ompracing.com



FC PORTO



SPORTING CLUBE DE PORTUGAL



WYCOMBE WANDERERS FC



HIBERNIAN FC



LUBE Volley



DINAMO SASSARI Basket

NEW FIA STANDARD 8856-2018

NEW ERA OF MOTORSPORT SAFETY

FIA increases the safety in motorsport with the release of new standard FIA 8856-2018 for fire retardant racewear. The new standard establishes the requirements for design and performance in terms of increased protection against flames and against heat transmission, mechanical resistance and tensile strength.

EXPIRATION AND MANUFACTURING DATE

FIA 8856-**2000** racewear with ANY manufacturing date expires in December 2028

FIA 8856-**2018** racewear expires after 10 years from date of manufacturing

VALIDITY

FIA 8856-**2000** racewear will be valid in any FIA competition until December 2028 (main championships excluded, as per tab). From January 1st 2029 only FIA 8856-**2018** homologated racewear will be accepted.

MAIN TECHNICAL UPDATES



Suits

Higher flame resistance



Shoes

New heat test



Gloves

Safer construction rules



Underwear

New heat and anti irritation tests

FIA 8856-2018 application rules

CATEGORIES	2019	2020	2021	2022	2029
Formula 1		Mandatory	Mandatory	Mandatory	
Formula 2			Mandatory	Mandatory	
Formula 3 Int./Reg.				Mandatory TBC	
Formula E	Season 6 Mandatory	Mandatory	Mandatory	Mandatory	All competition registered in the International Sporting Calendar
WEC (LMP1, LMP2, LMGT-E)		Season 2020-2021 Mandatory	Mandatory	Mandatory	
WRC		Prioriy 1 Crew Mandatory	Mandatory	Mandatory	
WRC (all), WRX , ERX			Mandatory	Mandatory	
Cross-Country			Mandatory	Mandatory	

CUSTOM RACEWEAR

PRINTED CUSTOM RACEWEAR

New FIA rule introduces a mandatory authenticity certificate for racewear customized through sublimation prints (ART Technology) or transfer prints. For your safety and to avoid using not FIA complying materials, only the manufacturer is authorized to apply the customization and release the certificate.



OMP CONNECT & NFC TECHNOLOGY




All OMP 2018 FIA rule racewear are equipped with a NFC technology tag located under the FIA hologram.



Through this chip you can download the mandatory certificate of all your customized racewear directly on your smartphone and manage all your certificates very quickly thanks to the new OMP CONNET App. Just download the app and touch the tag to collect your certificates.



APP SCREENSHOTS



CERTIFIED SAMPLES



RACING



PAG. 18

VINTAGE




PAG. 112

MECHANICS



PAG. 120

KARTING



PAG. 252

SUITS

SUIT

ONE ART

IA01857E

SIZES 46-64

sizing information on page 349

MY2021

TOTALLY PRINTED FIA TOP LEVEL SUIT

Regular fit with ultraflat antirubbing seams, soft knitted fabric inside. **Unlimited customization** way thanks to the totally printed design.



IA01857E049XX
navy blue/orange

SHAPED COLLAR
with inner soft knitted material.

FLOATING SLEEVES
Semi floating arm bellows

KNITTED MATERIAL

STRETCH DRY SYSTEM

POCKET
One comfortable
hidden pocket

DRY SYSTEM
UTILITY MODEL
FRESH AIR IN HOT AIR OUT
OMP REVOLUTIONARY COOLING SYSTEM

FIA 8856-2018




MANUFACTURER: OMP
MODEL: OMP ART.A
HOM. NO: DC.00138-O
FIA STANDARD: FIA 8856-2018



Making
of *Art*

CONCEPT & DESIGN



DIGITAL PROJECT





GRAPHIC PRINT



CUT & PRODUCTION



FINISHES



Elfyn Evans - Toyota Gazoo
Racing WRT

ONE-*Art*
SUITS

This model of suit can be customized through the use of images, photos and color blendings. This peculiar feature is possible thanks to our proprietary technology "OMP Print Art". In order to outline what spaces are at the customer's disposal for personalization, we show you the exploded view of those areas. Create your ONE ART suit right now on our website: www.ompracing.com

ULTRALIGHT PROFESSIONAL SUIT

Top level ultra-light racing suit made with new generation fabrics that guarantees more lightness (in comparison to previous ONE EVO model) and more safety (FIA 8856-2018 homologation). Two layers construction, ultralight soft inner fabrics, high breathability material inserts, hidden outer pocket, belt less. Fishbone quilting.



SHAPED COLLAR
with inner soft knitted material.

FLOATING SLEEVES
floating arm bellows.

PRE-CURVED SLEEVES
for maximum comfort.

IA01861178XX
black/fluo yellow

HIDDEN OUTER POCKETS

FISHBONE QUILTING

NEW LIGHT STRETCH MATERIAL



DRY SYSTEM
FRESH AIR IN HOT AIR OUT
OMP REVOLUTIONARY COOLING SYSTEM



FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE EVO X
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018

DRY SYSTEM

To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear and breathable clothing to facilitate the body thermoregulation. The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution. OMP's Dry System is a registered utility model.

NEW LIGHT STRETCH DRY SYSTEM

To improve comfort and performance, we have been developing our dry system for years. First we made it stretch, now it's also **LIGHT**. The elastic 3D materials which were studied to allow any position by the driver have now been revolutionized: not only they perfectly follow your movements, but they are also lighter than ever, for a top level wearability.



IA01861171XX
black/silver



IA01861083XX
silver/black



IA01861073XX
black/red



IA01861244XX
navy blue/cyan

SUIT ONE EVO X SL

IA01862

SUPER LIGHT PROFESSIONAL SUIT

Top level extremely lightweight race suit.
Same ONE EVO X new generation fabrics for extreme lightness.

CUSTOM MADE AVAILABLE UPON REQUEST

SIZES 46-64

sizing information on page 349



OMP REVOLUTIONARY COOLING SYSTEM



SHAPED COLLAR
with inner soft knitted material.

FLOATING SLEEVES
floating arm bellows.

PRE-CURVED SLEEVES
for maximum comfort.

NEW LIGTH
STRETCH DRY SYSTEM

FISHBONE
QUILTING

FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE EVO X SL
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018

RACING suits

22



George Russell - Williams Racing

23

RACING suits

SUIT

ONE-S


IA01860

TOP LEVEL SUIT

Fireproof top level overall. Developed for the highest lightness without sacrificing the comfort. Made of shiny Nomex® fabrics. Regular fit with antirubbing seams.



DRY SYSTEM
high breathability
parts in Dry System 3D
material



FLOATING SLEEVES
semi floating arm
bellows

DRY SYSTEM
high breathability
parts in Dry System 3D
material

POCKET
One comfortable
hidden pocket

KNITTED MATERIAL

IA01860249XX
navy blue/orange

FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE-S.01
HOM. NO: DC.045.19-O
FIA STANDARD: FIA 8856-2018

SIZES 46-64

sizing information on page 349
SFI 3.2A/5 on request



DRY SYSTEM
high breathability
parts in Dry System 3D
material

FOCUS ON

DRY SYSTEM

To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear and breathable clothing to facilitate the body thermoregulation. The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution. OMP's Dry System is a registered utility model.

STRETCH DRY SYSTEM

More comfort, less heat: a goal that OMP pursues since always, and now concretizes with STRETCH DRY SYSTEM. The maximum breathability of OMP Dry System is combined with the elasticity of 3D materials, to allow the best freedom in movements while reducing body temperature. Two fundamental elements to help drivers improve their performance.



IA01860071XX
black/white



IA01860083XX
silver/black

SUIT TECNICA EVO

IA01859E

PROFESSIONAL SUIT

Professional fire retardant suit featured by high-level fabrics. Floating arms with elastic bellows to increase freedom of movement, breathable fabric inserts to give the best comfort. Ultraflat antirubbing seams, inner fabric made in soft knitted fabric and practical front pocket on right side. "Fishbone" quilting, fresh and aggressive design.



NEW

FISHBONE QUILTING

FLOATING ARMS with elastic bellows

ULTRA-FLAT anti rubbing seams

IA01859E373XX
white/anthracite

HIDDEN POCKET

STRETCH DRY SYSTEM
3D breathable material

FIA 8856-2018



MANUFACTURER: OMP
MODEL: TECNICA EVO
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018

RACING suits

26

FOCUS ON

STRETCH DRY SYSTEM

More comfort, less heat: a goal that OMP pursues since always, and now concretizes with STRETCH DRY SYSTEM. The maximum breathability of OMP Dry System is combined with the elasticity of 3D materials, to allow the best freedom in movements while reducing body temperature. Two fundamental elements to help drivers improve their performance.



IA01859E060XX
red/black



IA01859E178XX
black/anthracite/fluor yellow



IA01859E073XX
black/red



IA01859E076XX
black/white



IA01859E244XX
navy blue/white/cyan

27

RACING suits

SUIT TECNICA-S

IA01850

PROFESSIONAL SUIT

Made of shiny Nomex® fabrics.
Modern and aggressive design.

SIZES 44-64

sizing information on page 349
SFI 3.2A/5 on request



SHAPED COLLAR
with inner soft knitted material

FLOATING ARMS
with elastic bellows

IA01850063XX
red/white/black

POCKETS

ULTRA-FLAT
anti rubbing seams



MANUFACTURER: OMP
MODEL: TECNICA-S
HOM. NO: RS.132.07
FIA STANDARD: FIA 8856-2000



FOCUS ON



KNITTED ELASTIC INSERT
on the back for maximum
freedom of movement



IA01850043XX
blue/white/black



IA01850089XX
grey/white/black



IA01850076XX
black/white/silver

SUIT

FIRST EVO

IA01854E

2 LAYER SUIT

2 layer overall with modern two coloured design featuring an excellent quality/comfort/price ratio.

SIZES 42-64

sizing information on page 349
SFI 3.2A/5 on request



FLOATING ARMS
with elastic bellows.

BREATHABLE SYSTEM
breathable inserts
on the sleeves.

IA01854E244XX
navy blue/white/cyan

POCKETS

KNITTED MATERIAL
Elastic inserts on the back and
on the groin for better comfort
and flexibility.



FIA 8856-2018



MANUFACTURER: OMP
MODEL: FIRST-EVO.01
HOM. NO: DC.02719-O
FIA STANDARD: FIA 8856-2018

RACING suits

30

FOCUS ON



BREATHABLE SYSTEM
Breathable inserts
on the sleeves.

KNITTED ELASTIC INSERT
on the back for maximum
freedom of movement



IA01854E063XX
red/white

IA01854E089XX
silver/black

IA01854E184XX
anthracite/black/fluo yell.

IA01854E076XX
black/white

31

RACING suits

SUIT

FIRST-S

IA01828D

PROFESSIONAL RESISTANT AND COMFORTABLE SUIT

Entry level FIA homologated racing suit made with new lightweight fabrics and with an excellent price/quality/resistance/comfort ratio. Inner layer in soft knitted fire retardant fabric, modern design with "fishbone" quilting.

SIZES 44-64

sizing information on page 349
SFI 3.2A/5 on request



FLOATING SLEEVES
Floating arm bellows

ULTRAFLAT
antirubbing seams

IA01828D184XX
anthracite/fluo yellow

POCKETS



FIA 8856-2018



MANUFACTURER: OMP
MODEL: FIRST-S.01
HOM. NO: DC.023.19-0
FIA STANDARD: FIA 8856-2018

RACING suits

32

FOCUS ON

FLOATING SLEEVES
FLOATING ARM BELLOWS

KNITTED ELASTIC INSERT
on the back for maximum
freedom of movement



IA01828D061XX
red



IA01828D244XX
blue



IA01828D083XX
silver



IA01828D071XX
black

33

RACING suits

Two-layer overall with modern bicoloured design featuring an excellent quality/comfort/price ratio. External layer in aramidic fiber for high use and washing resistance, inner fabric in soft knitted material.

SIZES 38-50

sizing information on page 349
SFI 3.2A/5 on request

+SAFETY
-WEIGHT

FIA 8856-2018

FIA APPROVED

MANUFACTURER: OMP
MODEL: FIRST-EVO.01
HOM. NO: DC.02719-O
FIA STANDARD: FIA 8856-2018

SPECIAL SHAPE
FOR LADIES

MANUFACTURED
ENTIRELY IN ITALY

BREATHABLE INSERTS
on the sleeves

FLOATING SLEEVES

ULTRAFLAT
antirubbing seams


IA01854EW277XX
black/fuchsia

POCKET

ELASTIC INSERT
on the back for maximum
freedom of movement

IA01854EW248XX
navy blue/tiffany

IA01854EW076XX
black/white



IT SIZING	38	40	42	44	46	48	50
Height (cm)	158-162	160-164	162-166	164-168	166-170	168-172	170-174
A Chest (cm)	82-86	89-90	90-94	94-98	98-102	102-106	106-110
B Waist (cm)	62-66	66-70	70-74	74-78	78-82	82-86	86-90
C Hips (cm)	86-90	90-94	94-98	98-102	102-106	106-110	110-114
D Thigh (cm)	48-50	50-52	52-54	54-56	56-58	58-60	60-62
E Arm (cm)	52-54	53-54	55-57	57-58	58-60	60-62	61-63
F Inside leg (cm)	73-75	75-77	77-78	78-80	80-81	81-83	83-84

SUIT OMP SPORT

IA01847E

RESISTANT AND CONFORTABLE SUIT

OMP entry level suit with an excellent quality/ price ratio. Outer pockets.

ALSO AVAILABLE FOR CHILDREN UPON REQUEST



SIZES S/XXL

sizing information on page 349
SFI 3.2A/5 on request

Corresponding suit sizes:

USA	EU
S	46/48
M	50/52
L	54/56
XL	58/60
XXL	62/64

FIA 8856-2018



MANUFACTURER: OMP
MODEL: OMP SPORT.01
HOM. NO: DC.028.19-0
FIA STANDARD: FIA 8856-2018



FLOATING ARMS
with elastic bellows.

IA01847E061XX
red



LARGE POCKET



IA01847E041XX
blue



IA01847E071XX
black

ELASTIC BAND



SUIT

OS 10

IA01904

OS 10 SUIT

One layer OMP Sport racing suit
in fire retardant cotton fabric.

SIZES: S/XXL

sizing information on page 349
HOMOLOGATION SFI 3.2A/S1

Corresponding suit sizes:

USA	EU
S	46/48
M	50/52
L	54/56
XL	58/60
XXL	62/64



EXTRACTION HANDLES



ELASTIC STRETCH
Lumbar elastic stretch.

IA01904071XX
black



EXTERNAL POCKETS



RACING SUITS TABLE

ONE ART SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018	3	LIGHT	46 64	IA01857E049XX
ONE EVO X SL SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018	2	ULTRA LIGHT	ON REQUEST	IA01862XX
ONE EVO X SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018	2	ULTRA LIGHT	46 64	IA01861171XX IA01861083XX IA01861178XX IA01861073XX IA01861244XX
ONE-S SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018 SFI on request*	3	SUPER LIGHT	46 64	IA01860071XX IA01860083XX IA01860249XX
TECNICA EVO SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018	3	ULTRA COMFORT	44 64	IA01859E076XX IA01859E373XX IA01859E178XX IA01859E073XX IA01859E060XX IA01859E244XX
TECNICA-S SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856/2000 SFI on request*	2	SUPER COMFORT	44 64	IA01850076XX IA01850089XX IA01850063XX IA01850043XX
FIRST EVO SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018 SFI on request*	2	SUPER COMFORT	42 64	IA01854E076XX IA01854E089XX IA01854E184XX IA01854E063XX IA01854E244XX
FIRST-S SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018 SFI on request*	2	COMFORT	44 64	IA01828D071XX IA01828D083XX IA01828D184XX IA01828D061XX IA01828D244XX
FIRST ELLE				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018 SFI on request*	2	SUPER COMFORT	38 50	IA01854EW076XX IA01854EW248XX IA01854EW277XX
OMP SPORT SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
FIA 8856-2018 SFI on request*	2		S XXL	IA01847E071XX IA01847E041XX IA01847E061XX
OS 10 SUIT				
HOMOLOGATION	LAYERS	FEELING	SIZES	
SFI 3.2	1		S XXL	IA01904071XX

PLEASE
NOTE

The XX in each part number indicates the location of the size.

*SFI on request only for special production



Oliver Solberg

1

CHOOSE THE MODEL YOU WANT TO CUSTOMIZE FROM THE FOLLOWING:
ONE ART (IA01857E) - ONE-EVO X (IA01861) - ONE-EVO SL (IA01862) ONE-S (IA01860) - TECNICA
EVO (IA01859E) - TECNICA-S (IA01850) - FIRST EVO (IA01854E) - FIRST-S SUIT (IA01828D) - FIRST
ELLE (IA01854EW) - ONE VINTAGE (IA01842E) - CLASSIC (IA01816E)

2

DOWNLOAD THE CUSTOMIZATION TUTOR AND THE BLANK MODEL
FROM WWW.OMPRACING.COM



3

AREA BY AREA, CHOOSE AND APPLY THE COLORS FROM THE PALETTES



4

APPLY YOUR LOGOS AND GRAPHICS



5

DOWNLOAD THE ORDER FORM AND FILL IT IN EVERY PART.
YOU CAN CHOOSE STANDARD SIZE OR ON MEASURE.

Ordine Tutel (OT) - Mod. 133 - Rev. 07

OMP SUITS CUSTOMIZATION SERVICE

Send the order form via e-mail: export.sales@ompracing.it or via fax: +39 0109661005

section to fill in by OMP

CONTACT OFFICE	REFERENCE OFFER
ORDER NUMBER	PRODUCTION ORDER
DATE	DATE OF DELIVERY

1 CUSTOMER DATA

1.1 - CUSTOMER

1.2 - ADDRESS

1.3 - PHONE

1.4 - FAX

1.5 - E-MAIL

OMP Racing SpA - Via E. Mattei 5 - 10129 Torino (TO) - Italy - Tel. +39 011 9661005



RACING



PAG. 44

KARTING



PAG. 261

UNDERWEAR

TOP LEVEL UNDERWEAR WITH EXCLUSIVE FEATURES

Stretched long sleeved crew-neck top. Ultra-flat and anti-rubbing seams. Advanced technology knitted fabric with high breathability 3D knitting inserts for maximum cooling in hot condition that aligns with the breathable inserts of 'ONE' range suits and TECNICA EVO suits - DRY SYSTEM technology.

FOR MAXIMUM FRESHNESS USE INVIGORATING COOLING SPRAY (ref. PC02003)

IAA/760020XX
white

SFI 3.2A/5 on request

SIZES:
XS/S (42-46) - M (48-50) -
L (52-54) - XL (56-58) -
XXL (60-64)



IAA/760071XX
black



SIZES:
XS/S (42-46) - M (48-50) -
L (52-54) - XL (56-58) -
XXL (60-64)



IAA/761071XX
black

ONE LONG JOHNS

IAA/761

TOP LEVEL UNDERWEAR WITH EXCLUSIVE FEATURES

Stretched long johns with ultra-flat seams. Advanced technology knitted fabric with high breathability 3D knitting inserts for maximum cooling in hot condition that aligns with the breathable inserts of 'ONE' range suits and TECNICA EVO suits - DRY SYSTEM technology. Prepared for cooling treatment activated with special spray (PC02003 - sold separately).

FOR MAXIMUM FRESHNESS USE INVIGORATING COOLING SPRAY (ref. PC02003)

IAA/761020XX
white

FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE LONG.01
HOM. NO: DC.063.19-L
FIA STANDARD: FIA 8856-2018

ONE BALACLAVA

IAA/759

SFI 3.3 on request

FOR MAXIMUM FRESHNESS USE INVIGORATING COOLING SPRAY

(ref. PC02003)

SIZES: S-M

IAA/759020XX
bianco



FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE BALACLAVA.01
HOM. NO: DC.064.19-B
FIA STANDARD: FIA 8856-2018



IAA/759071XX
black



INVIGORATING COOLING EFFECT SPRAY

PC02003

BIO COSMETIC ITEM ACTIVE THERMOREGULATOR

Reduces the high temperatures inside the cockpits, controls perspiration and keeps a steady body temperature, offering an invigorating and cooling sensation.

OMP gives always particular attention to the wellness and comfort of the drivers all over the world.



ONE SOCKS

IAA/766

SIZES: S - M - L



MANUFACTURER: OMP
MODEL: ONE SOCKS.01
HOM. NO: DC.085.20-S
FIA STANDARD: FIA 8856-2018



IAA/766071
black

IAA/766020
white

Technical socks made with advanced knitting techniques to provide differentiated pressure areas, with beneficial effect on blood circulation, reducing the feeling of fatigue on the legs while driving

TECNICA TOP

IAA/756

Professional long sleeved underwear top with high neck for maximum protection made with a comfortable fire retardant seamless fabric. The high breathability fabric inserts on main perspiration areas ensures the best comfort and a perfect fitting.

SIZES:
XS/S - M/L - XL/XXL - XXXL



IAA/756071XX
black



IAA/756020XX
white



TECNICA LONG JOHNS

IAA/757

Professional underwear long johns made with a comfortable fire retardant seamless fabric. The high breathability fabric inserts on main perspiration areas ensures the best comfort and a perfect fitting.

SIZES:
XS/S - M/L - XL/XXL - XXXL



IAA/757071XX
black



IAA/757020XX
white



TECNICA BALACLAVA

IAA/758

SIZES:
S/M - L/XL

IAA/758071XX
black


IAA/758020XX
white



Professional balaclava made with a comfortable fire retardant seamless fabric that ensures the best comfort and a perfect fitting.



MANUFACTURER: OMP
MODEL: R-IAA-003
FIA STANDARD: FIA 8856-2000



David Schumacher
Charouz Racing - Fia F3

FIRST TOP

IAA/730

SIZES:
XS - XXL

Viscose/aramid long sleeved top with external seams.
Colour: ecru.



FIRST LONG JOHNS

IAA/731P

SIZES:
XS - XXL

Viscose/aramid long johns with external seams.
Colour: ecru.



FIRST BALACLAVA

IAA/729

SIZES:
S (IAA/729/S) - M (IAA/729)



Viscose/aramid balaclava with external seams.
Colour: ecru.



NOMEX SOCKS *FIA 8856-2018*

IAA/762

SIZES: XS-S-M-L SFI 3.3



IAA/762028
cream

IAA/762071
black

ARAMID KNITTED SOCKS

IAA/722 - IAA/724

TAGLIE: XS - L SFI 3.3



IAA/722
cream

IAA/724
black

KNEE PADS

ID/790

Aramid knee pads with inner padding.
In Nomex®.
One size.



ELBOW PADS

ID/791

Aramid elbow pads with inner padding.
One size.



UNDERWEAR OMP COOL SHIRT

IAA/752

SFI 3.3 on request

OMP COOLSHIRT

Underwear long sleeved top with integrated water based cooling system.

FOR MAXIMUM FRESHNESS USE INVIGORATING COOLING SPRAY

(ref. PC02003)



WORLD WIDE EXCLUSIVE



IAA/752020XX

white



SMA
corresponding sizes XS/S
suit sizes 44-48

MED
corresponding sizes M/L
suit sizes 50-54

XLAR
corresponding sizes XL/XXL
suit sizes 56-60

DRY SYSTEM
FRESH AIR IN HOT AIR OUT
OMP REVOLUTIONARY COOLING SYSTEM



IAA/752 Rear detail




IAA/752071XX

black

INTEGRATED QUICK CONNECTIONS
to be used with ID/793 system for short races;
to be used with ID/794 system for longer races or go directly for top performances with the **Coolshirt PRO air and water system ID/795**, with additional ventilation for your helmet or seat (see page 63).

To be used only with quick connection in red colour.
For more details visit www.ompracing.com



DUAL FLOW CONTROLLER

ID/798

(water and air) - Controls the amount of refrigerating effect and gives the driver control of his/her comfort while in the race car by controlling the flow of cooling water through the shirt and the flow of fresh air in the helmet. Available as replacement for Air & Water System dual controller.



UNIVERSAL CONNECTOR AND DRAIN KIT

ID/799

Universal connectors for supply hose ID/797. Available as replacement of original parts.



SAFETY PULL RELEASE CONNECTOR

ID/800

Safety pull release connectors that allow to connect the shirt to the supply hose ID/797. Available as replacement of original parts.



BRACKET

ID/801

Spare mounting tray for Club System (ID/794). Comes with tie down strap.



MAINTENANCE ADDITIVE

PC02004

This non-toxic bio-degradable solution contains a fungicide yet is safe to use in all Coolshirt water based cooling systems. Regular use of this additive will not only help clean the system but it will also improve the performance and life of the system pump.



BAG SYSTEM

ID/793

WATER COOLING SYSTEM PORTABLE FLEXIBLE BAG
Lightweight and waterproof canvas denier bag with an internal 12 V pump. For use in all types of racing. Cooling time: 1/2h - 1h More accessories available. **Supply hose ID/797 sold separately.**



CLUB SYSTEM

ID/794

WATER COOLING SYSTEM CLUB SYSTEM RIGID BOX
23 lt capacity cooling unit with an internal pump which supplies water to the cooling underwear through 3 mt of double insulated hose with automatic shutoff/quick disconnects. Perfect from road courses to oval track racing. Cooling time: 6h More accessories available. **Bracket ID/801 included. Supply hose ID/797 sold separately.**



COOL SHIRT SYSTEM

ID/795

COOL SHIRT PRO AIR & WATER SYSTEM
Used in all levels of racing, it provides temperature controlled cooled water to the driver's Cooling Shirt and cooled filtered air to the helmet. 2,5 mt of double water hose with automatic shutoff/quick disconnects attach the shirt to the unit. The kit includes the box with internal pump and blower, supply water hose (2,5mt), dual flow controller (ID/798), mounting tray (ID/801), air hoses, connectors and filters. Cooling time: 4h More accessories available.



FLOW CONTROLLER

ID/796

Controls the amount of refrigerating effect and gives the driver control of his/her comfort while in the race car by controlling the flow of cooling water through his/her shirt.



SUPPLY HOSE


ID/797

CoolShirt 10ft (3 mt) supply hose enables the Cool Shirt Bag or Club System Box to be stored further away from the driver if required. Inherently flexible, the Hose Supply is an ideal accessory to ensure future flexibility for the Cooling system. Also available as replacement for CoolShirt water cooling system damaged hoses.





RACING



PAG. 54

VINTAGE



PAG. 114

MECHANICS



PAG. 122

KARTING



PAG. 264

GLOVES

GLOVES ONE ART

IB/763

**TOP LEVEL RACING GLOVES
WITH TOTALLY PRINTABLE DESIGN
AVAILABLE ONLY UPON REQUEST**
It is possible to customize the gloves.
Unlimited customization ways thanks
to the totally printed design.

SIZES XS-XL
sizing information on page 349
PRECURVED
INTERNAL SEAMS



**PALM WITH FIRE-RETARDANT
SILICONE RUBBER INSERTS**
proven to give optimal grip,
lightness and sensitivity

INTERNAL
SEAMS

PRINTED
FABRIC

SLANTED CUT

ELASTIC BAND
on the wrist



RACING gloves

ONE-ART

RACING GLOVES

**Making
of** *Art*

CONCEPT & DESIGN



DIGITAL PROJECT



GRAPHIC PRINT



CUT & PRODUCTION



FINISHES



This model of gloves can be customized through the use of images, photos and color blendings.
This peculiar feature is possible thanks to our proprietary technology "OMP Print Art".
In order to outline what spaces are at the customer's disposal
for personalization, we show you the exploded view of those areas.
Create your ONE ART gloves right now on our website: www.ompracing.com

GLOVES ONE EVO X

IB/771

SUPER PROFESSIONAL GLOVES

Top level extremely lightweight precurved gloves. Upper made in breathable comfortable material, exclusive high technology palm in silicone rubber proven to give optimal grip, lightness and sensitivity. External seams for maximum feeling on steering wheel, elastic wrist stop to get maximum fitting comfort.



SIZES XS-XL

sizing information on page 349

PRECURVED

EXTERNAL SEAMS



IB/771/BC/XX
navy blue/cyan

SUPER LIGHT
HONEYCOMB
ENGINEERED FABRIC

SILICONE INSERTS

BALL POINT
silicone inserts

DOUBLE ELASTIC
wrist closure
for secure fit

SLANTED
CUT

GRIP INSERTS
for perfect fit

FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE EVO X
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018

IB/771/W/XX
white

RACING gloves

56

GLOVES ONE-S

IB/770

SUPER PROFESSIONAL GLOVES

Fireproof precurved top level gloves. Diagonal cut on the wrists + elastic band on the wrists. Completely external seams for maximum comfort, fire retardant silicone rubber palm. Modern design.



SIZES: XS-XXL

sizing information on page 349

PRECURVED

EXTERNAL SEAMS

AVAILABLE ALSO
IN XXL SIZE

PRECURVED FINGER

EXTERNAL SEAMS

IB/770/GF/XX
fluo yellow/black/grey

SELECTED GRIP AREA

PALM WITH FIRE
RETARDANT SILICONE
RUBBER INSERTS
proven to give optimal grip,
lightness and sensitivity

ELASTIC BAND

SLANTED CUT

IB/770/N/XX
black/white/grey

IB/770/BA/XX
navy blue/fluo orange

IB/770/R/XX
red/white/black

IB/770/W/XX
white/black/red

FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE-S.01
HOM. NO: DC.054.19-G
FIA STANDARD: FIA 8856-2018

RACING gloves

57

GLOVES TECNICA

IB/772

SIZES XS-XL

sizing information on page 349

PRECURVED

EXTERNAL SEAMS



HIGH ADHERENCE GLOVES

Palm in suede leather with silicon rubber inserts, external seams, adjustable velcro strap closure for snug fitting at the wrist. Slanted cut and elastic wrist stop. Fresh design.



IB/772/BC/XX
navy blue/cyan



IB/772/R/XX
red



IB/772/NGI/XX
black/fluo yellow



IB/772/NW/XX
black/white



IB/772/NR/XX
black/red



IB/772/W/XX
white

EXTERNAL SEAMS

ADJUSTABLE
VELCRO STRAP

SILICONE
INSERTS

PALM IN SUEDE
LEATHER

ELASTIC WRIST
STOP

SLANTED CUT

FIA 8856-2018



MANUFACTURER: OMP
MODEL: TECNICA
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018

RACING gloves

58

GLOVES TECNICA-S

IB/764

SIZES S-XL

sizing information on page 349

INTERNAL SEAMS

SUITABLE BOTH FOR DRIVERS
AND MECHANICS'



STRONG AND COMFORTABLE
PROFESSIONAL GLOVE

INNER SEAMS

IB/764/BGI/XX
royal blue/fluo yellow

GRIP INSERTS

PADDED
REINFORCEMENT



IB/764/N/XX
black/white



IB/764/R/XX
red/white



IB/764/GF/XX
fluo yellow/black



MANUFACTURER: OMP
MODEL: MISTRAL
FIA STANDARD: FIA 8856-2000

RACING gloves

59

GLOVES FIRST EVO

IB/767

SIZES S-XL

sizing information on page 349

PRECURVED

EXTERNAL SEAMS



PROFESSIONAL GLOVES

Lightweight and resistant glove with elastic band on the wrist, straight cut design, external seams. Silicone palm for best grip and sensitivity.



EXTERNAL SEAMS

IB/767/R/XX
red/black/white



IB/767/N/XX
black/grey/white



IB/767/BC/XX
navy blue/cyan/white



IB/767/NGI/XX
black/white/fluor yellow

PALM IN HIGH GRIP
SILICONE RUBBER

ELASTIC WRIST
STOP

FIA 8856-2018



MANUFACTURER: OMP
MODEL: FIRST-EVO.01
HOM. NO: DC.02019-G
FIA STANDARD: FIA 8856-2018

RACING gloves

60

GLOVES FIRST-S

IB/761A

SIZES XS-XL

sizing information on page 349

INTERNAL SEAMS



STRONG AND COMFORTABLE
PROFESSIONAL GLOVE



INTERNAL SEAMS

PALM IN HIGH GRIP
SILICONE RUBBER

IB/761A/N/XX
black/white



IB/761A/R/XX
red/white



IB/761A/BV/XX
navy blue/white

PALM IN HIGH GRIP
SILICONE RUBBER

FIA 8856-2018



MANUFACTURER: OMP
MODEL: FIRST-S.01
HOM. NO: DC.01919-G
FIA STANDARD: FIA 8856-2018

RACING gloves

61

GLOVES NEW RALLY

IB/702

STRONG AND DURABLE PROFESSIONAL GLOVE

Fireproof stretch fabric - suede leather. Ideal for use in harsh condition.

SIZES S-XL

sizing information on page 349

IN COMPLIANCE WITH ISO 6940

IB/702/N/XX
black



IB/702/R/XX
red



IB/702/B/XX
blue



MANUFACTURED
ENTIRELY IN ITALY



Johan Kristoffersson - Kristoffersson Motorsport
World Rallycross Champion 2020

RACING GLOVES TABLE

PLEASE
NOTE

The XX in each part
number indicates the
location of the size.

ONE ART

HOMOLOGATION	PRECURVED	SEAMS	PALM INSERT	SIZES
FIA 8856/2000	✓	internal	flame retardant silicone	XS XL



IB/763XX

ONE EVO X

HOMOLOGATION	PRECURVED	SEAMS	PALM INSERT	SIZES
FIA 8856-2018	✓	mixed external/internal	flame retardant silicone	XS XL



IB/771/N/XX



IB/771/NGI/XX



IB/771/BC/XX



IB/771/R/XX



IB/771/W/XX

ONE-S

HOMOLOGATION	PRECURVED	SEAMS	PALM INSERT	SIZES
FIA 8856-2018	✓	external	flame retardant silicone	XS XXL



IB/770/N/XX



IB/770/GF/XX



IB/770/BA/XX



IB/770/R/XX



IB/770/W/XX

TECNICA

HOMOLOGATION	PRECURVED	SEAMS	PALM INSERT	SIZES
FIA 8856-2018	✓	external	flame retardant silicone and leather	XS XL



IB/772/NW/XX



IB/772/NGI/XX



IB/772/BC/XX



IB/772/NR/XX



IB/772/R/XX



IB/772/W/XX

TECNICA-S

HOMOLOGATION	PRECURVED	SEAMS	PALM INSERT	SIZES
FIA 8856/2000		internal	silicone	S XL



IB/764/N/XX



IB/764/GF/XX



IB/764/BGI/XX



IB/764/R/XX

FIRST EVO

HOMOLOGATION	PRECURVED	SEAMS	PALM INSERT	SIZES
FIA 8856-2018	✓	external	leather and silicone	S XL



IB/767/N/XX



IB/767/GF/XX



IB/767/BC/XX



IB/767/R/XX

FIRST-S

HOMOLOGATION	PRECURVED	SEAMS	PALM INSERT	SIZES
FIA 8856-2018		internal	silicone	XS XL



IB/761A/N/XX



IB/761A/BV/XX



IB/761A/R/XX

NEW RALLY

HOMOLOGATION	PRECURVED	SEAMS	PALM INSERT	SIZES
ISO 6940		internal		S XL



IB/702/N/XX



IB/702/B/XX



IB/702/R/XX

*SFI on request only for special production

RACING




PAG. 66

VINTAGE



PAG. 116

KARTING



PAG. 274

SHOES

HIGH LEVEL PROFESSIONAL RACE BOOTS
WITH TOTALLY PRINTABLE DESIGN

AVAILABLE ONLY UPON REQUEST

Unlimited customization ways thanks to the
totally printed design.



MANUFACTURER: OMP
MODEL: ONE-ART.01
HOM. NO: DC.06919-Z
FIA STANDARD: FIA 8856-2018



NO-LACES
elastic fit with
adjustable velcro
strap to give the
best comfort

ONE PIECE OF SOFT FIRE
RETARDANT FABRIC

HIGH RESISTANT SIDE
protection on tip



REAR BELLOW

PIVOT-LIKE HEEL DESIGN
for smooth pedal actuation

ONE-ART RACING SHOES


Making
of *Art*

CONCEPT & DESIGN



left boot

DIGITAL PROJECT



GRAPHIC PRINT



CUT & PRODUCTION



FINISHES



This model of shoes can be customized through the use of images, photos and color blendings.

This peculiar feature is possible thanks to our proprietary technology "OMP Print Art".

In order to outline what spaces are at the customer's disposal
for personalization, we show you the exploded view of those areas.

Create your ONE ART shoes right now on our website: www.ompracing.com

**PROFESSIONAL ULTRA-SOFT
AND ULTRA-LIGHT SHOES
SOFT KANGAROO LEATHER**

Racing boot in soft leather and fabric with exclusive micro adjustment **ROTOR LACING** that ensures an easy and quick lacing. Very light and comfortable. Structure designed to increase the sensitivity on the pedal. High resistance and best grip. The perforated leather permits best breathability.



FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE-EVO-R.01
HOM. NO: DC.068.19-Z
FIA STANDARD: FIA 8856-2018

NEW



**EXCLUSIVE
ROTOR-LACING**
for micro adjustment
and a perfect fitting

IC/805E370XX
black/silver/fluor yellow

PERFORATED LEATHER
for maximum breathability

NEW FOOT SUPPORT
to reduce stress on the foot
and provide maximum drive sensitivity

REAR BELLOW

**PIVOT-LIKE HEEL
DESIGN**
for smooth pedal
actuation

INJECTED SOLE
for maximum grip and
resistance to wear



FOCUS ON

**ONE EVO X R
ROTOR LACING**

**SOFT KANGAROO
LEATHER**

INJECTED SOLE
for maximum grip and
resistance to wear

**EASY AND QUICK
LACING**

**LIGHT AND
COMFORTABLE**



IC/805E071XX
black



IC/805E099XX
fluor yellow



IC/805E020XX
white



IC/805E246XX
dark blue/silver/cyan



IC/805E172XX
black/silver/red

PROFESSIONAL TOP LEVEL

Perforated full grain leather for high breathability and fabric inserts. High resistant, injected sole, best grip. Velcro strap for best fitting. Structure designed to increase the sensitivity on the pedal. Thin laces to guarantee and permit a good sliding and a quick lacing of the boots.



NEW

SIZES 36 - 48

sizing information on page 349

FIA 8856-2018



APPROVED

MANUFACTURER: OMP
MODEL: ONE EVO X
HOM. NO.: XX.000.00-X
FIA STANDARD: FIA 8856-2018



PIVOT-LIKE HEEL
DESIGN
for smooth pedal
actuation

INJECTED SOLE
for maximum grip and
resistance to wear



FOCUS ON

INTERNAL SIDE
MADE IN PERFO-
RATED SMOOTH
LEATHER



IC/806E099XX
fluo yellow/black



IC/806E071XX
black/white



IC/806E061XX
red/black/white

FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE-S.01
HOM. NO: DC.067-19-Z
FIA STANDARD: FIA 8856-2018



PROFESSIONAL TOP LEVEL

Leather boot. Technical reinforcements on the tip and on the heel. Injected high resistant sole and best grip. Velcro strap for the best fitting of the ankle. Inner sole with plate reinforcement for highest sensitivity and reduction of the stress on the feet. Thin laces to guarantee and permit a good sliding and a quick lacing of the boots. Modern design.

VELCRO STRAP
for a best fitting
of the ankle

IC/822178XX
black/white/fluo yellow
fluo yellow sole

THIN LACES
for high sliding
and quick lacing

TECHNICAL
REINFORCEMENTS
on the tip and on the heel

INNER SOLE
with plate reinforcement for
highest sensitivity and reduction
of stress on the feet.

INJECTED SOLE
for maximum grip and
resistance to wear

FOCUS ON

REAR BELLOW

PERFORATED
LEATHERWIDE SHAPE
FOR BEST COMFORT

IC/822020XX
white/red/black
red sole



IC/822249XX
navy blue/white/fluo orange
black sole



IC/822061XX
red/black/white
black sole



IC/822099XX
fluo yellow/black/silver
black sole



IC/822071XX
black/grey/white
black sole

PROFESSIONAL BOOTS

Soft and comfortable high quality leather shoes. Outer side made in soft suede leather and internal side in resistant smooth leather. Ultralight outsole construction for direct pedal feeling and improved foot protection. Reinforcement on tip and comfortable rear bellow. Modern two-tone design.



SIZES 37 - 48
sizing information on page 349

FIA 8856-2018



APPROVED

MANUFACTURER: OMP
MODEL: TECNICA.01
HOM. NO: DC10720-Z
FIA STANDARD: FIA 8856-2018

NEW



IC/823077XX

black/anthracite

SOFT SUEDE

TECHNICAL
REINFORCEMENTS

REAR BELLOW

ULTRALIGHT OUTSOLE
CONSTRUCTION
with inner reinforcement

FOCUS ON

INTERNAL SIDE
MADE IN PERFO-
RATED SMOOTH
LEATHEREXTERNAL SIDE
MADE IN SOFT
SUEDE LEATHER

IC/823178XX

black/fluo yellow



IC/823242XX

navy blue/cyan



IC/823734XX

black/red

PROFESSIONAL MID CUT BOOTS

Made of suede leather with an excellent quality/price ratio. Resistant sole with a round cutted heel in order to ease the rotation of the feet while driving. Velcro strap on the ankle for best fitting. Inner black knitted fabric. Reinforcements on the tip.

NEW**FIA 8856-2018**

MANUFACTURER: OMP
MODEL: FIRST
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018



IC/824242XX
navy blue/cyan
black sole

VELCRO STRAP
for a best fitting
of the ankle



SIDE PROTECTION
on the tip

REAR BELLOW

ROUND
CUTTED HEEL
in order to ease the
rotation on the feet
while driving



SIZES 37 - 48

SIZE 36 ON REQUEST

sizing information on page 349

FOCUS ON

NEW SOLE

- NEW DESIGN
- NEW SHAPE
- 30% LIGHTER

NEW ANTISHOCK
PADDING



IC/824182XX
anthracite/fluor yellow
black sole



IC/824073XX
black/red
red sole



IC/824061XX
red
black sole



IC/824071XX
black/white
black sole

SHOES OMP SPORT

IC/816E

SIZES 36 - 47

sizing information on page 349

RESISTANT AND COMFORTABLE
RACE BOOTS
Made in durable microfiber.
Exclusive resistant antislip rubber sole
inspired by car's tyres.



RUBBER SOLE
high grip in every
condition and
long-time resistance



SHOES CO-DRIVER

IC/791E

SIZES 37 - 48

sizing information on page 349

HEAVY DUTY BOOTS
Made of water-repellent suede leather
with inner soft fabric. Sole made of
hydrocarbon resistant rubber, lace
closure, ankle velcro strap.



SUITABLE BOTH FOR DRIVERS
AND MECHANICS'

Compatible with IC/100 gel anatomic
insole for increase comfort in harsh
conditions (see pag. 125)



SOLE MADE OF
RESISTANT RUBBER,
HYDROCARBON
RESISTANT






Esteban Guerrieri - JAS Honda



José Antonio "Cohete" Suarez - Recalvi Team
Spanish Rally Championship

ONE ART						
HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFORATED LEATHER	SIZES	
FIA 8856-2018	✓	✓	✓ maximum sensitivity		37 48	IC/819EXX


ONE EVO X R											
HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFORATED LEATHER	SIZES						
FIA 8856-2018	✓	✓	✓ maximum sensitivity	✓	37 48	IC/805E071XX	IC/805E246XX	IC/805E370XX	IC/805E099XX	IC/805E172XX	IC/805E020XX


ONE EVO X									
HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFORATED LEATHER	SIZES				
FIA 8856-2018	✓	✓	✓	✓	36 48	IC/806E071XX	IC/806E099XX	IC/806E061XX	IC/806E020XX

ONE-S											
HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFORATED LEATHER	SIZES						
FIA 8856-2018	✓	✓	✓	✓	37 48	IC/822178XX	IC/822071XX	IC/822249XX	IC/822099XX	IC/822061XX	IC/822020XX

TECNICA									
HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFORATED LEATHER	SIZES				
FIA 8856-2018	✓	✓	SOFT MATERIAL	✓	37 48	IC/823077XX	IC/823073XX	IC/823178XX	IC/823242XX

FIRST										
HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFORATED LEATHER	SIZES					
FIA 8856-2018	✓	✓			37 48	IC/824071XX	IC/824182XX	IC/824242XX	IC/824073XX	IC/824061XX

OMP SPORT						
HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFORATED LEATHER	SIZES	
FIA 8856-2018	✓				36 47	IC/816E071XX

CO-DRIVER						
HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFORATED LEATHER	SIZES	
FIA 8856/2000	✓				37 48	IC/791E071XX

PLEASE
NOTE

The XX in each part
number indicates the
location of the size.

*SFI on request only for special production

RACING



PAG. 84

KARTING



PAG. 284

HELMETS

FULL FACE HELMET

Lightweight shell, high ventilation thanks to four air intakes on chin and eight vents on top. The standard sized eyeport allows to use the helmet with both classic shields and touring sun peak (sold separately) and makes the helmet suitable for several motorsports disciplines from formula cars to GT cars. Soft inner comfortable fabrics that allows best fitting comfort, double ring clousure. Hans posts fitted.

NEW

SIZES XXS/XL

sizing information on page 349
TWO SHELL SIZES

LIGHT COMPOSITE
SHELL

FIA 8859-2015

FIA APPROVED

MANUFACTURER: OMP
MODEL: GP-R
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8859-2015

8 AIR VENTS
on top

SOFT INNER
COMFORTABLE
FABRICS

4 AIR VENTS
on chin

COMPLETE WITH HANS®
safety device clips

SUN PEAK
sold separately
(SC179020)

EIGHT TOP AIR VENTS



SUN
STRIP



PROFESSIONAL SHAPE

GP-R (SC799) ACCESSORIES

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.

SUN PEAK

White

SC179020

Black

SC179071

VISORS

Clear visor

SC195

Iridium visor

SC197

Dark visor

SC196

PIVOT KIT

SC194



HELMETS J-R INTERCOM HANS

SC798

OPEN FACE HELMET

High quality lightweight composite material shell, high breathability fire retardant internal lining. Pre installed intercom kit (ultra-thin loudspeaker integrated and adjustable microphone boom) with female Nexus plug. Compatible with Stilo Nexus control boxes. Using a JA/882 adaptor makes the helmet compatible with all OMP, Peltor and other brands control units featuring a female nexus plug.

SIZES S/XL

sizing information on page 349
TWO SHELL SIZES

LIGHT WEIGHT
COMPOSITE SHELL



ANTIDAZZLE
PEAK WITH
SUN VISOR

REMOVABLE
CHEEK PADS
(only for SC798)



PRE INSTALLED
INTERCOM KIT

COMPLETE WITH HANS®
safety device clips

FEMALE NEXUS CONNECTOR

J-R HANS
SC795



Same features as SC798 no prepared for install intercom kit.
Hans post included.
Homologation: FIA 8859-2015

J-R
SC796



Same features as SC798, no prepared for install intercom kit.
Hans post not included.
Homologation: FIA 8859-2015



FOCUS ON

INTERCOM COMPATIBILITY



**COMPATIBLE
WITH
AMPLIFIERS**

SEE PAGE 92

J-R (SC798 / SC795 / SC796) ACCESSORIES

PEAK

White peak
(included with the helmet)

SC179020

Black peak (optional)

SC179071

SPARE SUN LENS FOR PEAK

SC180

SPARE CHEEK PADS
(only for SC798)

SC182

SCREW

Peak screw kit

SC181

INTERCOM KIT

Suitable only for SC798

JA/880



FULL FACE KARTING HELMET

Full face thermoplastic helmet, velvet lining (not fireproof), step setting visor.

AIR VENTS
and intakes to ensure the
best air ducting

SC613099XX

fluo yellow

REMOVABLE BREATH
GUARD

AIR VENT

CHIN CURTAIN



SC613020XX

white



SC613170XX

matt black



OPEN FACE KARTING HELMET

Open face helmet with ABS shell, velvet lining not fireproof, with revomable peak.

SC607E170XX

matt black

SUN PEAK



SC607E020XX

white

STAR-J *STEREO PLUG*

SC607I

Same features as SC607E.
Pre installed intercom kit JA/854 with stereo plug,
compatible with Valiant Stereo Plug amplifier (page 103)
COLOURS: white, matt black.



CIRCUIT EVO (SC613)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.

AIR VENTS

Spare front air vents

SC187

Spare rear air vents

SC188

VISORS

Clear visor
(included with the helmet)

SC185

Dark visor

SC186

AIR VENT

Spare chin air vent

SC189



Movement pivot kit

SC190

STAR (SC607E)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.

SUN PEAK

white sun peak

SC178

black sun peak

SC153

INTERCOM KIT

JA/854

Microphone kit
for single open
face helmet.
To be used with
Valliant control
box (see page
103).



NECK COLLAR

ID/789

Anatomic,
round neck
collar knit
Nomex®
for improved
comfort. Inserts:
Nomex® fabric.
Padded: high
density foam.
One size.



ID/789061
Red

ID/789041
Blue

ID/789071
Black

NECK SUPPORT

ID/787

Neck support in knit
Nomex®.
Padded: high density
foam.
One size.



ID/787/N
Black

HELMET HOOK

NA/1871



Helmet hook in steel. To be attached
to the roll cage with supplied metal
clamps.

HELMET NET

NA/1858



Helmet carrying net in polyester.
Suitable for all cars, can hold 2
helmets.

HANS STRAP BORDER

SD20



Hans strap border in rubber (pair),
with sticker.

HELMET BAG

ORA/2972

Very resistant helmet
carrying bag. Studied
for holding also the
Hans® helmet device.
With a removable
internal visor
pocket, removable
adjustable shoulder
strap and a practical
handle.
H 33 x L 47 x W 29
Measures in cm



HELMET BOX

NA/1864

Rally helmet box
velvet, with wide side
pockets. Internal sizes
single box
34x26x29cm
Colour: black



HANS® ACCESSORIES

SC726

Hans® helmet anchor (male screw only - the female parts is inside
the helmet). For one helmet (to be used exclusively with models
SC754 - SC756 - SC761 - SC759 - SC769 - SC771 - SC772 - SC777K -
SC785E - SC785EK - SC797 - SC798 - SC795).
According to FIA 8858-2010, 8860 and 8859-2015 rules.



ZERONOISE

OMP has now a top-level brand for electronic devices: ZERONOISE.

ZN is a young group of people who have already gained a high end experience in motorsport, and have now joined us to create the best range of audio and video products at the service of racing people.

The skills of OMP, BELL and ZN combined in teamwork are the best guarantee for the quality of electronic design, mechanical design, testing and production of these devices.



COMMUNICATION DEVICES




RALLY AMPLIFYING SYSTEM

The Rally communication systems support communication between driver and co-driver with extensive power and noise canceling. It also allows radio connection, Bluetooth connection, as well as camera car.

Typical configuration:

male 4 pin nexus connector on amplifier, female 4 pin nexus connector on helmet or headset.




PIT LINK SYSTEM FOR TRACK

Communicate between the car and the pit with a standard phone call, through a professional intercom system. PIT LINK allows you to connect up to two people in the car, as well as more cars and more people at the pit by using the conference call function the smartphone.

Typical configuration:

female 4 pin nexus connector on amplifier, male 4 pin nexus connector on helmet or headset.



RALLY
environment



TRACK
environment



FEARLESS DIGITAL AMPLIFIER

DIMENSIONS
125x70x35 mm

PROFESSIONAL DIGITAL AMPLIFIER

MULTIFUNCTION TOUCH DISPLAY
(IT WORKS WITH GLOVES)


FOR RALLY USE



BACK VIEW



SIDE VIEW



6100008

Digital - Male
4 PIN Nexus



6100009

Digital - Female
4 PIN Nexus



6100010

Digital - Female 4 PIN
Nexus (comp. IMSA)



INTREPID PRO ANALOG AMPLIFIER


DIMENSIONS
125x70x35 mm

PROFESSIONAL ANALOG AMPLIFIER

FOR RALLY USE



BACK VIEW



SIDE VIEW



6100005

Analog - Male
4 PIN Nexus



6100006

Analog - Female
4 PIN Nexus



6100007

Analog - Female
4 PIN Nexus (comp. IMSA)




BRAVE ANALOG AMPLIFIER

DIMENSIONS
125x70x35 mm

ANALOG AMPLIFIER

FOR RALLY USE



6100002

Analog - Male
4 PIN Nexus



6100003

Analog - Female 4
PIN Nexus



6100004

Analog - Female
4 PIN Nexus (comp. IMSA)



ZERONOISE HEADSET

PROFESSIONAL RALLY HEADSET



6200002

Female
4 PIN Nexus



6200003

Male
4 PIN Nexus



6200004

Male 4 PIN
Nexus (comp. IMSA)



GSM (INTERNAL SIMCARD) DIGITAL AMPLIFIER


- Connecting Car to Pit via GSM (standard phone call over 3G network).
- It allows professional communication between two people in the car and the Pit at the same time.
- Communication can open up automatically or via PTT.

FOR CIRCUIT USE



- The amplifier connects more cars and/or more people at the pit via smartphone conference call functions.
- Noise and voice can be digitally set to fine tune noise canceling and voice.
- Software updates through USB-C port.

BACK VIEW



6100011

Digital/GSM-Male
4 PIN Nexus -
PTT optional



6100012

Digital/GSM-
Female 4 PIN Nexus
PTT optional



6100013

Single PTT button
with USB-C Connector
(length 2m).



6100014

Double PTT button with USB-C
Connector (for driver and co-driver, length 2m)
No picture.

EARPLUGS KIT

6300021

Earplugs with smartphone
male jack 3.5mm
connector.
Spare set of Super Soft
Foam Tips.
Metal case.

MALE JACK
3.5 mm



RCA EARPLUGS KIT

6300022

Earplugs with smartphone
male RCA connector.
Spare set of Super Soft
Foam Tips.
Metal case.

RCA CONNECTOR
3.5 mm



HEADSET

6200005

Jack 3.5mm- Smartphone comp.
WITH PTT BUTTON - ANDROID compatible

6200006

Jack 3.5mm- Smartphone comp.
WITH PTT BUTTON - iPHONE compatible



Professional Headset with Noise cancelling
Microphone, Jack 3.5mm connector for
smartphone.

PTT BUTTON

MALE JACK
3.5 mm

SILICONE COVER

Heavy duty silicone cover anti shock and anti vibration. Available in smooth or rugged version.

6100018

SMOOTH



6100019

RUGGED



SOUND FILTER

6400017

12V Power Filter works between the intercom and the 12V power source. It filters audio signal and minimises interferences.



RADIO ADAPTORS

6400018

Radio cable ADP equipped with PTT button and connection to UHF/VHF radio. Made to order. Radio adaptors are custom made depending on the radio brand and model.



REPLACEMENT TIPS

6400019

Replacement foam tips for earplugs.



REPLACEMENT GSM KIT

6400020

Replacement GSM Antennas Kit for PIT-LINK GSM amplifier with two antennas included, flat and standard.



AMPLIFIER



VALIANT HEADSET


HEADSET

with Electret Noise Cancelling microphone, Male Jack 6.35mm STEREO connector and coiled cable.



WEARABLE AMPLIFIER

6100015



Bluetooth Communication Kit for Karting
or Circuit. Wearable Digital Amplifier.
USB rechargeable.

EARPLUGS KIT

6300021

Earplugs with smartpho-
ne male jack 3.5mm
connector.
Spare set of Super Soft
Foam Tips.
Metal case.


MALE JACK
3.5 mm



USB C MICORPHONE KIT

6300020

Radio helmet kit for full
face helmet - usb-c
connector for pit-link
trainer - with 3.5mm
stereo connector
for earplugs.




HEADSET

6200005

Jack 3.5mm- Smartphone comp.
WITH PTT BUTTON - ANDROID compatible

6200006

Jack 3.5mm- Smartphone comp.
WITH PTT BUTTON - iPHONE compatible

AMPLIFIER - KART PRO KIT
DRIVER AND PIT LANE

6100016

with ANDROID compatible
headset

6100020

with iPHONE
compatible headset



Wearable amplifier, professional headset,
USB microphone radio kit and professional
earplugs.


AMPLIFIER - KART BASIC KIT
DRIVER

6100017

Wearable amplifier, , USB microphone radio
kit and professional earplugs.





PIT-LINK TRAINER SYSTEM ARCHITECTURE









FIND YOUR ZN RADIO HELMET KIT

All our radio kits in a single table. Here you can find all the radio kits we have developed for an optimised use with ZN amplifiers, and still compatible with the major competitors' products.


There are 8 models for jet helmets and 12 models for full face helmets: choose yours by **CONNECTOR**, **MICROPHONE** and **SPEAKERS**.

YOUR HELMET MODEL	REF.	CONNECTOR
 JET OPEN FACE		
	€ 69,00 (Z)	6300001 FEMALE NEXUS 4 PIN
		6300002 FEMALE NEXUS 4 PIN
	€ 180,00 (Z)	6300003 FEMALE NEXUS 4 PIN
		6300004 MALE NEXUS 4 PIN
	€ 180,00 (Z)	6300005 MALE NEXUS 4 PIN
		6300006 IMSA NEXUS 4 PIN
		6300007 IMSA NEXUS 4 PIN
 FULL FACE	€ 29,00 (Z)	6300008 MALE STEREO
		6300009 MALE NEXUS 4 PIN
	€ 69,00 (Z)	6300010 MALE NEXUS 4 PIN
		6300011 MALE NEXUS 4 PIN
	€ 160,00 (Z)	6300012 MALE NEXUS 4 PIN
		6300013 MALE NEXUS 5 PIN
	€ 180,00 (Z)	6300014 IMSA NEXUS 4 PIN
		6300015 IMSA NEXUS 4 PIN
	€ 160,00 (Z)	6300016 IMSA NEXUS 4 PIN
		6300017 IMSA NEXUS 4 PIN
	€ 180,00 (Z)	6300018 MALE IMSA NEXUS 5 PIN
		6300019 MALE STEREO
€ 125,00 (Z)	6300020 USB-C FOR PIT LINK	


MICROPHONE FOR OPEN FACE		CONNECTOR FOR EARPLUGS		SPEAKERS	
BELL HCB COMPATIBLE	FLEX BOOM	RCA CONNECTOR	3,5mm CONNECTOR	EARCUPS	SPEAKER PADS
					
	✓			✓	✓
✓	✓			✓	✓
	✓			✓	✓
	✓			✓	✓
	✓			✓	✓
	✓			✓	✓
	✓			✓	✓
		✓		✓	✓
		✓	✓		
		✓		✓	✓
			✓		
		✓	✓		✓
			✓		✓

CONNECTORS


FEMALE NEXUS 4 PIN




MALE NEXUS 5 PIN




MALE NEXUS 4 PIN




MALE STEREO




USB-C FOR PIT LINK



MALE IMSA NEXUS 5 PIN



IMSA NEXUS 4 PIN



MICROPHONE & SPEAKERS

MICROPHONE FOR HCB



FLEX BOOM MICROPHONE



EARCUPS



MICROPHONE KIT FOR EARPLUGS RCA CONNECTOR










MICROPHONE KIT FOR EARPLUGS 3,5mm CONNECTOR



SPEAKER PADS



COMPATIBILITY TABLE

							
AMPLIFIER, INTERCOM, RADIO, PHONE		HELMET/HEADSET/RADIO HELMET KIT				IMSA (USA)	
		STANDARD (EU)					
STANDARD (EU)	MALE NEXUS 4 PIN	MALE NEXUS 4 PIN	FEMALE NEXUS 4 PIN	MALE NEXUS 5 PIN	MALE NEXUS 4 PIN		
		6400005	EXTENSION 6400006	MADE TO ORDER	6400008		
		EXTENSION 6400006	6400004	MADE TO ORDER	6400009		
		6400012	6400013	MADE TO ORDER	MADE TO ORDER		
IMSA (USA)	FEMALE NEXUS 4 PIN	6400009	6400007	MADE TO ORDER	MADE TO ORDER		
		NA	NA	NA	6400014		
PHONE CONN. 3.5 mm		6400011	6400010	MADE TO ORDER	MADE TO ORDER		

ADAPTORS



REF.	ADAPTOR TYPE	CONNECTOR 1	CONNECTOR 2	CABLE TYPE	LENGHT
STANDARD (EU)					
6400004	ADAPTOR	MALE 4 PIN NEXUS	MALE 4 PIN NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400005	ADAPTOR	FEMALE 4 PIN NEXUS	FEMALE 4 PIN NEXUS	COILED CABLE	15 cm
6400006	EXTENSION	MALE 4 PIN NEXUS	FEMALE 4 PIN NEXUS	COILED CABLE CROSSED WIRING	150 cm
6400012	ADAPTOR	FEMALE 4 PIN NEXUS	MALE 5 PIN NEXUS	STRAIGHT CABLE	15 cm
6400013	ADAPTOR	MALE 4 PIN NEXUS	MALE 5 PIN NEXUS	STRAIGHT CABLE	15 cm
STANDARD USA IMSA 					
6400008	ADAPTOR	FEMALE 4 PIN (IMSA) NEXUS	FEMALE 4 PIN NEXUS	COILED CABLE	15 cm
6400009	ADAPTOR	MALE 4 PIN (IMSA) NEXUS	FEMALE 4 PIN NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400007	ADAPTOR	MALE 4 PIN NEXUS	MALE 4 PIN (IMSA) NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400014	ADAPTOR	FEMALE 4 PIN (IMSA) NEXUS	MALE 5 PIN (IMSA) NEXUS	STRAIGHT CABLE	15 cm
STANDARD SMARTPHONE					
6400010	ADAPTOR	MALE 4 PIN NEXUS	JACK 3.5MM MALE FOR SMARTPHONE	STRAIGHT CABLE	50cm
6400011	ADAPTOR	FEMALE 4 PIN NEXUS	JACK 3.5MM MALE FOR SMARTPHONE	STRAIGHT CABLE	50 cm



Ole Christian Veiby - 2C Competition - Rally Monza 2020



Testing the very first "ZN Fearless" on the road

SUITS



PAG. 112

GLOVES



PAG. 113

TUNING



PAG. 116

VINTAGE

SUIT ONE VINTAGE

IA01842E

RETRO RACING SUIT STYLE

Three layers top level racing suit, typical style worn by the great champions of F1 in the mid'60s re-vived with the latest ultralightweight fabrics (same top level material of ONE-S suit). Shaped collar, precurved sleeves and ultra-flat antirubbing seams. Rear elastic insert to increase comfort.



SIZES 46-64

sizing information on page 349

SFI 3.2A/5 on request

MY2021



SHAPED COLLAR

PRE-CURVED SLEEVES

SLIM FIT
and ultra-flat,
anti-rubbing seams.

FIA 8856-2018



MANUFACTURER: OMP
MODEL: ONE-S.01
HOM. NO: DC.045.19-O
FIA STANDARD: FIA 8856-2018

OUTER POCKET

IA01842E071XX

black with white stripes



IAA01842E020XX

white with red stripes



ELASTIC

VINTAGE style

112

SUIT

CLASSIC

IA01816E

OVERALL IN TYPICAL '70S DESIGN

Outer layer in aramid fiber.
Inner layer in comfortable
breathable knitted fabric.



SIZES 46-64

sizing information on page 349

SFI 3.2A/5 on request

MY2021



INNER COLLAR
in soft knitted fabric
for maximum comfort.

2 VERTICAL STRIPES
on the chest

FLOATING ARMS
with elastic bellows.

NEW COLOUR

IA01816E061XX

red

FIA 8856-2018



MANUFACTURER: OMP
MODEL: FIRST-EV0.01
HOM. NO: DC.027.19-O
FIA STANDARD: FIA 8856-2018

OUTER POCKET

IA01816E042XX

navy blue



IA01816E028XX

cream

ELASTIC



113

VINTAGE style

GLOVES

DIJON

IB/746E

SIZES S-XL

sizing information on page 349

MY2021

VINTAGE GLOVE

'70s design with fabrics and quality of last generation gloves. Fire-resistant fabric with stretch suede inserts. Internal seams.



FIA 8856-2018



MANUFACTURER: OMP
MODEL: FIRST-S .01
HOM. NO.: DC.01919-G
FIA STANDARD: FIA 8856-2018

NEW COLOUR

IB/746EM/XX
cream/brown



SUEDE LEATHER INSERTS
on palm and fingers
for very good grip

INTERNAL
SEAMS



IB/746E/B/XX
navy blue/white/orange



IB/746E/N/XX
black/white



IB/746E/R/XX
red/white/black

NEW COLOUR

GLOVES

TAZIO

IB/747

SIZES S-XL

sizing information on page 349

VINTAGE GLOVE

Smooth leather
and cotton fabric.



COTTON FISHNET FABRIC

SMOOTH LEATHER PALM

STRAP WITH
VELCRO

IB/747/M/XX
brown



IB/747/N/XX
black

BOOTS CARRERA

IC/784E

HIGH QUALITY VINTAGE BOOTS

Mid cut vintage design boot made of high quality treated leather for an ultra-soft feeling. Contrasting inserts, laced closure, with a handcrafted rubber sole hydrocarbons resistant. Embossed leather logo.

MY2021

SIZES: 37-48

sizing information on page 349

FIA 8856-2018



MANUFACTURER: OMP
MODEL: CARRERA.01
HOM. NO: DC.112.20-Z
FIA STANDARD: FIA 8856-2018



IC/784E014XX
dark brown



HIGH QUALITY LEATHER



IC/784E079XX
black



IC/784E015XX
brown

EMBOSSED LEATHER LOGO



HANDCRAFTED RUBBER SOLE

ACCESSORIES

REIMS

SC067

VINTAGE CAP

Made entirely of soft smooth skin.
Rear loop with button for fixing gooogle.

ARTISAN HAND MADE
SIZES: S-XL



THRUXTON

SC066

VINTAGE GOOGLES

Made of faux leather with metal detail.



FOR VINTAGE SEATS SEE PAGES 158/159
FOR VINTAGE STEERING WHEEL SEE PAGE 231



MECHANICS

SUIT BLAST EVO

NB1580E

PROFESSIONAL MECHANICS SUIT

Made of lightweight and resistant polyteter and cotton fabrics. The knitted elastic fabric inserts on back and hips and the comfortable arm-bellows guarantee the best freedom of movements. Several practical pockets to store tools and parts: two large-sized on the legs, two with zip closure (one on the right leg and one on the chest) and an inner one on the chest.

Aggressive design with racing-inspired shoulders and highlighted stitching.

SIZES 44-64

sizing information on page 349

1 LAYER

MY2021

NB1580E082XX

anthracite

POCKET with zip

SEVERAL PRATICAL POCKETS to store tools and parts

ELASTIC BAND

REMOVABLE PADDED KNEE PADS ergonomic shape

ANKLES CLOSURE with velcro strap

SUIT

SUMMER

NB1579

1 LAYER SIZES: 44-64

NB1579C

FOR CHILDREN CHILDREN SIZES: height 120-130-140-150

sizing information on page 349

NB1579061XX

red

ARMBELLOWS in knitted elastic fabric.

INNER POCKET

POCKETS for holding tools.

KNEE PADS removable.

ELASTIC

VELCRO closure

NB1579041XX

blue

NB1579071XX

black

ALSO FOR CHILDREN!

GLOVES

PRO MEC

IB/758E

SIZES: S-XL

sizing information
on page 349

NEW

PROFESSIONAL MECHANICS GLOVES

Fire retardant mechanic's gloves, offering excellent protection against heat and impacts. Reinforcements in high protective silicone rubber sheet located in critical impact areas (knuckles, between thumb and forefinger, lower part of the arm). Inner seams, anti-slip silicon rubber palm and fingers.



HIGH PROTECTIVE PADS

INTERNAL SEAMS

HIGH GRIP SILICONE RUBBER

IB/758E/N/XX
black

FIA 8856-2018



MANUFACTURER: OMP
MODEL: PRO MEC
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018

GLOVES WORKSHOP EVO

NB/1896

SIZES: S-XXL

sizing information on page 349

TECHNICAL SHORT GLOVE FOR PROFESSIONAL USE

Back in technical elastic fabric with syntetic leather and silicone rubber design. Improved fitting and softer fabrics.



TECHNICAL ELASTIC FABRIC

THIN SYNTETIC LEATHER

Self adjustable tunnel waist band to cover two sizes

SHORT TECHNICAL GLOVE

NB/1885

SIZES: M (S-M) - L (L-XL)

Polyester / cotton. PVC rubber dot inserts. Closure with elastic slipout-proof.

sizing information
on page 349



MECHANIC'S TROUSERS

OR5930
OR5931

TECHNICAL MULTI-POCKET TROUSERS

In polyester and cotton fabric.

BELTS LOOPS
with radio holder slots

SELF ADJUSTIVE
TUNNEL WAIST BAND
to cover two sizes

TWO FTONTAL
POCKETS

CUSTOMIZABLE
FLAPS

PLENTY OF PRATICAL
POCKETS

SHORT VERSION
SIZES: S-XXXXL

OR5931

LONG VERSION
SIZES: M-XXXXL

OR5930

CUSTOMIZABLE
FLAPS

APRON

NB/1879

Cotton apron, features a small
tool pouch and large pockets.
ONE SIZE

APRON PLUS

NB/1894

Black professional apron
for mechanics.
ONE SIZE

SLEEVES

NB/1872

Aluminized sleeves, offering
excellent protection against
heat. ONE SIZE

ENDURANCE INSOLE

IC/100

Gel anatomic insole
(spare parts) for
ENDURANCE shoes.
Guarantees higher
comfort and stability,
maximum cushioning
against impact
forces.
Sizes: 37-46

RECCOMENDED
FOR IC/791E SHOES

TECNICA-S GLOVES

IB/764

Strong and comfortable
professional glove.

- Colours:
black, red, blue/yellow,
fluo yellow.
- Sizes: S-XL
- Homologation:
FIA 8856-2000

KS RAINCOAT

KK03107

Raincoat made in ultrathin,
lightweight and resistant
transparent material.
Suitable for mechanics
and paddock
operators.

Sizes: S-M-L-XL

NEW

SPECIAL FEATURES FOR MEC SUITS

UPON REQUEST

LOOP HOLDER

NB/1892

Back loop holder for radio
and tools, belt high
(three loops).

NB/1891

Front loop holder for radio
and tools (two loops).

RADIO CABLET SLOT

NB/1893R

NB/1893L

With flap coverage.
Right or left.

INSIDE POCKET

NB/1887R

Right.
Not available for FIA suits.

NB/1887L

Left.
Not available for FIA suits.

NUT HOLDER ON BELT

NB/1890R

NB/1890L

Right or left.

NUT HOLDER ON CHEST

NB/1889R

NB/1889L

Right or left.

BAND HOLDER


NB/1888R

NB/1888L

Right or left.



SEATS



PAG. 130

SAFETY HARNESSES



PAG. 168

ROLL BARS



PAG. 194

EXTINGUISHERS



PAG. 204

STEERING WHEELS



PAG. 214

CAR COMPONENTS

RACING



PAG. 130

VINTAGE



PAG. 158

OFF ROAD



PAG. 160

COMFORT



PAG. 162

KARTING



PAG. 297

SEATS



This model of seat can be customized through the use of images, photos and color blendings. This peculiar feature is possible thanks to our proprietary technology "OMP Print Art". In order to outline what spaces are at the customer's disposal for personalization, we show you the exploded view of those areas. Create your ONE ART seat right now on our website: www.ompracing.com

RACING SEATS



Please see customizable models marked with this banner

OMP 2021

FIA 8862 Seats

THE LIGHTEST FULL RANGE ON THE MARKET

HRC ONE LITE RC

shell weight 6,8 kg



ROLLCAGE ATTACHMENT



HRC ONE LITE

shell weight 6,8 kg



HTE ONE LITE

shell weight 7,5 kg

BEST SELLERS



HTC ONE

shell weight 9 kg



HRC ONE

shell weight 9,2 kg



HTE ONE XL

shell weight 10,1 kg



HTE ONE

shell weight 9,2 kg

FIA 8862 ENTRY

HTE ONE S

shell weight 12,5 kg



SEATS HTE-ONE LITE

HA/807

HIGH RESISTANT AND ULTRA LIGHTWEIGHT CARBON FIBER SEAT

realized with exclusive technology for maximum resistance and lightness. Airnet and velour upholstery. Upholstering customized on demand. HC/934 seat bracket required (not included).

sizing information on page 152

HIGH RESISTANT AND ULTRALIGHT SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HTE ONE LITE
HOM. NO: AS.084.19
FIA STANDARD: FIA 8862-2009

LARGER SHOULDER
harness slots

ULTRALIGHT VERSION
-20% WEIGHT

REMOVABLE CUSHIONS
back, base

REMOVABLE CUSHION
split leg



SEATS HTE-ONE

HA/761E

sizing information on page 152

LIGHTWEIGHT
CARBON FIBER SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE

SAFETY LEVEL COMPARABLE TO FORMULA 1 CARS
+300% INCREASED RESISTANCE
compared to standard 8858/99, with exclusive technology for maximum resistance and lightness. Upholstering customized on demand. HC/880 seat bracket required (not included).

LARGER SHOULDER
harness slots

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HTE ONE
HOM. NO: AS.007.10
FIA STANDARD: FIA 8862-2009

REMOVABLE CUSHION
split leg

REMOVABLE CUSHIONS
back, base



HSC PATENT
COMPATIBLE

HTE-ONE XL HA/798

Same characteristics as HA/761E
HC/928 seat bracket required.
HC/893 HSC PATENT not included.

XL VERSION
LARGER AND HIGHER

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HTE ONE XL
HOM. NO: AS.067.17
FIA STANDARD: FIA 8862-2009



HSC PATENT
COMPATIBLE



HTE-ONE S HA/801/N

Same characteristics as HA/761E. HC/880 seat bracket required (not included).

SHELL IN MIXED CARBON AND FIBERGLASS COMPOSITE MATERIAL

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HTE ONE S
HOM. NO: AS.068.18
FIA STANDARD: FIA 8862-2009



SEATS HRC-ONE LITE

HA/800

sizing information on page 152

ULTRA LIGHTWEIGHT CARBON FIBER SEAT

designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Airnet and velour upholstery.
HC/929 bracket required.
HC/939 HSC PATENT included.

ULTRALIGHT VERSION
-20% WEIGHT

HSC ADJUSTABLE
HARNESS SLOT

HIGH RESISTANT AND
ULTRALIGHT SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



HSC PATENT
HC/939

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HRC ONE LITE
HOM. NO: AS.075.19
FIA STANDARD: FIA 8862-2009



REMOVABLE CUSHION
split leg



REMOVABLE CUSHIONS
back, base

SEATS HRC-ONE

HA/789

sizing information on page 152

SAFETY COMPARABLE TO FORMULA 1 CARS

compared to standard 8858/99, with exclusive technology for maximum resistance and lightness. Designed to allow installation and comfortable driving position also in GT cars with reduced internal room.



HSC PATENT
COMPATIBLE

HC/907 seat bracket required
(not included).

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HRC ONE
HOM. NO: AS.033.14
FIA STANDARD: FIA 8862-2009



REMOVABLE CUSHIONS
back, base

HRC-ONE LITE RC

HA/805

LIGHTWEIGHT CARBON FIBER SEAT

designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Airnet and velour upholstery.

HRC ONE LITE SEAT VERSION WITH TWO ATTACHMENT POINTS TO THE ROLL CAGE (MANDATORY REQUIREMENT FOR GT3 CARS HOMOLOGATED AFTER 1ST JANUARY 2019)

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HRC ONE LITE RC
HOM. NO: AS.083.19
FIA STANDARD: FIA 8862-2009

CARBON FIBER SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



sizing information on page 152

CARBON FIBER SEAT

Best lightness/price rate.

High protection shoulder and head containment, designed to allow installation and comfortable driving position also in GT cars with reduced internal room. HC/935 brackets required (not included).

FIA 8862-2009

MANUFACTURER: OMP
MODEL: HTC ONE
HOM. NO: AS.085.19
FIA STANDARD: FIA 8862-2009

LARGE SHOULDER
HARNESS SLOT

HIGH COMFORT AND
CONTAINMENT

REMOVABLE CUSHION
split leg



HIGH RESISTANT AND
ULTRALIGHT SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE

STANDARD L SIZE:
REF. HA/815/N/L

**M SIZE (HIGHER
CONTAINMENT):**
HA/815/N/M

sizing information on page 152

IDEAL SEAT FOR GT CARS

with ultralight carbon shell.

Large shoulder harness slots to accommodate various heights.

High side bolsters for lateral leg support and maximum protection. Head, back, side, base and splitted leg cushions are removable to allow maximum individual seating comfort. Upholstered entirely in velour. Compatible with Hans device.

FIA 8855-1999

MANUFACTURER: OMP
MODEL: MCC/PROTOTIPO
HOM. NO: CS.119.04
FIA STANDARD: FIA 8855-1999

REMOVABLE CUSHIONS
head, back, lateral and base

HIGH SIDE BOLSTERS
for lateral leg support

SPLIT LEG RESTS
to allows maximum
individual seating
comfort



CARBON FIBER SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE

SHAPED SAFETY
HEAD REST

SEATS HRC-R FIBERGLASS

HA/793

PROFESSIONAL RACING SEAT
designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Airnet and velour upholstery.

sizing information on page 152

GEL COATED FIBERGLASS SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



LARGER SHOULDER
harness slots

SIDE HEAD
protection

REMOVABLE CUSHIONS

SEAT CUSHION
also available in thicker
version (50mm) ref.
HB/702

DOUBLE LEG
COUSHION

HRC-R FIBERGLASS XL

HA/794/N

XL VERSION
LARGHER AND HIGHER

Same characteristics
as HA/793

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HRC FIBERGLASS AIR XL
HOM. NO: CS.313.14
FIA STANDARD: FIA 8855-1999



HSC PATENT
COMPATIBLE



PREDRILLED SHELL
FOR AIR COOLING
KIT HC/913



Product financed in
cooperation with resources
POR CRO
Region of Liguria 2007-2013

SEATS HRC-R CARBON AIR

HA/786/N

sizing information on page 152

**PREIMPREGNATED CARBON
FIBER VERSION**

**COMPLETE WITH AIR COOLING KIT
(HC/913)
AND PREFORATED BACK CUSHION
(HB/703)**

Designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Upholstered in high breathability Airnet material. Fits in vehicles with compact cockpits.

The velvet side is thought
for the application of
containment cushion,
which are available
in 2 sizes (M or S)
see on page 155
ref. HB/701

PERFORATED CUSHION
HB/703

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HRC-R AIR
HOM. NO: CS.293.13
FIA STANDARD: FIA 8855-1999

SEAT CUSHION
also available in thicker
version (50mm) ref.
HB/702

DOUBLE LEG
COUSHION

LARGE SHOULDER
HARNESS SLOT



Product financed in
cooperation with resources
POR CRO
Region of Liguria 2007-2013

HRC-R CARBON

HA/788

CARBON FIBER VERSION
Same features as HA/786/N
(Air Cooling Kit excluded)

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HRC-D
HOM. NO: CS.296.13
FIA STANDARD: FIA 8855-1999



HSC PATENT
COMPATIBLE

CARBON FIBER SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE

Product financed in
cooperation with resources
POR CRO
Region of Liguria 2007-2013



FIBERGLASS FIBER SEAT

Innovative ultraprojective shell inspired by the multi world champion OMP HTE ONE EVO seat. High protection and containment, designed to accomodate various heights. Large shoulder harness slots. Upholstering in velour and Airnet.

sizing information on page 152

FIBERGLASS SHELL

W SIDE FIXING POINTS

HANS® COMPATIBLE

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE EVO VTR
HOM. NO: CS.440.19
FIA STANDARD: FIA 8855-1999

LARGE SHOULDER
HARNESS SLOT

HIGH PROTECTION



HSC PATENT
COMPATIBLE



FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE EVO CARBON
HOM. NO: CS.455.20
FIA STANDARD: FIA 8855-1999

HTE EVO CARBON

HA/817

CARBON FIBER SEAT

Same features as HA/818,
carbon fiber shell.

HTE-EVO FIBERGLASS

HTE-EVO CARBON

INNOVATIVE SEAT WITH ULTRAPROTECTIVE
SHELL INSPIRED BY THE MULTIWORLD
CHAMPION HTE ONE SEAT

FOCUS ON

ON BACKGROUND
HTE ONE PROFILE
FIA 8862-2009

ENHANCED PROTECTION
AND CONTAINMENT,
8862-2009 SAFETY
STANDARD INSPIRED

SUITABLE TO
ACCOMMODATE VARIOUS
DRIVER HEIGHTS



AVAILABLE WITH
FIBERGLASS SHELL (HTE-EVO)
OR IN CARBON FIBER SHELL
(HTE EVO CARBON)

SEATS

HTE-R 400

HA/780E/N

PROFESSIONAL RACING SEAT
upholstering in high breathable Airnet material.


SPECIAL VERSION FOR CARS WITH SMALL SPACE IN THE UPPER PART

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE 400
HOM. NO: CS.263.12
FIA STANDARD: FIA 8855-1999

LARGE SHOULDER HARNESS



sizing information on page 152
GEL COATED FIBERGLASS SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE

SHAPED SAFETY headrest



HSC PATENT COMPATIBLE

SEATS

HTE-R 400

HA/780E/N

PROFESSIONAL RACING SEAT
upholstering in high breathable Airnet material.

SPECIAL VERSION FOR CARS WITH SMALL SPACE IN THE UPPER PART

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE 400
HOM. NO: CS.263.12
FIA STANDARD: FIA 8855-1999

LARGE SHOULDER HARNESS



sizing information on page 152
GEL COATED FIBERGLASS SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE

SHAPED SAFETY headrest



HSC PATENT COMPATIBLE

SEATS

HTE-R CARBON

HA/768E/N

PROFESSIONAL RACING SEAT
Upholstered in high breathable Airnet material.

CARBON FIBER SHELL VERSION

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE CARBON
HOM. NO: CS.146.05
FIA STANDARD: FIA 8855-1999



sizing information on page 152
CARBON FIBER SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



HSC PATENT COMPATIBLE

HTE EVO CARBON XL
HA/779E/N

CARBON FIBER SHELL XL VERSION

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE CARBON XL
HOM. NO: CS.182.06
FIA STANDARD: FIA 8855-1999

SEATS

HTE-R CARBON

HA/768E/N

PROFESSIONAL RACING SEAT
Upholstered in high breathable Airnet material.

CARBON FIBER SHELL VERSION

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE CARBON
HOM. NO: CS.146.05
FIA STANDARD: FIA 8855-1999



sizing information on page 152
CARBON FIBER SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



HSC PATENT COMPATIBLE

HTE EVO CARBON XL
HA/779E/N

CARBON FIBER SHELL XL VERSION

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE CARBON XL
HOM. NO: CS.182.06
FIA STANDARD: FIA 8855-1999

SEATS

WRC-R

HA/773E/N

sizing information on page 152

PROFESSIONAL RACING SEAT
Upholstered in high breathable
Airnet material.

FIA 8855-1999



MANUFACTURER: OMP
MODEL: WRC FIBERGLASS
HOM. NO: CS.183.06
FIA STANDARD: FIA 8855-1999

LARGER SHOULDER
harness slots



GEL COATED
FIBERGLASS SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



HSC PATENT
COMPATIBLE

REMOVABLE CUSHIONS

WRC-R CARBON

HA/769E/N

Same characteristics
as HA/773E

CARBON FIBER
SHELL VERSION



HSC PATENT
COMPATIBLE

FIA 8855-1999



MANUFACTURER: OMP
MODEL: WRC XL
HOM. NO: CS.177.06
FIA STANDARD: FIA 8855-1999



WRC-R XL

HA/778E/N

Same characteristics
as HA/773E

XL VERSION
LARGER AND HIGHER

FIA 8855-1999



MANUFACTURER: OMP
MODEL: WRC FIBERGLASS WRE
HOM. NO: CS.025.01
FIA STANDARD: FIA 8855-1999



SEATS

ARS-R

HA/774E/N

sizing information on page 152

PROFESSIONAL RACING SEAT
Upholstered in high breathable
Airnet material.

FIA 8855-1999



MANUFACTURER: OMP
MODEL: ARS
HOM. NO: CS.924.98
FIA STANDARD: FIA 8855-1999



HSC PATENT
COMPATIBLE

LARGE HARNESS
SLOTS

MEDIUM HEIGHT SIDE
BOLSTERS
for lateral leg support for
higher protection

REMOVABLE CUSHIONS
back, base, and leg



GEL COATED
FIBERGLASS SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE

SEATS

RS-PT 2

HA/762E/N

RACING SEAT
Upholstered entirely in velour.

sizing information on page 152

FIBERGLASS SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



HSC PATENT
COMPATIBLE

FIA 8855-1999



MANUFACTURER: OMP
MODEL: RS-PT
HOM. NO: CS.229.09
FIA STANDARD: FIA 8855-1999

LARGE HARNESS
SLOTS

SHAPED SAFETY
HEADREST

REMOVABLE CUSHIONS
back, base, and leg

HIGH SIDE BOLSTER
for lateral leg support



SEATS

CHAMP-R

HA/766E/N

RACING SEAT
Upholstered entirely in velour.

sizing information on page 152

GEL COATED
FIBERGLASS SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



HSC PATENT
COMPATIBLE

FIA 8855-1999



MANUFACTURER: OMP
MODEL: CHAMP
HOM. NO: CS.826.97
FIA STANDARD: FIA 8855-1999

BASE AND SHOULDERS
UPHOLSTERED
with anti-slip material
to allow maximum
adherence to the seat

REMOVABLE CUSHIONS
back and leg



SEATS

FIRST-R

HA/790/N

sizing information on page 152

FIBERGLASS SHELL
W SIDE FIXING POINTS
HANS® COMPATIBLE



HSC PATENT
COMPATIBLE

ENTRY LEVEL SEAT
Made of fiberglass shell,
large shoulder harness slots to
accommodate various heights.
Entirely upholstered.
Excellent quality/price ratio.

FIA 8855-1999



MANUFACTURER: OMP
MODEL: FIRST-R
HOM. NO: CS.183.06
FIA STANDARD: FIA 8855-1999

LARGE HARNESS
SLOTS

REMOVABLE CUSHION



FIBERGLASS SHELL

SEATS

TRS-X

HA/803/N

sizing information on page 152

TUBULAR

STEEL FRAME

W SIDE AND Y

BOTTOM FIXING POINTS

HANS® COMPATIBLE

NEW COLOUR

RACING SEAT
Tubular steel frame. Excellent quality/price ratio.
Exclusive design thanks to modern shape and
fresh fluo yellow details. The optimized dimen-
sions allows to mounting the seat also in cars
with reduced inner room and the ergonomic is
designed to guarantee the best individual seat
comfort and an high lateral support Upholstered
entirely in velour.

FIA 8855-1999



MANUFACTURER: OMP
MODEL: TRS-X
HOM. NO: CS.410.18
FIA STANDARD: FIA 8855-1999

ANTISLIP INSERTS
on shoulders and hips

MEDIUM HEIGHT
SIDE BOLSTERS
for lateral leg support
for higher protection

REMOVABLE
back - base - and leg
cushion for maximum
individual seating comfort

LARGE HARNESS SLOTS



HA/803/NGI
black/fluo yellow

SEATS

TRS-E PLUS

HA/744E

sizing information on page 152

VINYL RACING SEAT
entirely upholstering in decorated vinyl.
Excellent quality/price ratio.



HSC PATENT
COMPATIBLE

LARGE HARNESS SLOTS

FIA 8855-1999



MANUFACTURER: OMP
MODEL: T-RS
HOM. NO: CS.243.10
FIA STANDARD: FIA 8855-1999

HA/744E/NW

black/white

**REMOVABLE LEG
CUSHION**
rests to allow maximum
individual seating comfort



**MEDIUM HEIGHT SIDE
BOLSTERS**
for lateral leg support for
higher protection

TUBULAR

STEEL FRAME

W SIDE AND Y

BOTTOM FIXING POINTS

HANS® COMPATIBLE

TRS-E SKY

HA/760E/N

Same characteristics
as HA/744E



HSC PATENT
COMPATIBLE

**ONE COLOUR SKY
VERSION**
upholstered in
black vinyl



MANUFACTURER: OMP
MODEL: T-RS
HOM. NO: CS.243.10
FIA STANDARD: FIA 8855-1999



SEATS

TRS-E

HA/741E

sizing information on page 152

RACING SEAT
entirely upholstering in jacquard
velour. Excellent quality/price ratio.



HSC PATENT
COMPATIBLE

LARGE HARNESS SLOTS

FIA 8855-1999



MANUFACTURER: OMP
MODEL: T-RS
HOM. NO: CS.243.10
FIA STANDARD: FIA 8855-1999

HA/741E/B

blue

**REMOVABLE LEG
CUSHION**
rests to allow maximum
individual seating comfort



TUBULAR

STEEL FRAME

W SIDE AND Y

BOTTOM FIXING POINTS

HANS® COMPATIBLE



HA/741E/R

red



HA/741E/N

black

**MEDIUM HEIGHT SIDE
BOLSTERS**
for lateral leg support for
higher protection

TRS-E xs

HA/783E/N

Same characteristics
as HA/741E

**SMALL SIZE
APPROVED**



HSC PATENT
COMPATIBLE

FIA 8855-1999



MANUFACTURER: OMP
MODEL: TRS-XS
HOM. NO: CS.292.13
FIA STANDARD: FIA 8855-1999



TRS-E xL

HA/781E/N

Same characteristics
as HA/741E
(only W side fixing points)

**LARGE SIZE
APPROVED**



HSC PATENT
COMPATIBLE


FIA 8855-1999



MANUFACTURER: OMP
MODEL: TRS-XL
HOM. NO: CS.271.12
FIA STANDARD: FIA 8855-1999



The following measurements are given as a guide. Actual measurements may vary to accommodate production. Seat fitting type: according to FIA regulations the seat must be fixed to the brackets by means of at least four bolts M8 class 8.8. The diagram shows the distances between the fixing points in mm.
 * For FIA 8855-1999 seats the weight refers to the complete seat (tolerance of 10%).
 For FIA 8862-2009 seats the weight refers to the shell (tolerance of 10%).
 ** referring to bottom fixing points of the sliding guide.
TYPE W: inner side int. 289 mm **TYPE Y:** bottom 345x270 mm



LEGEND

A external max width at shoulders
 B seat bottom to mid shoulders
 C seat bottom max external width
 D total height of seat back
 E external max width at seat fixing inserts
 F seat inner width (belt holes area)
 G bottom length
 H internal width between side head protections
 I external width between side head protections
 L height from the bottom to the harness slot
W= side fixing Y= bottom fixing

HOMOLOG.	SHELL	AIRNET MATERIAL	CUSHIONS SPLIT LEG	A	B	C	D	E	F	G	H	I	L	HARNESS SLOTS	WEIGHT* (KG)	FIXING
FIA 8862-2009 CARBON FIBER SEATS																
HTE ONE LITE HA/807																
FIA 8862/2009	CARBON		✓	590	610	445	880	395	360	490	350	475	610	5	7.5	W
HTE ONE HA/761E / HTE ONE XL HA/798																
FIA 8862/2009	CARBON		✓	610	620	480	900	385	360	460	340	500	660	5	9.2	W
	CARBON XL		✓	660	670	470	990	395	350	480	300	500	740	5	10.1	W
HTE ONE S HA/801																
FIA 8862/2009	CARBON		✓	610	620	480	900	385	360	460	340	500	660	5	12.5	W
HRC-ONE LITE HA/800 / HRC-ONE LITE RC HA/805																
FIA 8862/2009	CARBON	✓	✓	620	610	455	880	395	365	480	350	480	615	5	6.8	W
	CARBON RC	✓	✓	595	610	440	880	395	360	490	350	500	615	5	6.8	W
HRC-ONE HA/789																
FIA 8862/2009	CARBON	✓	✓	600	620	470	900	390	370	470	350	480	630	5	9.2	W
HTC ONE HA/815																
FIA 8862/2009	CARBON	✓	✓	595	620	500	910	465	390	460	320	475	640	5	9	W
FIA 8855-1999 CARBON FIBER SEATS																
HRC-R CARBON AIR HA/786 / HRC-R CARBON HA/788																
FIA 8855/1999	CARBON	✓	✓	615	635	460	890	395	365	470	345	490	620	5	6,0	W
HTE-EVO HA/817																
FIA 8855/1999	CARBON	✓		590	620	450	900	390	380	450	400	440	620	5	6.0	W
PROTOTIPO HA/745																
FIA 8855/1999	CARBON	✓	✓	530	520	440	790	385	380	480	360	450	570	5	6.1	W
HTE-R CARBON HA/768E / HTE-R CARBON XL HA/779E																
FIA 8855/1999	CARBON	✓	✓	560	560	465	880	390	370	470	330	490	665	5	6.6	W
	CARBON XL	✓	✓	560	580	485	890	425	390	490	330	490	665	5	6.8	W
WRC-R CARBON HA/769E																
FIA 8855/1999	CARBON	✓	✓	590	600	495	890	400	365	490	/	/	645	5	5.6	W

HOMOLOGATION	SHELL	AIRTEX® MATERIAL	CUSHIONS SPLIT LEG	MEASURE IN MM													HARNES SLOTS	WEIGHT* (KG)	FIXING	
				A	B	C	D	E	F	G	H	I	L							
FIA 8855-1999 FIBERGLASS SEATS																				
HTE-EVO HA/818																				
FIA 8855/1999	FIBERGLASS	✓		590	620	455	910	390	375	460	390	450	620	5	9.9	W				
HRC-R FIBERGLASS HA/793 / HRC-R FIBERGLASS XL HA/794																				
FIA 8855/1999	FIBERGLASS	✓	✓	620	635	470	900	390	365	470	370	530	620	5	9.5	W				
	FIBERGLASS XL	✓	✓	610	680	490	980	425	400	480	360	520	675	5	10.3	W				
HTE-R HA/772E / HTE-R XL HA/771E / HTE-R 400 HA/781E																				
FIA 8855/1999	FIBERGLASS	✓		560	570	515	880	420	390	490	315	480	665	5	9.9	W				
	F.G.LASS 400 COMPACT	✓		560	570	515	880	420	390	490	315	400	665	5	9.8	W				
	FIBERGLASS XL	✓		560	580	530	905	440	440	480	301	490	670	5	11.5	W				
M+S HA/806F																				
FIA 8855/1999	FIBERGLASS			600	650	480	880	410	400	440	/	/	650	5	8.5	W				
WRC-R HA/773E / WRC-R XL HA/778E																				
FIA 8855/1999	FIBERGLASS	✓	✓	620	600	510	890	410	390	480	/	/	645	5	8.9	W				
	FIBERGLASS XL	✓	✓	665	600	520	920	430	415	480	/	/	700	5	10.9					
ARS-R HA/774E																				
FIA 8855/1999	FIBERGLASS	✓		590	600	500	910	420	370	490	/	/	615	5	9.9	W				
RS-P.T.2 HA/762E																				
FIA 8855/1999	FIBERGLASS			565	560	510	880	420	395	480	340	510	675	5	10.4	W				
CHAMP-R HA/766E																				
FIA 8855/1999	FIBERGLASS			590	575	520	890	400	360	480	/	/	615	5	8.9	W				
FIRST-R HA/790																				
FIA 8855/1999	FIBERGLASS			620	600	510	890	410	390	480	/	/	630	5	9.4	W				
FIA 8855-1999 TUBULAR STEEL FRAME SEATS																				
TRS-X HA/803																				
FIA 8855/1999	TUBULAR STEEL			570	620	500	935	410	390	470	/	/	600	5	10.8	W Y				
TRS-E SKY HA/760E / TRS LEGEND HA/775 / TRS-E PLUS HA/744E																				
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.8	W Y				
TRS-E HA/741E / TRS-E XS HA/783E / TRS-E XL HA/781E																				
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.3	W Y				
	T. STEEL XS			520	600	420	870	395	330	470	/	/	575	5	10.2					
	T. STEEL XL			625	680	540	950	450	415	520	/	/	655	5	12.3					

AIR COOLING KIT

HC/913

COOLING COMFORT

Air cooling kit to be mounted on pre-drilled seat shell (all OMP "Air" seats). This system give a new level of cooling comfort to the drivers specially during long races in very hot condition.

The kit includes:

- a shell to be mounted on the the back of the seat with included shaped bihadesive tape (HC/913/G)
- a connection hose (1,5" x 2mt) with inner metal spiral (HC/913/T) that can be fixed to the shell and to the blower HC/914 or to others air sources (inner intake of the car)
- a connection junction in rubber (HC/913/R)
- 45° connection junction in rubber (HC/913/R45)

All components are sold also separately as spare parts.



BACK CUSHION

HB/703

Preforated back cushion to allow the best cooling effect of OMP air cooling system HC/913. Airnet material.

- 2 SIZES:
- M** for HRC Fiberglass (HA/793)
 - XL** for HRC Fiberglass XL (HA/794)



AIR BLOWER

HC/914

for Air Cooling Kit HC/913



RACING SEATS ACCESSORIES

SPARE COLORED HARNESS SHOULDER KIT

HC/930

Kit of spare harness slots adaptable on most of OMP racing seat. Several colors available: black like the original ones, white, red, fluo green, fluo orange, fluo yellow.



SPARE COLORED HARNESS LATERAL KIT

HC/931

Kit of spare harness slots adaptable on most of OMP racing seat. Several colors available: black like the original ones, white, red, fluo green, fluo orange, fluo yellow.



LATERAL PAIR CUSHIONS

HB/701

For HRC seats. Sizes: S, M Velour material.



LEG CUSHIONS

HB/698

Performed leg support cushions. Airnet material.



LEG CUSHIONS

HB/700


2 pieces flat leg support cushions. Airnet material.



SEAT CUSHIONS

HB/702

Thicker seat cushions for HRC seat. Antislip velvet.



SEAT CUSHIONS

HB/692

A Back support cushion, small Dimensions: 240x110mm

HB/662

B Lumbar support cushion, medium Dimensions: 300x175mm

HB/695

C Seat cushion Dimensions: 330x260mm

HB/693

D Leg support cushion Dimensions: 330x220mm



HSC PATENT

HC/893

Adjustable aluminium cover for 3 safety belt's positions setting. **PATENTED**



HEAD CUSHION

HB/699


Velour material.



SIDE MOUNT BRACKET DIMENSIONS

The dimensions are in mm.

STAFFA	Lowest rear mounting hole "A"	Rear range "B"	Front range "C"	Lowest front mounting hole "D"	Type of bolt pattern	Length of mounting plate "E"	Width of mounting plate "F"	Longitudinal range "G"	Number of holes
HC/731E	110	34.5	93	70.5	B	380	45	75	4
HC/733E	109	17	94	70.5	A	350	52	25	3
HC/830	77	66	66	77	B	495	48.5	126	6
HC/833E	112	51	108	73.5	A	422.5	59	112.5	10
HC/922	85	81	81	85	B	400	52	75	4
HC/923	75.5	100	100	75.5	B	495	50	125	6
HC/924	85	81	81	85	B	400	52	75	4
HC/925	75.5	100	100	75.5	B	495	50	125	6



STEEL BRACKET

HC/922 FIA APPENDIX J ART. 253

Tall model. Steel.
Length: 400 mm
Thickness: 3 mm
Ultra strong material.



STEEL BRACKET

HC/733E FIA APPENDIX J ART. 253

Low model. Steel.
Length: 350 mm
Thickness: 3 mm
Ultra strong material.



ALUMINIUM BRACKET

HC/833E FIA APPENDIX J ART. 253


Tall model. Aluminium.
Length: 422,5 mm
Thickness: 6 mm
Ultra strong material.
Colours:
HC/833E aluminium
HC/833E/N black



ALUMINIUM BRACKET

HC/924 FIA APPENDIX J ART. 253

Tall model. Aluminium.
Length: 400 mm
Thickness: 6 mm
Ultra strong material.



STEEL BRACKET

HC/731E FIA APPENDIX J ART. 253

Tall model. Steel.
Length: 380 mm
Thickness: 3 mm
Ultra strong material.



STEEL BRACKET

HC/923 FIA APPENDIX J ART. 253


Tall model. Steel.
Length: 495 mm
Thickness: 3 mm
Ultra strong material.



ALUMINIUM BRACKET

HC/925 FIA APPENDIX J ART. 253

Tall model. Aluminium.
Length: 495 mm
Thickness: 6 mm
Ultra strong material.



ALUMINIUM BRACKET

HC/830 FIA APPENDIX J ART. 253

Tall model equipped with a damper.
Aluminium.
Patented model.
Length: 495 mm
Thickness: 6 mm



DAMPING ELEMENT
to reduce vertical loads on the driver.
Suitable for off-road.

SEAT BRACKET for HTE ONE LITE

HC/934

FIA 8862-2009



SEAT BRACKET for HTE ONE - HTE ONE S

HC/880

FIA 8862-2009



SEAT BRACKET for HTE ONE XL

HC/928

FIA 8862-2009



RALLY SEAT BRACKETS for HTE ONE E

HC/940

FIA 8862-2009 pending

UPON REQUEST



SEAT BRACKET for HTC ONE

HC/935

FIA 8862-2009



SEAT BRACKET

HC/907

for HRC ONE FIA 8862-2009

HC/929

for HRC ONE LITE- HRC ONE LITE RC
FIA 8862-2009



LOWER MOUNTING HOLES

STEEL BRACKET

HC/665

Sliding rail kit to be mounted between the brackets and the seat. Steel. Not FIA approved.



STEEL BRACKET

HC/660

Pair of "L" shaped brackets to fit seats with lower attachment points (type Y) to side brackets. Steel. Thickness: 3 mm



UNIVERSAL SEAT SUBFRAME


HC/879

Weld-in universal seat subframe to be adapted to the shell of the vehicle. Two 35mm squared pipes. Length: 600 mm

4 plates for direct welding to the body (80x60) thickness 3 mm).

4 plates for direct welding to the tube (60x40) thickness 3 mm)


4 buckles for welding M8.



ALUMINIUM UNIVERSAL BRACKET

HC/666

Universal couple of brackets for seat with lower attachments. Aluminium. Not FIA approved.



SEATS CLASSIC

HA/737E


'70S REVIVAL VINTAGE SEAT
Upholstered in faux leather and velvet.

ADJUSTABLE VELVET HEADREST
for greater comfort

TUBULAR STEEL FRAME
M8 LOWER FIXING
POINTS 345X270 MM Y

RAISED BACKREST
and velvet seat

FAUX LEATHER SIDES




SEATS SILVERSTONE

HA/756/N

VINTAGE SEAT SPECIFIC FOR OPEN CARS
Upholstered in faux leather.

TUBULAR STEEL FRAME
M8 LOWER FIXING
POINTS 345X270 MM Y

FAUX LEATHER SEAT
and back with
horizontal quilting.



SEATS BRANDSHATCH

HA/757/N


VINTAGE '60S STYLE SEAT
Upholstered in faux leather and velvet.

ADJUSTABLE VELVET HEADREST
for greater comfort

TUBULAR STEEL FRAME
M8 LOWER FIXING
POINTS 345X270 MM Y

RAISED BACKREST
and velvet seat

FIANCHI
IN SIMILPELLE



SEATS TRS - LEGEND

HA/775/N

SEAT FIA HOMOLOGATED
Completely covered in faux leather with contrast stitching.


TUBULAR STEEL FRAME
HOMOLOGATION
FIA 8855-1999
W SIDE AND Y BOTTOM
FIXING POINT
HANS® COMPATIBLE

FIA 8855-1999



LARGE SHOULDER HARNESS SLOTS
to accommodate various heights.

LEG CUSHION
for greater comfort.



OFF ROAD RACING SEAT

Lightweight bare fiberglass shell with large shoulder harness slots to accommodate various heights. Complete with simple waterproof neoprene padding. Entirely washable seat.

Available in FIA 8855-1999 homologated version (HA/806F) or without homologation label for not FIA rules competition (HA806).



LARGER SHOULDER
harness slots

NEOPRENE PADDING



SPARE NEOPRENE PADDING KIT
XHA/806/KIT

HA/806**HA/806F**

FIA 8855-1999 homologated version



sizing information on page 164

W SIDE TYPE ATTACHMENTS
5 HARNESS SLOTS

SEE PAGES 120 AND 260
FOR OFF ROAD SUITABLE RACEWEAR

HA/776T/N

STEEL FRAME Y BOTTOM

FIXING POINTS 345X270 MM
SYNTHETIC LEATHER INSERTS

sizing information
on page 164

BREATHABLE FABRIC

Reclinable seat
for off-road cars.
Quick-tilting mechanism
for simple rear
seat access.


UPHOLSTERED
in texture fabric
and synthetic leather.

SYNTHETIC CARBON LOOK
LEATHER REINFORCEMENTS
on the sides.

**ALUMINIUM BRACKET****HC/830** FIA APPENDIX J ART. 253

Tall model equipped
with a damper.
Aluminium.
Patented model.
Length: 495 mm
Thickness: 6 mm

DAMPING ELEMENT
to reduce vertical loads
on the driver.
Suitable for off-road.

**HA/776E/N****SKY VERSION**

Washable sky
upholstering with
synthetic carbon look
leather reinforcements
on the sides.



SEE PAGES 120 AND 260
FOR OFF ROAD SUITABLE RACEWEAR

TUBULAR STEEL

M8 Y BOTTOM FIXING POINTS

345X270 MM

3 SEAT BELT OPENINGS

sizing information on page 164

UPHOLSTERED IN A TEXTURED FABRIC "A-TEX EVO"
abrasion resistant, comfortable in hot or cold conditions.
Thickness: 3mm

ANATOMIC SHAPE



PRECISION RECLINING
MECHANISM
and quick-tilting mechanism
to facilitate rear seat access

TUBULAR STEEL

M8 Y BOTTOM FIXING POINTS

345X270 MM

2 SEAT BELT OPENINGS

sizing information on page 164

UPHOLSTERED IN A TEXTURED FABRIC "A-TEX EVO"
abrasion resistant, comfortable in hot or cold conditions.
Thickness: 3mm

HIGH SIDE



PRECISION RECLINING
MECHANISM
and quick-tilting mechanism
to facilitate rear seat access

TUBULAR STEEL

M8 Y BOTTOM FIXING POINTS

345X270 MM

2 SEAT BELT OPENINGS

sizing information on page 164


UPHOLSTERED IN A TEXTURED FABRIC
"A-TEX EVO"
abrasion resistant, comfortable in hot or cold
conditions. Thickness: 3mm

HIGH SIDE




PRECISION RECLINING
MECHANISM
and quick-tilting mechanism
to facilitate rear seat access

SEATS TECHNICAL SPECIFICATIONS



LEGEND

- A ext. max width at shoulders
- B seat bottom to mid shoulders
- C ext. max width of side bolsters
- D tot. height of seat back
- E inner width between lateral torso protections
- F bottom length
- W = side fixing (289 mm)
- Y = bottom fixing (345x270 mm)




MEASURE IN MM								
SHELL	A	B	C	D	E	F	HARNESS SLOT	FIXING
STYLE / RAID2								
Tubular steel	560	630	510	970	300	560	3	Y
DESIGN 2								
Tubular steel	540	640	510	950	310	560	3	Y
STRADA								
Tubular steel	540	640	510	950	310	560	2	Y
M+S								
Fiberglass shell	620	600	510	890	410	390	5	W



SEAT MOUNTING EXAMPLES


Seat with lower attachments points

- 1 Sliding brackets (HC/665)
- 2 Optional seat bracket spacer (HC/857 or HC/858)
- 3 Seat mounting bracket (vehicle specific)



Seat with side attachments points

- 1 Side mounting brackets (Racing)
- 2 Sliding brackets (HC/665)
- 3 Seat mounting bracket (vehicle specific)



SEAT BRACKETS

UNIVERSAL SLIDING RAIL

HC/665

Kit to be mounted between seat and seat bracket.



SEAT BRACKET SPACER

HC/857

Seat bracket spacer allows the seat height to be adjusted, depending on which side is used for mounting. No FIA.

Height: + 25 mm or + 50 mm above the vehicle specific adaptor.



SEAT BRACKET SPACER

HC/858


Seat bracket spacer to consent seat adjustment. Height: + 50 mm, + 62 mm and + 75 mm respect to the vehicle specific adaptor. Inclination: 2.5° or 5° seat angle adjustments.



ADAPTORS FOR SEAT FIXING BRACKETS

HC/.....

SEE THE APPLICATION LIST ON:



Sample image

Search Complete Application List, for the complete list of available items also on www.ompracing.com



RACING

PAG. 170

OFF ROAD

PAG. 188

The consolidated experience in racing world and the increasing collaboration with the most important drivers and teams leads to a wide range of safety harnesses suitable to meet the needs of all drivers for any type of cars.

ONE-D

Is the premium level of OMP safety harnesses: ultralightweight buckle and forged aluminium adjusters joined with comfortable and ultralightweight straps in **Dyneema® the world strongest fiber™** World F1 Champion with Mercedes AMG Petronas Motorsport.

ONE

Lightweight buckle, forged aluminium adjusters and polyester fabric straps guarantees high comfort and performance.

TECNICA

Lightweight buckle, adjusters in steel and aluminium, polyester fabric straps. Good choice to get great performance at reasonable price.

FIRST

Professional buckle and high quality steel adjusters, straps in polyester fabric. Best money-saving range of product without sacrificing quality and comfort.

SAFETY HARNESSSES

OMP

Official Team Supplier



AMG
PETRONAS
MOTORSPORT



Ultra lightweight buckle with anti-unwitting opening system. FIA 8853/2016

A



Lightweight buckle. FIA 8853/2016

B2



Professional buckle. FIA 8853/2016

B1



Professional ultra lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.

C



Professional ultra lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.

D



Professional lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.

E



Exclusive double pin T-bar crotch attachment.

F



New lightweight quick release adjuster made of steel and high strength aluminum, ergonomic and compact.

G



Professional adjuster made of high strength steel.

H



Ultra lightweight Dyneema®, the world strongest fiber™ straps with comfortable webbings.

I



Lightweight polyester straps with comfortable webbings.

L



Lightweight steel snap hook

M



Lightweight steel carabiner.

N



Plate attachment.

O



Snap hook attachment made of steel with high mechanical strength designed to improve performance and for optimum safety.

P




Webbing end sewn specifically for formula cars attach.

Q



Homologated for direct attachment to roll bars.

R



Buckle fixed to the lap strap.

S



Buckle fixed to the crotch strap.

T



Runner for fixing intercom connectors.

U



Runner for use with rubber bands - specifically for GT cars.

V


SALOON PULL UP OR PULL DOWN

Ultralightweight and comfortable safety harness for saloon cars in **Dyneema®**, the world strongest fiber™. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The Harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments. Adjustable setting of shoulder and lap straps with exclusive F1-inspired "double fold" system for a practical and strong hold.

ALSO AVAILABLE IN
MAGNESIUM-FREE VERSION
UPON REQUEST
(DA0102BHSL PULL DOWN)
(DA0102CBHSL PULL UP)



50% LIGHTER
15% MORE RESISTANT





SALOON PULL UP

Lightweight, comfortable and versatile safety harness for saloon cars in polyester fabric. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium.


WITH QUICK ADJUSTERS ON CROTCH STRAPS.

ALSO AVAILABLE
IN PULL DOWN
VERSION
UPON REQUEST





SUPERLIGHT PROFESSIONAL
SAFETY BELT PULL UP2"
shoulder straps to be
used only with the FHR
systemDA0202BHSL061
redPULL UP 2"
lap strap with
ultrafast adjuster2" T-TYPE
crotch strap

DA0202HSL PULL DOWN VERSION

DA0202HSL071
blackSALOON PULL UP
CONVERTIBLE IN PULL DOWN

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Ultralightweight aluminium adjuster on shoulders, steel and high strength aluminium lightweight adjusters on lap, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments.

2"/3" SHOULDER
roll bar2"
lap strap with ultrafast
adjuster (pull up
convertible in pull
down)2" CROTCH
snap-hookDA0205HSL071
blackDA0205HSL061
red

SALOON6 POINTS
FHR ONLY**SALOON PULL DOWN ENDURANCE**

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Ultralightweight aluminium adjuster on shoulders, steel and high strength aluminium lightweight endurance adjusters on lap, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments.

**DA0205BHSL071**

black

2"/3" SHOULDER
roll bar2"
endurance
pull down with
snap hook



ultrafast adjuster

2" CROTCH
snap-hook

MANUFACTURER: OMP
MODEL: DA0205
HOM. NO: SH.05218-T-6
FIA STANDARD: FIA 8853/2016

**DA0205BHSL061**

red

LIGHTWEIGHT
POLYESTER
STRAPSHOMOLOGATED
FOR ROLL BARBUCKLE FIXED
TO THE
CROTCH
STRAPPROFESSIONAL
LIGHTWEIGHT
QUICK RELEASE
ADJUSTERFIXING
INTERCOM
CONNECTORSULTRALIGHT
BUCKLEPROFESSIONAL
ULTRA
LIGHTWEIGHT
QUICK RELEASESTEEL SNAP
HOOKEXCLUSIVE
DOUBLE PIN
T-BAR CROTCH
ATTACHMENT**SALOON**6 POINTS
FHR FRIENDLY**MY2021****SALOON PULL UP**

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Steel and high strength aluminium lightweight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments.

3" SHOULDER
to the roll cage**NEW LIGHT BUCKLE**3" PULL UP
carabiner**DA0203AL061**

red

2" CROTCH
snap-hook

MANUFACTURER: OMP
MODEL: DA0203
HOM. NO: SH.026-17-T-6
FIA STANDARD: FIA 8853-2016

**DA0203AL071**

black

LIGHTWEIGHT
BUCKLEHOMOLOGATED
FOR ROLL BARLIGHTWEIGHT
STEEL
CARABINERLIGHTWEIGHT
QUICK RELEASE
ADJUSTERFIXING
INTERCOM
CONNECTORSSTEEL SNAP
HOOKLIGHTWEIGHT
POLYESTER
STRAPSBUCKLE FIXED
TO THE
CROTCH
STRAPEXCLUSIVE
DOUBLE PIN
T-BAR CROTCH
ATTACHMENT

SALOON PULL UP

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Steel and high strength aluminium lightweight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments.

NEW LIGHT BUCKLE

2"/3" SHOULDER
roll barPULL UP 3"
carabiner

DA0203AHL061

red


2" CROTCH
snap-hook

DA0203AHL071

black



MANUFACTURER: OMP
MODEL: DA0203
HOM. NO: SH.026.17-T-6
FIA STANDARD: FIA 8853/2016

LIGHTWEIGHT
BUCKLEHOMOLOGATED
FOR ROLL BARLIGHTWEIGHT
STEEL
CARABINERLIGHTWEIGHT
QUICK RELEASE
ADJUSTERFIXING
INTERCOM
CONNECTORSSTEEL SNAP
HOOKLIGHTWEIGHT
POLYESTER
STRAPSBUCKLE FIXED
TO THE
CROTCH
STRAPEXCLUSIVE
DOUBLE PIN
T-BAR CROTCH
ATTACHMENT

SALOON PULL UP ENTRY LEVEL 3"

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Strong steel adjusters. Buckle in aluminium and steel with an improved quality/price ratio that ensures same quality at lower price.

3" SHOULDER
roll bar3"
pull up
snap hook

DA0204A071

black

NEW LIGHT BUCKLE


2" CROTCH
snap-hook

DA0204A061

red





MANUFACTURER: OMP
MODEL: DA0204
HOM. NO: SH.036.17-T-6
FIA STANDARD: FIA 8853/2016

PROFESSIONAL
STEEL
ADJUSTERBUCKLE FIXED
TO THE
CROTCH
STRAPLIGHTWEIGHT
POLYESTER
STRAPSLIGHTWEIGHT
BUCKLEHOMOLOGATED
FOR ROLL BARSTEEL SNAP
HOOK



SALOON PULL UP ENTRY LEVEL 2"/3"

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Strong steel adjusters. Buckle in aluminium and steel with an improved quality/price ratio that ensures same quality at lower price.

DA0204AH041
blueDA0204AH178
black/fluo yellowDA0204AH071
blackPROFESSIONAL
STEEL
ADJUSTERBUCKLE FIXED
TO THE
CROTCH
STRAPLIGHTWEIGHT
POLYESTER
STRAPSLIGHTWEIGHT
BUCKLEHOMOLOGATED
FOR ROLL BARSTEEL SNAP
HOOK

SALOON PULL UP

Lightweight and comfortable entry level safety harness in polyester fabric for saloon cars. Steel adjusters on lap, steel and aluminium adjusters on shoulder, buckle in aluminium and steel with an improved quality/price ratio that ensures same quality at lower price.

DA0208H061
redPROFESSIONAL
STEEL
ADJUSTERBUCKLE FIXED
TO THE
CROTCH
STRAPLIGHTWEIGHT
POLYESTER
STRAPSPROFESSIONAL
BUCKLELIGHTWEIGHT
QUICK RELEASE
ADJUSTERSTEEL SNAP
HOOK

SAFETY HARNESSSES

FIRST 3 4P

DA801F

SALOON

4 POINTS
FHR FRIENDLY

PROFESSIONAL BELT
PULL UP

3"
shoulders strap

DA801F71
nero

3" PULL-UP
lap strap



MANUFACTURER: OMP
MODEL: DA801
HOM. NO: B-252.T/98
FIA STANDARD: FIA 8854/98



DA801F61
red



LIGHTWEIGHT
POLYESTER
STRAPS



BUCKLE
FIXED TO
THE LAP
STRAP



PROFESSIONAL
BUCKLE



HOMOLOGATED
FOR ROLL BAR



STEEL SNAP
HOOK

RACING harnesses

180

SAFETY HARNESSSES


DA515HST

DA515HST

SALOON

HOMOLOGATION SFI 16.1
5 POINTS

PROFESSIONAL 5 POINTS HARNESS



3"
shoulders strap

CROTCH STRAP
pull up
attachment 2"

L. 700 mm



3"
lap straps

V LEG STRAP

HOMOLOGATION SFI 16.1

DA518061

L. 600 mm



Risi Competizione

181



Arindo Araújo - Portuguese Rally Champion



Niclas Grönholm - GRX Taneco Team
World Rallycross Championship


SAFETY HARNESSES ONE-D 2 PROTOTYPE DA0102FHSL **FORMULA**

FORMULA BELT
 Ultralightweight and comfortable safety harness for prototype cars in Dyneema®, the strongest fiber in the world™. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The Harness ensures best safety level ever thanks to the ultra-resistant buckle with an antiunwitting opening system and exclusive double pin T-bar crotch attachments. Adjustable setting of shoulder and lap straps with exclusive F1-inspired “double fold” system for a practical and strong hold.

6 POINTS
 FHR ONLY

APPROVED

MANUFACTURER: OMP
 MODEL: DA0102
 HOM. NO: SH.025.17-T-6
 FIA STANDARD: FIA 8853/2016



<p>ULTRALIGHT DYNEEMA</p>	<p>PROFESSIONAL ULTRA LIGHTWEIGHT ADJUSTER</p>	<p>WEBBING END SEWN FOR FORMULA CARS ATTACH</p>
<p>ULTRALIGHT BUCKLE</p>	<p>EXCLUSIVE DOUBLE PIN T-BAR CROTCH ATTACHMENT</p>	<p>PLATE ATTACHMENT</p>
	<p>BUCKLE FIXED TO THE CROTCH STRAP</p>	

FORMULA BELT



Ultralightweight and comfortable safety harness for Formula cars in Dyneema®, the world strongest fiber™. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The Harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system. Adjustable setting of shoulder and lap straps with exclusive F1-inspired "double fold" system for a practical and strong hold.




MANUFACTURER: OMP
MODEL: DA0104
HOM. NO: SH.018.17-T-6
FIA STANDARD: FIA 8853/2016



50% LIGHTER
15% MORE RESISTANT

SUPERLIGHT
PROFESSIONAL BELTALSO AVAILABLE WITH
PLATE ATTACHMENTS
VERSION (DA0206BHSL)

Lightweight and comfortable safety harness for formula cars in polyester fabric. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The Harness ensures best safety level ever thanks to the ultra-resistant buckle.

ALSO AVAILABLE WITH
PLATE ATTACHMENT

DA0206HSL071
black

PULL UP 2"
lap strap



DA0206HSL061
red




MANUFACTURER: OMP
MODEL: DA0206
HOM. NO: SH.037.17-T-6
FIA STANDARD: FIA 8853/2016



RACING HARNESSSES TABLE

HOMOLOG.	CAR	POINTS	MATERIAL	ADJUSTER	LAP STRAP PULL	MAGNESIUM FREE	HANS	SIZE	SHOULDER ATTACH.	SIZE	LAP ATTACH.	SIZE	CROTCH ATTACH.	MEASURE IN MM					
ONE-D 2	DA0102 HSL	DA0102BHSL																	
FIA 8853-2016	SALOON	6	DYNEEMA	ULTRA LIGHT	DOWN UP		ONLY	2"	ROLL BAR	2"	CARA-BINER	2"	SNAP HOOK	1650	390	750		700	
ONE-D 2 VERSA	DA0202VHSL																		
FIA 8853-2016	SALOON	6	POLYESTER	ULTRA LIGHT	DOWN UP		ONLY	2"	ROLL BAR	2"	CARA-BINER	2"	SNAP HOOK	1650	390	750		700	
ONE 2	DA0202 HSL - DA0202B HSL																		
FIA 8853-2016	SALOON	6	POLYESTER	ULTRA LIGHT	DOWN UP		ONLY	2"	ROLL BAR	2"	CARA-BINER	2"	SNAP HOOK	1650	390	750		700	
ONE 3+2 CONVERTIBLE	DA0205 HSL																		
FIA 8853-2016	SALOON	6	POLYESTER	ULTRA LIGHT	UP/DOWN		ONLY	2"/3"	ROLL BAR/SNAP HOOK	2"	SNAP HOOK	2"	SNAP HOOK	1650	390	750	140	700	
ONE 3+2 ENDURANCE	DA0205B HSL																		
FIA 8853-2016	SALOON	6	POLYESTER	ULTRA LIGHT	DOWN		ONLY	2"	ROLL BAR	2"	SNAP HOOK	2"	SNAP HOOK	1650	390	750		700	
TECNICA 3	DA0203AL																		
FIA 8853-2016	BERLINA	6	POLYESTER	LIGHT	UP		FRIENDLY	3"	ROLL BAR	3"	CARA-BINER	2"	SNAP HOOK	1650	390	750	140	700	
TECNICA 3+2	DA0203AHL																		
FIA 8853-2016	SALOON	6	POLYESTER	LIGHT	UP		ONLY	2"/3"	ROLL BAR	3"	CARA-BINER	2"	SNAP HOOK	1650	390	750	140	700	



HOMOLOG.	CAR	POINTS	MATERIAL	ADJUSTER	LAP STRAP PULL	MAGNESIUM FREE	HANS	SIZE	SHOULDER ATTACH.	SIZE	LAP ATTACH.	SIZE	CROTCH ATTACH.	MEASURE IN MM					
FIRST 3	DA0204A																		
FIA 8853-2016	SALOON	6	POLYESTER	PROF.	UP		FRIENDLY	3"	ROLL BAR/SNAP HOOK	3"	SNAP HOOK	2"	SNAP HOOK	1650	390	750	140	700	
FIRST 3+2	DA0204AH																		
FIA 8853-2016	SALOON	6	POLYESTER	PROF.	UP		ONLY	2"/3"	ROLL BAR/SNAP HOOK	3"	SNAP HOOK	2"	SNAP HOOK	1650	390	750	140	700	
FIRST 2	DA0208H																		
FIA 8853-2016	SALOON	6	POLYESTER	ULTRA LIGHT	DOWN		ONLY	2"	SNAP HOOK	2"	SNAP HOOK	2"	SNAP HOOK	1650	390	750	140	700	
DA801 F																			
FIA 8853/98	SALOON	4	POLYESTER	PROF.	UP		FRIENDLY	3"	ROLL BAR/SNAP HOOK	3"	SNAP HOOK			1550	305	762	140		
ONE-D 2 PROTOTYPE	DA0102FHSL																		
FIA 8853-2016	PROTOTIPO	6	DYNEEMA	ULTRA LIGHT	UP		ONLY	2"	SEWN WEBB.	2"	PLATE	2"	PLATE	320	550	725	125	750	
ONE-D 2 FORMULA	DA0104HSL																		
FIA 8853-2016	FORMULA	6	DYNEEMA	ULTRA LIGHT			ONLY	2"	SEWN WEBB.	2"	PLATE	2"	PLATE	310	390	600		700	
TECNICA 2 FORMULA	DA0206HSL - DA0206BHSL																		
FIA 8853-2016	FORMULA/ PROT.	6	POLYESTER	ULTRA LIGHT	UP		ONLY	2"	PLATE/WEBB END SEWN	2"	PLATE	2"	PLATE	320	550	725	125	750	

FIRST RANGE

FIRST 2
DA0208H

NEW LIGHT BUCKLE
FIRST 3+2
DA0204AH

NEW LIGHT BUCKLE
FIRST 3
DA0204A

FIRST 3 4P
DA801F

TECNICA RANGE

TECNICA 2 FORMULA
DA0206HSL

plate for attachment for TECNICA 2 PROTOTYPE DA0206BHSL

NEW LIGHT BUCKLE
TECNICA 3
DA0203AL

NEW LIGHT BUCKLE
TECNICA 3+2
DA0203AHL

ONE RANGE

ONE 2 VERSA
DA0202VHSL

ONE 2 PULL DOWN
DA0203HL

ONE 3+2 ENDURANCE
DA0205BHSL

ONE 3+2 CONVERTIBLE
DA0205HSL

ONE-D RANGE

ONE-D PROTOTYPE
DA0102FHSL

ONE-D 2 FORMULA
DA0104HSL

ONE-D 2 PULL DOWN
DA0102HSL

ONE-D 2 PULL UP
DA0102CHSL



Pepe Oriola - Brutal Fish Racing
TCR Europe

SAFETY HARNESSES

ROAD 4M

DA507

HOMOLOGATION ECE

4 POINTS

Snap hook attachment.
Adjusters: steel.
Push button release: central.
Supplied with 7/16" bolts.



SAFETY HARNESSES

RACING 4M

DA508

HOMOLOGATION ECE

4 POINTS

Snap hook attachment.
Adjusters: steel.
Push button release: central.
Supplied with 7/16" eye bolts.



SAFETY HARNESSES

ROAD 4

DA505

HOMOLOGATION ECE

4 POINTS

Bolt-in attachment.
Adjusters: steel.
Push button release: central.
Supplied with 7/16" bolts.



Bolt-in attachment.
Adjusters: steel.
Push button release: central.
 Supplied with 7/16" bolts.

HOMOLOGATION ECE

3 POINTS

DA504041
blueDA504071
blackDA504061
red

SHOULDER STRAPS 2"

LAP STRAPS 2"

Bolt-in attachment.
Adjusters: steel.
Push button release: central.
 Supplied with 7/16" eye bolts.

HOMOLOGATION ECE

3 POINTS

DA509061
redDA509071
black

SHOULDER STRAPS 2"

LAP STRAPS 2"

HANS STRAP BOLDER

SD20

Hans strap bolder in rubber (pair), with sticker



SEAT BELT PLATE

DB/418

Seat belt plate with threaded 7/16" nut.
 DIMENSIONS: 50x80x3 mm
 FIA APPENDIX J art. 253



EYEBOLT

DB/420

7/16" eyebolt to attach harness snap-hook fittings.

A: 57 mm / B: 15.5 mm / C: 20 mm
 D: 7/16" UNF / L: 22 mm / S: 8 mm




PLATE FOR EYEBOLTS

DB/421

Reinforced threaded plate for eyebolts.

DIMENSIONS:
 50x25x6 mm



CUTTER

DB/459

Safety seat belt cutter.



CUTTER

DB/461

Safety seat belt cutter.



PROFESSIONAL CUTTER

DB/460E

Professional safety belt cutter with hammer, light, emergency lamp and magnet.



SEAT BELT PADS



DB/455

Pair of harness pads in fire retardant Nomex to be used with 2" seat belts. Zipper quick closure, antislip silicon rubber inserts in shoulders contact area. Compatible with Hybrid® safety device.



SEAT BELT PADS



DB/450

Yellow OMP logo. In velour, use with 2" seat belts. Clousure: velcro.


DB/450/B
blueDB/450/N
blackDB/450/R
red

SEAT BELT PADS



DB/450/3

Yellow OMP logo. In velour, use with 3" seat belts. Clousure: velcro.

DB/450/3/B
blueDB/450/3/N
blackDB/450/3/R
red



ROLLBARS

FE 45 BOLT-IN

AB/100/...



FE45 steel bolt-in roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and reinforced brace in the main hoop. Supplied with door bars and diagonal reinforcement at rear.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

FE 45 BOLT-IN

AA/104P/...




FE45 steel bolt-in roll bars with door bars. To be cut to measure and welded upon installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

MULTI-POINT WELD-IN

AB/106/...A

AB/106/...AW




AB/106/...A supplied partially assembled.

AB/106/...AW supplied not assembled. Multi-point weld-in chromoly (25CrMo4) roll bars. Reduced weight and improved rigidity compared with steel bolt-in roll bars. Supplied partially assembled to facilitate and reduce installation cost.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

MULTI-POINT WELD-IN

AB/106/...B



Multi-point bolt-in chromoly (25CrMo4) roll bars. Reduced weight and improved torsional rigidity.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

FE 45 BOLT-IN

AB/105P/...




FE45 steel multi-point bolt-in roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and door bars. To be cut to measure and welded upon installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

FE 45 WELD-IN

AA/105/...A



FE45 steel weld-in roll bars with Ø 50x2 tubing on the main hoop and Ø 40x2 tubing elsewhere. It may be necessary to remove or cut interior panels to facilitate installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

OFF ROAD BOLT-IN

R/...



FE45 steel multi-point bolt-in roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and door bars. To be cut to measure and welded upon installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.


REPLACEMENT HOOP

AA/103/...

AB/107/...

AA/102/...

AB/108/...



FE45 steel weld-in roll bars with Ø 50x2 tubing on the main hoop and Ø 40x2 tubing elsewhere. It may be necessary to remove or cut interior panels to facilitate installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

ROLL BARS NOT DISTRIBUTED IN THE US

ROLL BARS NOT DISTRIBUTED IN THE US

RUBBER SLEEVING

AA/113 FIA-J ALL

Foamed rubber sleeving for roll bar sold in pieces of 2 m.



AA/113-40 Ø 40 mm

AA/113-50 Ø 50 mm

CONNECTING TUBE

AA/195 FIA-J ALL

Sleeve connecting tube in Fe45 steel, for tubing Ø 40 mm



REINFORCEMENT

AA/200 FIA-J ALL DIS 253-24

Reinforce roll bar crosses. Thickness: 1,5 mm Gusset: 80°



REINFORCEMENT FIA-J ALL

AA/123

Reinforcement to be used with connections AA/122 and AA/122-50.



REINFORCEMENT

AA/201 FIA-J ALL DIS 253-24

Reinforce roll bar crosses. Thickness: 1,5 mm Gusset: 100°



REINFORCEMENT

AA/175 FIA-J ALL

Universal "L" shaped reinforcement plate. Adjustable and suitable for any standard steel roll bar.

Thickness: 3 mm



CONNECTION

AA/122 FIA-J ALL

Connection for roll bar, complete with hardware.




AA/122-40 with tube Ø 40 mm

AA/122-50 with tube Ø 50 mm

CONNECTING TUBE

AA/108 FIA-J ALL


Pair of door bars FE 45 steel, to be welded (no picture). Length: 1.20 m - Thickness: 2 mm - Ø 40 mm



PLATE

AA/175/S FIA-J ALL

Flat plate lower reinforcement for standard roll bars. Dimensions: 100x120x3 mm




CONNECTING TUBE

AA/109 FIA-J ALL

Pair of door bars FE 45 steel, complete with connections.

Length: 1.25 m Thickness: 2 mm Ø 40 mm



ENERGY ABSORBING

AA116A TYPE A


Rollbar padding Molded energy absorbing roll bar padding suitable. Length: 490mm.




ENERGY ABSORBING

AA115A TYPE A

Molded energy absorbing roll bar padding suitable for both. Length: 490 mm For tube Ø 40/50 mm



Personalized protection kit service based on customers' drawing.



Personalized protection kit service based on customers' drawing.

REINFORCEMENT

AA/111 FIA-J ALL


Pair assembled cross door reinforcement, connections included.



REINFORCEMENT

AA/202A FIA-J ALL

Pair assembled cross door reinforcement, connections included. Ø 40x2 mm



REINFORCEMENT

AA/203 FIA-J ALL

Kit (2+2) of perforated plates for rollbar fixing in.



Front



Rear

REINFORCEMENT


AA/111A FIA-J ALL

Pair not assembled cross door reinforcement, connections included. Ø 40x2 mm




COVERS


AA/113/FT



AA/113/FT/R (50 cm)
AA/113/FP/R (100 cm)
Red



AA/113/FT/B (50 cm)
AA/113/FP/B (100 cm)
Blue




AA/113/FT/N (50 cm)
AA/113/FP/N (100 cm)
Black

Pair of door bar covers in velour material (same as competition seats) to cover rubber sleeving Ref. AA/113 velcro closing.

SUMPGUARDS, TANKGUARDS AND DIFFERENTIAL GUARDS


Made from a special aluminium alloy, these sumpguards have several functions: they protect the mechanical parts such as sump, gear-box, transmission etc. and they also contribute to stiffen the whole body and the front part of the car. For this reason they are suitable for every day use and are particularly useful for those driving on uneven roads.

Search Complete Application List also on www.ompracing.com






Robin Frijns & Nick Cassidy - Envision Virgin Racing - Formula E season VII




Bottle dimensions:
The dimensions of A, B, C are in mm.
*Total weight including: bottle, valve, dip tube, liquid, brackets.

BOTTLE WITH
VALVE LOCATED
ON THE CYLINDER
BODY



BOTTLE WITH
VALVE LOCATED
ON THE END OF THE
CYLINDER BODY



Ref.	Extinguishant	Empty (kg)	Total weight*	A	B	C
PLATINUM COLLECTION						
CEFAL3/B	0.9 lt ecolife	0.4	1.8	194	235	100
CESAL3/B	1.3 lt ecolife	0.7	2.5	204	246	130
CESAL3R/B	2.8 lt ecolife	0.94	4.3	245	286	160
WHITE COLLECTION						
CEFAL2/B	2.8 lt ecolife	0.94	4.3	245	286	160
CESAL2/B	4.25 lt ecolife	1.3	6.2	315	210	160
BLACK COLLECTION						
CMSST1/B	4.25 lt ecolife	2.4	8.1	330	420	160
CMFST1/B	2.8 lt ecolife	1.97	5.6	295	385	130
CESST1/B	4.25 lt ecolife	2.4	7.7	330	385	160
OMP SPORT						
CA/372/B	4.25 lt ecolife	2.4	8.1	330	420	160
HAND HELD						
CAB/322	4 Kg powder	2.5	6.5	310	405	160
CAB/319	2.4 Kg powder	2.25	5.0	295	390	132
CAB/316	2 Kg powder	0.7	3.1	227	330	108
CBB/351	2.4 Kg powder	1.15	4.0	300	390	130
CAB/323	2 lt Novec	1.15	3.15	285	355	110

EXTINGUISHERS

ONE COLLECTION

Very compact and ultralight fire extinguisher system, electrically activated, suitable for saloon cars. FIA 8865-2015 rules complying. Aluminium bottle, the extinguisher can turn off fire in few seconds injecting in the cockpit and in the engine bay different fire-extinguishing medium. The system gets pressurized when activated enabling the discharge of the extinguishant. 3 nozzles are for the engine bay in order to protect the most critical and dangerous parts depending on the type of vehicle, 2 nozzles are for the cockpit to ensure the driver front and rear protection. The system is available in two versions: "L" version (only for medium-large sized cockpit) and "S" version (suitable for small size cockpit). L and S systems have the same weight, but different amount of fire extinguisher medium in way to be safe and efficient at the same time. Fixing brackets, clamps, tubing and connections are included.

Total weight: 5,4 kg (bottle only)

ULTRALIGHTWEIGHT
Ø 130 mm



MANUFACTURER: OMP
MODEL: CESAL4L
HOM. NO: EX.014.17
FIA STANDARD: FIA 8865-2015

CESAL4L

FROM 2.2 M³ UP TO 4.1 M³



MANUFACTURER: OMP
MODEL: CESAL4S
HOM. NO: EX.015.17
FIA STANDARD: FIA 8865-2015

CESAL4S

FROM 1.2 M³ UP TO 2.2 M³

Homologated for use on:

Petrol

Petrol + up to 30% ethanol or methanol (E30)

Petrol + up to 85% ethanol or methanol (E85)

TECNICA COLLECTION

It's a fire extinguisher system, electrically activated, suitable for saloon cars. The system it's homologated FIA 8865-2015.

One single bottle made in aluminum. The extinguisher can turn off the fire in few seconds injecting 2 different fire-extinguishing medium. AFFF (Black side) to protect the engine bay and the clean agent NOVEC1230 (Green side) to protect the cockpit. The system it's pressurized. 3 black nozzles are for the engine bay in order to protect the most critical and dangerous parts depending on the type of vehicle, 2 green nozzles are for the cockpit to ensure the driver protection. Fixing brackets, clamps, tubing and connections are included. Diameter 160mm. Weight: 6 kg.

"L" version suitable for medium-large sized cockpit.

"S" version suitable for small sized cockpit

Total weight: 6 kg (bottle only)



Homologated for use on:

Petrol

Diesel

Petrol + up to 30% ethanol or methanol (E30)

Petrol + up to 85% ethanol or methanol (E85)

LIGHTWEIGHT
Ø 160 mm

CESAL5L

FROM 2.2 M³ UP TO 4.1 M³



MANUFACTURER: OMP
MODEL: CESAL5L
HOM. NO: EX.022.19
FIA STANDARD: FIA 8865-2015




CESAL5S

FROM 1.35 M³ UP TO 2.5 M³






MANUFACTURER: OMP
MODEL: CESAL5S
HOM. NO: EX.023.19
FIA STANDARD: FIA 8865-2015

Fire Extinguishing System in compliance with FIA 8865-2015 - Designed for use with 3M Novec® 1230 Fire Protection fluid.



Fire Extinguishing System in compliance with FIA 8865-2015 - Designed for use with 3M Novec® 1230 Fire Protection fluid.



EXTINGUISHERS

CEFAL 3

CEFAL3

FORMULA CARS

PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. Ultralight aluminium bottle with reduced dimensions.

0,9 lt of Ecolife

Total weight:

1,8 kg (with stainless steel brackets and clamps).



ECO Life OZONE FRIENDLY



ULTRALIGHT
Ø 100 mm

LENGTH 194 mm

THE SMALLEST
IN THE WORLD



EXTINGUISHERS

CESAL 3

CESAL3

SALOON CARS

PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. New ultralight aluminium bottle with reduced dimensions.

1,3 lt of Ecolife.

Total weight:


2,5 kg (with stainless steel brackets and clamps).

ECO Life OZONE FRIENDLY



ULTRALIGHT
Ø 130 mm

LENGTH 204 mm



EXTINGUISHERS

CESAL 3R

CESAL3R

SALOON CARS

SPECIAL FOR RALLY

PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

2,8 lt of Ecolife (3kg).

Total weight:


4,3 kg (with stainless steel brackets and clamps)

ECO Life OZONE FRIENDLY



Ø 160 mm

LENGTH 245 mm



EXTINGUISHERS

CEFAL 2

CEFAL2

FORMULA CARS

WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

2,8 lt of Ecolife.

Total weight:


4,3 kg (with stainless steel brackets and clamps).

ECO Life OZONE FRIENDLY



Ø 160 mm

LENGTH 245 mm



EXTINGUISHERS

CESAL2

CESAL2

BERLINA

WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

4,5 lt of Ecolife

Total weight:
6,2 kg (with stainless steel brackets and clamps).

ECO Life OZONE FRIENDLY



Ø 160 mm

LENGTH 315 mm



EXTINGUISHERS

CMSST1

CMSST1

SALOON CARS

BLACK COLLECTION

Extinguisher system (engine compartment and cockpit) mechanically activated, complete with tubings, nozzles, steel bottle.

4,25 lt of Ecolife.

Total weight:
8,1 kg (with stainless steel brackets and clamps).

ECO Life OZONE FRIENDLY



Ø 160 mm

LENGTH 330 mm



EXTINGUISHERS

CESST1

CESST1

SALOON CARS

SPECIAL FOR RALLY

BLACK COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, steel bottle.

4,25 lt of Ecolife.

Total weight:
7,7 kg (with stainless steel brackets and clamps).

ECO Life OZONE FRIENDLY



Ø 160 mm

LENGTH 330 mm



EXTINGUISHERS

CMFST1

CMFST1

FORMULA CARS

BLACK COLLECTION

Extinguisher system (engine compartment and cockpit) mechanically activated, tubings, nozzles, steel bottle.

2,8 lt of Ecolife.


Total weight:
5,6 kg (with stainless steel brackets and clamps).

ECO Life OZONE FRIENDLY



Ø 130 mm

LENGTH 297 mm



OMP SPORT
Extinguisher system
(engine compartment and cockpit)
mechanically activated, complete
with tubings, nozzles, steel bottle.


4,25 lt of Ecolife

Total weight:
8,1 kg (with stainless
steel brackets and clamps).



Ø 160 mm

LENGTH 330 mm



HAND HELD EXTINGUISHER

STAINLESS STEEL EXTINGUISHER

CAB/323

IN COMPLIANCE
WITH FIA RULES

Hand held fire extinguisher complete
with brackets and quick release clamps.
STAINLESS STEEL bottle. Extinguishing
medium: 2 Kg of 3MTM Novec™ 1230.
In compliance with FIA App. J art. 253.
Compare to AFFF fire extinguisher system
this NOVEC bottle is smaller and lighter.

Total weight:
3,15 kg

Ø 110 mm



NEW

HAND HELD EXTINGUISHERS

ALUMINIUM EXTINGUISHER

CAB/316

EN3

Aluminium hand
held extinguisher,
2kg powder.
Complete with
stainless steel
brackets and quick
release calmps.

Total weight:
3,1 kg

Ø 108 mm



STEEL EXTINGUISHER

CAB/322

EN3

Steel hand held
extinguisher, 4kg
powder, A/B/C classes.
Complete with stainless
steel brackets and quick
release calmps.

Total weight:
6 kg

Ø 160 mm



STEEL EXTINGUISHER

CAB/319

Steel hand held
extinguisher,
2 l Ecolife. Complete
with aluminium
brackets and
stainless steel quick
release calmps.

Total weight:
5 kg

Ø 130 mm



CAB/319/R
Red

CAB/319
Black



ALUMINIUM EXTINGUISHER

CBB/351

IN COMPLIANCE
WITH FIA RULES

Aluminium hand held
extinguisher, 2,4 l
Ecolife. Complete with
stainless steel brackets
and stainless steel quick
release calmps.

Total weight:
4 kg

Ø 130 mm



CBB/351/R
Red



CBB/351/A
Silver

CBB/351
White



REPLACEMENT PARTS

ONE - TECNICA COLLECTIONS

CD/415

90° end connection, 1/8" with quick attachments. Ø 8mm



CD/417

Fixing brackets with clamps for 160mmØ. Anti-torpedo.



CD/408

Fixing brackets with clamps for 130mmØ. Anti-torpedo.

CD/410

Nozzle (cockpit) specifically for CESAL4



CD/393/N

Atomizer nozzle (engine bay) specifically for Ecolife systems



CD/409

Cockpit nozzle fixing bracket (for CD/410)



CD/411

Nozzle (cockpit) specifically for CESAL5



CD/360

Control box for electrically activated extinguishing systems. With new advanced electronic unit FIA 8865-2015 homologated. IP55 waterproof standard certified.



CD/416

Straight connection, 1/8" with quick attachments. Ø 8mm



CD/412

"T" shaped 3-way connection, 1/8" with quick attachments. Ø 8mm



X/363/E/CAV

Electric extinguisher valve cable w. jack.



CD/414

"Y" shaped connection, 1/8" with quick attachments. Ø 8mm



CD/323/A

Aluminium tubing Ø 8 mm L 4 m



CD/324/10/N

Fire resistant sheath 5 m roll, Ø 10 mm (or Ø 8mm ref. CD/324/8/N).



CD/324/6/N

Fire resistant sheath 5m roll Ø 6mm



X/CAB/360E

Control box cable.



PLATINUM COLLECTION

CD/395/N

Straight connection Ø 8 mm (1/8" junction).



CD/392/N

1/8" connection, "T" shaped with quick couplings. Ø 8 mm



CD/392/N/6

1/8" connection, "T" shaped with quick couplings. Ø 6 mm



CD/390/N

3-way connection with quick attachments, Ø 8 mm.



CD/399

Reduction tube Ø 6-8 mm.



CD/391/N

90° end connection, 1/8" shaped with quick attachments. Ø 8 mm



CD/391/N/6

90° end connection, 1/8" shaped with quick attachments. Ø 6 mm



CD/323E/N/8

Aluminium tubing Ø 8 mm - L. 5 m



CD/323E/N/6

Aluminium tubing Ø 6 mm - L. 3 m



CD/400E

Antitorpedo bracket and clamps for CEFAL3. (no picture)

CD/401E

Antitorpedo bracket and clamps for CESAL3. (no picture)

CD/407

Y shaped connection with quick attachments Ø 8mm)



PLATINUM - WHITE - BLACK COLLECTIONS

CD/393

Atomiser nozzle specifically for Ecolife systems to be threaded onto "T" or "L" connectors.



CD/398

Control box for electrically activated units with wiring harness 1,5 m



CD/324/10/N

Fire resistant sheath 5 m roll, Ø 10 mm (or Ø 8mm ref. CD/324/8/N).



X/363/E/CAV

Electric extinguisher valve cable w. jack.



X/398/CAV

Control box cable.



BLACK COLLECTION

CD/335

Pull cable for mechanically operated systems.



WHITE - BLACK COLLECTIONS - OMP SPORT

CD/394

Straight connection (1/4" junction).



CD/395

Straight connection (1/8" junction).



CD/392

1/8" connection, "T" shaped with quick couplings.



CD/391

90° end connection, 1/8" shaped with quick attachments.



CD/390

3-way connection with quick attachments.



CD/323/A

Aluminium tubing ø 8 mm - 4 m



CD/404

Bracket only for OMP Sport CA/372 (no picture)

ONE - TECNICA - PLATINUM - WHITE - BLACK COLLECTIONS

X/855

Sticker



X/181493

Rubber protection ring for push button EA/467



EA/467

Water-proof push button for external control.



HAND HELD EXTINGUISHERS

CD/309

Brackets for STEEL HAND HELD extinguishers Ecolife: CAB/319, ø 132 mm



CD/356

Bracket for ALUMINIUM HAND HELD extinguisher: CBB/351 ø 130 mm



CD/311/S-AT

Anti-torpedo tabs for double brackets extinguishers.



CD/300-AT

Anti-torpedo tabs for mono brackets extinguishers (e.g. CEFAL3).



CD/418

Brackets for stainless steel extinguisher Hand held CAB/323. No picture.

CD/312

Brackets for STEEL HAND HELD extinguishers Ecolife: CAB/316, ø 108 mm (no picture)

CD/405

Bracket for STEEL extinguisher CAB/322, ø 160 mm (no picture)

Support brackets are made according to the current FIA standard



Rob Huff - Lestrup Racing Team - TCR Scandinavia Winner




Colin Turkington - Team BMW - British GT Championship

RACING



PAG. 216

VINTAGE



PAG. 231

OFF ROAD



PAG. 231

STEERING WHEELS

STEERING WHEELS

320 HYBRID S

OD/2048

CARBON FIBER
AND DYNEEMA®

FLAT

SUPPLIED WITH
HORN BUTTON



SUPER PROFESSIONAL RALLY STEERING WHEEL
Flat steering wheel made with a new exclusive composite technology (carbon fiber and Dyneema®) 300% more resistant than the carbon steering wheel and 20% lighter. Supplied with horn button.
Prepared to install 4 buttons (not included) Realized and developed in cooperation with 4 times WRC world champion VW Motorsport.




**OVER 20% LIGHTER
300% MORE RESISTANT**
IN COMPARISON WITH CARBON VERSION



SUEDE LEATHER

CARBON DYNEEMA®



Diameter: 320 mm
Handgrip: oval 35x24 mm

RACING steering w.

STEERING WHEELS

310 ALU GT

OD/2044/N

ALUMINIUM
FLAT



SUPERLIGHT PROFESSIONAL GT STEERING WHEEL

Completely made in aluminium and suede leather.
Studied and ready for the installation
of most popular electronic display like:
MoTec C125 and AiM MXL




SAMPLE IMAGE OF MOTEC C125 SETUP.

SUEDE LEATHER



NO STICHING

ITALIAN FLAG
COLORED STITCHING



Diameter: 315 mm
Handgrip: oval 36x30 mm

RACING steering w.

216

STEERING WHEELS

320 CARBON S

OD/2032/N

CARBON FIBER
FLAT
SUPPLIED WITH
HORN BUTTON



SUPERLIGHT PROFESSIONAL STEERING WHEEL

Carbon steering wheel is constructed as one integral
piece.




SUEDE LEATHER

CARBON MADE SPOKES

BLACK
STITCHING

**50% LIGHTER
15% MORE RESISTANT**
IN COMPARISON WITH STANDARD VERSION

**DESIGNED
IN COOPERATION
WITH P. SOLBERG**



Diameter: 320 mm
Handgrip: oval 35x24 mm

RACING steering w.

217

STEERING WHEELS

350 CARBON D

OD/2028/N

SUPERLIGHT PROFESSIONAL DISHED STEERING WHEEL

Carbon steering wheel is constructed as one integral piece.



CARBON FIBER

DISHED


SUPPLIED WITH HORN BUTTON

**50% LIGHTER
15% MORE RESISTANT**
IN COMPARISON WITH STANDARD VERSION

SUEDE LEATHER

CARBON MADE SPOKES

BLACK STITCHING



Diameter: 350 mm
Handgrip: round 30 mm

STEERING WHEELS

320 ALU SP

OD/2042F

LIGHT PROFESSIONAL STEERING WHEEL

Made completely in aluminium and suede leather.

Preforated version with central hole supplied with horn button.

This version has been derived from the model 320 Carbon S, which has been designed in cooperation with P. Solberg (FIA World RX 2014/21015 Winner).

ALUMINIUM

FLAT

SUPPLIED WITH HORN BUTTON



SUEDE LEATHER

RED BUTTONS

for controlling two separate accessory switches (e.g. one horn and the other for high beams)

BLACK ANODIZED SPOKES


NO STITCHING



320 ALU S

OD/2042/N

Same characteristics as OD/2042F.
Without central horn button.



Diameter: 320 mm
Handgrip: oval 35x24 mm

STEERING WHEELS

RECCE

OD/2046

ALUMINIUM

FLAT

SUPPLIED WITH
HORN BUTTON




SUPERLIGHT PROFESSIONAL RALLY STEERING WHEEL

Flat steering wheel, in aluminium, 350 mm diameter, round 30 mm handgrip. With colored marks on the crown to indicate steering wheel angles (0° - 25° - 55° - 100° - 160°).

COLORED MARKS

SUEDE LEATHER

BLACK STITCHING



Diameter: 350 mm
Handgrip: round 30 mm

STEERING WHEELS

VELOCITÀ

SUPERLEGGERO

OD/2020/N

ALUMINIUM

FLAT

SUPPLIED WITH
HORN BUTTON

MADE COMPLETELY FROM ALUMINIUM
40% lighter than equal model Velocità
OD/1958.

40% LIGHTER

IN COMPARISON WITH STANDARD VERSION



BLACK STITCHING

BLACK ANODIZED SPOKES


SUEDE LEATHER



VELOCITÀ OV SUPERLEGGERO

OD/2035/N

Same characteristics
as OD/2020/N.
Oval section version.
Diameter: 320 mm



Diameter: 350 mm
Handgrip: round 30 mm



STEERING WHEELS

CORSICA SUPERLEGGERO

OD/2021/N

LIGHT PROFESSIONAL STEERING WHEEL

Made completely in aluminium.

40% lighter than equal model Corsica OD/1954.

40% LIGHTER

IN COMPARISON WITH STANDARD VERSION

ALUMINIUM

DISHED

SUPPLIED WITH HORN BUTTON



SUEDE LEATHER


BLACK ANODIZED SPOKES

BLACK STITCHING

CORSICA OV SUPERLEGGERO

OD/2034/N

Same characteristics as OD/2021/N.
Oval section version.
Diameter: 350 mm



RACING steering w.

222

STEERING WHEELS

CORSICA

OD/1954
OD/1956

DISHED

SUPPLIED WITH HORN BUTTON

PROFESSIONAL STEERING WHEEL

Made in aluminium and steel.

NEW COLOUR



OD/1954/NR

SUEDE LEATHER



OD/1954/TN

In suede leather.
Titanium colour anodized spokes.
Yellow stitching.



OD/1954/N

In suede leather.
Black anodized spokes.
Yellow stitching.



OD/1954/BN

In suede leather.
Blue anodized spokes.
Yellow stitching.



SUEDE LEATHER

RED STITCHING

BLACK ANODIZED SPOKES

SMOOTH LEATHER



OD/1956/NR

In smooth leather.
Black anodized spokes.
Red stitching.



OD/1956/N

In smooth leather.
Black anodized spokes.
Yellow stitching.




OD/1956/AN

In smooth leather.
Gray anodized spokes.
Yellow stitching.

CORSICA 330

OD/2012/N

In suede leather.
Black anodized spokes.
Yellow stitching.
Diameter: 330 mm



Diameter: 350 mm
Handgrip: oval 30x28 mm
Depth: 95 mm

RACING steering w.

223

STEERING WHEELS

RALLY

OD/1950
OD/1951

DISHED
SUPPLIED WITH
HORN BUTTON



OD/1951 /BN

SUEDE LEATHER

BLUE ANODIZED
SPOKES

NO STITCHING




OD/1951/N

In smooth leather.
Black anodized spokes.
Yellow stitching.



OD/1950/N

In smooth leather.
Black anodized spokes.
Yellow stitching.



Diameter: 350 mm
Handgrip: round 30 mm
Depth: 95 mm

STEERING WHEELS

WRC

OD/1979

OD/1980

MID-DEPTH DISHED
SUPPLIED WITH HORN BUTTON



OD/1979/N

BLACK STITCHING




OD/1980/N

In smooth leather.
Black anodized spokes.
Yellow stitching.



OD/1980/NR

In smooth leather.
Black anodized spokes.
Red stitching.



Diameter: 350 mm
Handgrip: round 30 mm
Depth: 70 mm

STEERING WHEELS

ENTRY LEVEL STEERING WHEEL
Tree aluminium spokes, round grip in suede leather.

RS

OD/2055

MID-DEPTH DISHED

SUPPLIED WITH HORN BUTTON




OD/2055N

YELLOW VIEWFINDER

SUEDE LEATHER

ALUMINIUM SPOKES

BLACK STITCHING



Diameter: 350 mm
Handgrip: round 30 mm
Depth: 72 mm

RACING steering w.

226

STEERING WHEELS

VELOCITÀ

OD/1957

OD/1958

FLAT SUPPLIED WITH HORN BUTTON



OD/1958

In suede leather.
Black anodized spokes.
Black stitching.




SMOOTH LEATHER

OD/1957

BLACK ANODIZED SPOKES

YELLOW STITCHING



Diameter: 350 mm
Handgrip: oval 30x25 mm

VELOCITÀ 380

Handgrip:
oval 35x30 mm



OD/2030/NN
In smooth leather.
Black anodized spokes.
Black stitching.



OD/1987/NN
In suede leather.
Black anodized spokes.



STEERING WHEELS

SUPERQUADRO

OD/1990/NN

FLAT


SUPPLIED WITH HORN BUTTON



SUEDE LEATHER

BLACK ANODIZED SPOKES

NO STITCHING



Diameter: 330x290 mm
Handgrip: oval 35x27 mm

227

RACING steering w.

STEERING WHEELS

TARGA

OD/2005/NN

FLAT


SUPPLIED WITH
HORN BUTTON



SUEDE LEATHER

BLACK
STITCHING

BLACK ANODIZED
SPOKES



Diameter: 330 mm
Handgrip: oval 37x24 mm

STEERING WHEELS

KUBIK

OD/1985

FLAT


SUPPLIED
WITH HORN BUTTON



SUEDE LEATHER

BLACK ANODIZED
SPOKES

BLACK STITCHING



Diameter: 310x265 mm
Handgrip: oval 35x28 mm

STEERING WHEELS

TRECENTO

OD/1975/N

OD/1976/N

FLAT


SUPPLIED WITH HORN BUTTON



SUEDE LEATHER

BLACK ANODIZED
SPOKES

BLACK STITCHING



Diameter: 300 mm
Handgrip: oval 37x27 mm

STEERING WHEELS

FORMULA QUADRO

OD/1972/N


SINGLE SEATER



SUEDE LEATHER

BLACK ANODIZED
SPOKES

BLACK STITCHING



Diameter: 250x200 mm
Handgrip: oval 35x25 mm

FOCUS ON

COUNTERFEIT STEERING WHEELS ARE A REAL THREAT TO YOUR SAFETY

But how can we sort out a genuine OMP steering wheel from a fake?

BEWARE OF

Too low prices / Altered OMP logo / Unofficial dealers
Models or colors that you can't find
on OMP catalog or website

OMP HOLOGRAM

Example of an anti-counterfeiting
hologram applied on rear spokes


Every OMP steering wheel is marked with
an anti-counterfeiting hologram that certify the authenticity
and the quality of OMP products

STEERING WHEELS

MUGELLO

OD/2023/LE

FLAT
SUPPLIED WITH HORN BUTTON



Diameter: 350 mm
Handgrip: 30 mm

STEERING WHEELS


SAND

OD/2031

IN POLYURETHANE
FLAT
SUPPLIED
WITH HORN BUTTON



BLACK ANODIZED
SPOKES



Diameter: 380 mm
Handgrip: 30 mm

BLACK STITCHING

STEERING WHEELS

INDY OPEN


OD/2017/NN

SINGLE SEATER



BLACK
ANODIZED
SPOKES

BLACK
STITCHING



Diameter: 250x170 mm
Handgrip: oval 35x25 mm

SUEDE LEATHER

RACING steering w.

230

231

RACING steering w.

STEERING
WHEELS

CROMO

OD/2018/N

FLAT
SUPPLIED WITH HORN BUTTON



STEERING
WHEELS

RACING GP

OD/1981/NN

FLAT
SUPPLIED WITH HORN BUTTON



STEERING
WHEELS

ASSO

OD/2019/LN

FLAT
SUPPLIED WITH HORN BUTTON



STEERING
WHEELS

TRECENTO UNO

OD/1989/NN

FLAT
SUPPLIED WITH HORN BUTTON



QUICK RELEASE HUB TO BE WELDED

Quick release hub in aluminium with 6 holes. Compatible with 3 or 6 holes steering wheel. Recommended to be use PTFE dry lube to get the best performance and preserve all components.

Also available with 11 pin professional electrical connector included (this part is an high performance interconnection engineered with arc-shape metal guides, which ensure a rapid and precise alignment of the 11 contacts. Aluminium body, IP68 sealing, 10000 cycles guarantee, high temperature and chemical resistance).

Connector model:

FISCHER SFE-104-A086-130 (male)


FISCHER DEE-104-A056-130 (female)

ODS/024/W

ODS/024/WE

to be welded

to be welded with
connector included



QUICK RELEASE HUB TO BE BOLTED

Quick release hub in aluminium with 6 holes. Compatible with 3 or 6 holes steering wheel. Recommended to be use PTFE dry lube to get the best performance and preserve all components.

Also available with 11 pin professional electrical connector included (this part is an high performance interconnection engineered with arc-shape metal guides, which ensure a rapid and precise alignment of the 11 contacts. Aluminium body, IP68 sealing, 10000 cycles guarantee, high temperature and chemical resistance).

Connector model:

FISCHER SFE-104-A086-130 (male)


FISCHER DEE-104-A056-130 (female)

ODS/024/B

ODS/024/BE

to be bolted

to be bolted with
connector included



QUICK RELEASE HUB

6 holes quick release hub in aluminium. With 'butterfly' shape to avoid interaction with shift paddle. Compatible with 3 or 6 holes steering wheel. Available in to be welded version (ODS/025/W) or in to be bolted version (ODS/025/B).

ODS/025/B

ODS/025/W

to be bolted

to be welded


AVAILABLE ON REQUEST WITH PROFESSIONAL
ELECTRICAL CONNECTOR

ODS/025/BE

ODS/025/WE

to be bolted

to be welded



WHEEL PLATE

OD/2029

Carbon fiber.
Thickness: 2.5 mm

For use of up to
2 buttons (included).
2 drill points for
attachment between
steering wheel and
hub. Fixing screws
included.



Example of mounted plate



FIXED STEERING WHEEL SPACERS

ODC023

Profondità: 60mm

ODC023181
anodized silver

ODC023171
anodized black



FACE PROTECTION

OD/2052E

NEW
MY2021



Universal face protection for steering wheel. Suede leather upholstery, it fits on any racing steering wheel thanks to the three adjustable velcro's straps. Made in ultralight CONFOR™ foam CF45M (blue) in compliance with FIA Appendix J Article 285 (revision August 2020). Depth: 40mm, Diameter: 160mm.

WHEEL PLATE

OD/2026



Carbon fiber.
Thickness: 2.5 mm

For use of up to 4 buttons (not included).
6 drill points for attachment.
Fixing screws included.

STEERING WHEEL HUBS

OD/1960/...

These steering wheel hubs
have been designed so as
to maintain the original steering
wheel (flat model) position.



see the application list
on www.ompracing.com
and on QR code



RACING ACCESSORIES

RACING NETS

RACING NET

NA/1876

FIA homologated 8863-2013

SFI 37.1 ON REQUEST

Professional entry level racing net with quick release and quick front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.



RACING NET

NA/1875

FIA homologated 8863-2013

Professional racing net with small-sized quick release to improve driver's field of view and front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.




WINDOW NET

NA/1870/TN

Nylon window safety net. Black colour. Also available in red colour upon request.

Attachment: velcro.

Dimensions webbing: 60x60 mm
FIA J 253.11 compliant



RACING NET

NA/1877

FIA homologated 8863-2013

SFI 37.1 ON REQUEST

Professional top level racing net with quick release, quick front strap adjustment to fit with several seat positions, large triangle to allow an easier mounting complying FIA rules and thinner straps to improve driver's field of view. Designed to be mounted on the left or on the right side of the driver.



PROFESSIONAL

KC/1068

Aluminium frame.
Dimensions: 100x72 cm
Complete with 42 cards of numbers, letters and symbols measuring 23x14 cm and one customizable plate 23x65 cm supplied in a synthetic leather bag, which stores sidely on the aluminium frame when not being used.



TRIPLA

KC/1067

Aluminium frame.
Dimensions: 72x72 cm
Complete with 24 cards of numbers, letters and symbols measuring 23x14 cm



KC/1069

42 spare cards for pit boards KC/1067 and KC/1068, supplied in a synthetic leather carrying pouch.



HANDHELD STOPWATCH

KB/1041



CHRONOGRAPH: with partial and total elapsed times up to 9h 59'59"99, lap times.
CLOCK: with alarm clock and Pacer dater.
TIMER: with countdown function.

LIQUID CRYSTAL HANDHELD STOPWATCH

KB/1040



CHRONOGRAPH: with split, total elapsed times up to 9h, 59', 59", 99 seconds.
CLOCK: displays hours, minutes, seconds, alarm clock with 12/24h option.
TIMER: with presettable countdown timer. 60 lap memory and lap counter. Shows fastest lap, slowest lap and average lap times.
60 MEMORY

NA/1564



Ear plugs.

CO-DRIVER BAG

ORA/2967

Light weight sporty brief bag with removable shoulder strap.
DIMENSIONS: 44,5x6x25 cm



CO-DRIVER' MAP LIGHTS



6400001

High efficiency led and flex metal boom, fixing bracket with switch. Length: 50 cm

6400002

High efficiency led and flex metal boom, fixing bracket with switch. Length: 40 cm

6400003

High efficiency led and flex metal boom, fixing bracket with switch. Length: 20 cm

CO-DRIVER PLUS

ORA/2966

Lightweight backpack with organizational features included plenty of internal and external accessory pockets.
DIMENSIONS: 40x34x20 cm



CO-DRIVER'S PAD

NA/1863

NA/1862

Size: A4
Pages: 130

Size: 17,3x22cm
Pages: 130



PRIVACY SCREEN

NA/1880041

NEW



Foldable screen to ensure safety operations privacy. It can be deployed in few seconds, four handles to hold it in position. Structure in fiberglass rib with aluminium joints, screen in airproof and water-proof nylon fabric (not fire retardant). Compact bag for transport included.
SIZE (deployed): 1,8mt x 1,8mt
SIZE (stored in bag): 1,4mt x 0,13mt
WEIGHT: 1,9kg

Red

NA/1700/R

Blue

NA/1700/B


Black

NA/1700/N

Trasparent

NA/1700

Polyethylene splash guard:
Dimensions: 50x30 cm
Thick: 1,5 mm



NA/1819



Spare wheel support with quick release system.

NA/1822



Nylon spare wheel down strap.

CD/324/10/N



Fire resistant sheath.
Ø Internal: 10mm
Lenght: 5m

NA/1859



Grey

NA/1859081

Black

NA/1859071

Tank tape.
Wide: 50 mm
Roll: 50 m

NA/1820



Steel wheel spanner holder.

EB/489



Stainless steel pins with large slide pins.

EB/480



M10 aluminium pins with small sliding pins in stainless steel.

EB/492

Red

EB/492/R

Aluminium

EB/492/A

Black

EB/492/N

Quick release bonnet pins aluminium W 7/16" with stainless steel hardware.



EB/492/B

EB/491



Stainless steel spring clips. Suitable for hatchbacks.

EB/490



M10 stainless steel pins slide with large cast aluminium washers.

OPEN



CLOSED

EB/482



Rubber hooks (small).

EB/487/N



Leather straps.

EB/483



Rubber hooks (large).

EB/571

FIA APPENDIX J art. 253

Tow hook, stainless steel painted finish. Stud: M 12 Internal Ø: 50mm Thickness: 8mm Complete: locking nut and washers.



EB/576

FIA APPENDIX J art. 253

Two hook, stainless steel painted finish. Stud: M 12 Internal Ø: 80mm Thickness: 8mm Complete: locking nut and washers.



EB/578/R

FIA APPENDIX J art. 253

Straps. 2" Ø ring: 14mm Chassis fixing: two hole 8mm and 14mm



EB/580

FIA APPENDIX J art. 253

Straps. 2" With restraint elastic strap. Compliant with FIA rules.



EB/572

Aluminium tow hook, flat. Thickness: 6 mm



RACING PEDALSETS AND FOOTRESTS

OA/1010



Complete 3 pedals in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts.
Dimensions brake: 60x100 mm
Dimensions accelerator: 60x210 mm

OA/1000



Complete 3 pedals in sandblasted aluminium. Supplied with steel bolts.
Dimensions brake: 60x100 mm
Dimensions accelerator: 60x100 mm

OA/1020



Complete 3 pedals in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts.
Dimensions brake: 60x70 mm
Dimensions accelerator: 60x210 mm

OA/1863



Complete 3 pedals in sandblasted aluminium. Supplied with steel bolts.
Dimensions brake: 60x70 mm
Dimensions accelerator: 85x120 mm

OA/1030



Complete 3 smooth aluminium pedals, suitable for rally use, already drilled and countersunk. Supplied with steel bolts.
Thick: 3 mm

OA/1050



Same features as partnumber OA/1030, but the surface of the pedals is in knurled aluminium and can be shaped as needed.
Thick: 2,5 mm

RACING PEDALSETS AND FOOTRESTS


OA/1040

Complete 3 pedal set with short accelerator pedal in silver anodized aluminium.
Inserts: rubber anti-slip.
Dimens. brake: 60x80 mm
Dimens. accelerator: 60x105 mm
Supplied with steel bolts.



OA/1069

Complete 3 pedal set, in anodized aluminium and sandblasted aluminium, with long accelerator pedal; anti-slip design.
Dimens. brake: 60x90 mm **Dimens. accelerator:** 65x180 mm
Supplied with steel bolts.
Colours: blue ((OA/1069/B), silver (OA/1069/A).



OA/1072 (no picture)

Same features of OA/1069 model with 2 pedal set with long accelerator pedal; brake pedal for automatic transmission.
Dimens. brake: 140x79 mm **Dimens. accelerator:** 65x180 mm
Supplied with steel bolts. Colours: black ((OA/1072/N), silver (OA/1072/A).

OA/1068 (no picture)

Same features of OA/1069 model with 2 pedal set with short accelerator pedal; brake pedal for automatic transmission.
Dimens. brake: 140x79 mm **Dimens. accelerator:** 65x180 mm
Supplied with steel bolts. Colour: black ((OA/1068/N).

OA/2070



Driver's left footrest in knurled aluminium.
Dimensions: 285x120 mm

OA/1867

Driver's left footrest for left foot, in sandblasted aluminium. Supplied with steel bolts and brackets.
Dimensions: 260x100 mm



OA/2060



Co-driver's footrest in knurled aluminium.
Dimensions: 335x300 mm


OA/1866



Co-driver's footrest in sandblasted aluminium. Supplied with steel bolts and brackets.
Dimensions: 320x280 mm



OA/2080



Universal flat footrest in knurled aluminium.
Dimensions: 365x418 mm

ELECTRICAL ACCESSORIES

MASTER SWITCHES

FIA APPENDIX J ART. 253



EA/462

6 poles with removable key disconnecting battery and alternator.

EA/464

Spare key for EA/462 model.



EA/460

2 poles with removable key disconnecting battery only.

EA/463

Spare key for EA/460 model.

STAY-BARS

EB/570



Stay-bars, pair of zinc plated steel stay-bars for spotlights. Variable length: 130/195 mm



KEY SPORT

SWITCHES ACCESSORIES

With threaded fixing nut, 2 poles.

EA/466



PUSH BUTTON
For interior use.

EA/467



PUSH BUTTON
For exterior use,
water resistant.

X/181493



PROTECTION
Rubber ring for
push button EA/467.

TYRE WARMERS

A line of tyre warmers available in 4 different standard sizes, offering greater versatility across a wider range of tyre sizes and now available in two types: with a standard temperature control thermostat or with a central electronic temperature control box.

Interior: Nomex®.

Exterior: Cordura® which improves transpiration allowing moisture to escape away from the tyre.

Electrical cables and connectors are compliant with EEC electrical standards.

Upon request, tyre warming blankets can be made to measure. Tyre warmers for motorcycles are also available upon request.

Tyre warmers models with a Central Electronic Temperature Control Box (part number T200) allows each of the 4 tyres to have individual temperature settings. The control box features an electronic control device controlled by software preventing overheating. The external case of the control box is ABS plastic with an electrical protection rating of IP44.

T1957C - Width: 190/220 mm Ø 570/220 mm

T1963C - Width: 190/200 mm Ø 630/640 mm

T2363C - Width: 230/260 mm Ø 630/645 mm

T2360C - Width: 230/260 mm Ø 600/620 mm

Tyre warmers models with a Standard Temperature Control allows the tyre surface to reach 80/85 °C. The time required to reach this temperature is depends on ambient temperature, tyre dimensions and operating conditions.

T1957 - Width: 190/220 mm Ø 570/585 mm

T1963 - Width: 190/200 mm Ø 630/640 mm

T2363 - Width: 230/260 mm Ø 630/645 mm

T2360 - Width: 230/260 mm Ø 600/620 mm

THE MEASUREMENTS REFER TO THE TYRE SIZES.

CUSTOM MADE MEASURE ON REQUEST

*Price is for single tyre warmer.



REMOVABLE WITH VELCRO
Choose your colour

T200/2



Electronic thermostatic control box
with digital display for 2 tyre warming blankets.

T200/4



Electronic thermostatic control box
with digital display for 4 tyre warming blankets.

MOTORSPORT CARE

The expertise of two historic companies in motorsport and care respectively, mixed together for an exclusive range of products for the cleaning and maintenance of your racing gear: OMP Motorsport Care powered by MaFra.

MULTIPURPOSE

pre-wash degreaser and stain remover

- High performance specific pre-wash treat for grease and oil stains
- Helps to blast out grease and dirt from every fabric (fire retardant or karting suits, seats, steering wheels...)
- Ultra fast action
- Special formula with balanced ph
- Vol. 500 ml

PC02005



SUEDE leather cleaner

- Cleans and hydrates the suede leather of boots and steering wheels covers.
- New formula with aloe vera and natural waxes
- Revives the suede and keeps it soft
- Easy and fast to use
- Vol. 500 ml


PC02006



SEAT FABRIC cleaner

- Wipes off grease and dirt from your racing seats' fabric upholstery.
- Active foam eases the removal of dirt from the fibers
- Revives the fabric after the most stressing racing sessions
- Easy and fast to use
- Vol. 500 ml

PC02007



PC01001

FINE WHEELS
Concentrated detergent for steel wheels, alloy wheels and brake calipers.
Contents: 750 ml



PC02002

BLACK LIGHT
Transparent black acrylic paint for personalization of indicator lights.
Colours: black, green, blue.
Contents: 400 ml




PC02001

FIRE PAINT
Special high temperature paint for exhaust systems, brake calipers, engines, etc.
Colours: red, blue, yellow, black, silver, gold.
Contents: 400 ml

STRUT BRACES



see the application list on
www.ompracing.com
and on QR code



Steel strut brace with hardened resin paint finish and adjustable coupling.

We are the leading European manufacturer of strut braces, offering over 1000 vehicle specific applications. Our strut braces are engineered to keep suspension geometry unaltered in hard cornering, while improving feedback to the drive.



Extruded aluminium strut brace with adjustable ends and steel flanges.

SUITS




PAG. 252

UNDERWEAR



PAG. 261

GLOVES



PAG. 264

SHOES



PAG. 274

HELMETS



PAG. 284

KART WORLD



TONY/KART



KOSME
RACING KART



EXPRIT
RACING KART



PAROLIN



Soda



ALPHA
KART RACING TEAM



RALF SCHUMACHER
RS



Praga



OK



OK
THE OFFSHORE KART



Lenzokart
HIGH PERFORMANCE TECHNOLOGIES



LUXOR



BRM
RACING



EVO
Kart



JESOLO
TECHNOLOGY KART



CKR



TOP-Kart



TOP-Kart



PCR
FONATELLI COMPETITION RACING



RIGHETTI



FLANDRIA
Competition Kart

SUIT



TOP LEVEL ULTRA LIGHT AND TOTALLY PRINTED KARTING SUIT

Developed with the most important karting teams and drivers. Available in three colors with a modern printed graphic. Made in soft polyester fabric.

Unlimited customization way thanks to the totally printed design.

ALWAYS MEASURE THE CHEST SIZE WITH THE BODY PROTECTION DEVICE ON

MY2021



SEMI FLOATING ARMS

WITHOUT SEAMS on waist


ALSO FOR CHILDREN!

KK01726178XX
black/fluo yellow

ELASTIC INSERTS

PADDED INSERTS

STRETCH INSERTS



KK01726

KK01726C
FOR CHILDREN

HOMOLOGATION CIK - FIA level 2
SIZES: 44-62

for children:
120/130/140/150/160 height

sizing information on page 349



MANUFACTURER: OMP
MODEL: K-KK7-001
HOM. NO: CIK-FIA 2013/026
FIA STANDARD: 2013-1



Tony Kart



Kosmic Kart

TOP LEVEL KARTING SUIT TOTALLY PRINTED

Elastics insert on groin, underfoot retainer, protective and comfortable padding on knees, high breathability inserts under the sleeves, low cut neck. Floating arms with elastic bellow, stretch insert on back. External pocket, "Nascar" style ankle. Modern printed graphic, unlimited customization ways.

Made in soft polyester fabric.

**ALWAYS MEASURE
THE CHEST SIZE
WITH THE BODY
PROTECTION
DEVICE ON**

NEW

HOMOLOGATION CIK - FIA level 2
SIZES: 44-62

for children:
120/130/140/150/160 height

sizing information on page 349

**MANUFACTURED
ENTIRELY IN ITALY**

FLOATING ARMS

MESH INSERTS

**ALSO FOR
CHILDREN!**

POCKET

ELASTIC INSERTS

PADDED INSERTS

NASCAR STYLE ANKLE

KK01729179XX
black/orange

**STRETCH
INSERT**

FIA APPROVED

MANUFACTURER: OMP
MODEL: OMP KS-2R.A
HOM. NO: CIK-FIA 2013/041
FIA STANDARD: 2013-1

KK01729

KK01729C
FOR CHILDREN



Bas Lammers - Sodi Kart



KK01729244XX
navy blue/cyan



KK01729060XX
red/black



KK01729086XX
silver/red

SUIT KS-3

CLASSIC AND FLUO COLOURS SUIT

Comfortable and resistant karting suit made in lightweight external polyester fabrics and soft kitted inner lining, two practical outer pocket. New modern and fresh design featured by exclusive belt and 'motorcycle suit inspired' zip closure. High weight reduction in comparison to previous model.

LOW CUT
NECK COLLAR

BREATHABLE MESH
INSERTS
on legs, crotch and under
the sleeves to get best
ventilation

KK0172742XX
navy blue/royal blue

ELASTIC INSERT
ON BACK
to optimized fitting and
comfort

OUTER POCKET

ALSO FOR
CHILDREN!

MESH
INSERTS



KK01727

KK01727C
FOR CHILDREN

HOMOLOGATION CIK - FIA level 2
SIZES: 42-62

for children:
120/130/140/150/160 height

sizing information on page 349

Parolin



KK01727178XX
black/fluo yellow



KK01727073XX
black/red



KK01727179XX
black/fluo orange



KK01727274XX
black/fluo green



KK01727089XX
black/silver



KK01727071XX
black/anthracite

SUIT

KS-4

HARDY KARTING SUIT

Outer layer in polyester, interior in soft cotton sponge.
outer pockets.

NEW

KK01728

KK01728C
FOR CHILDREN

HOMOLOGATION CIK - FIA level 1
4 LAYERS
SIZES: S-XXL

for children:
120/130/140/150 height

sizing information on page 349

LOW CUT COLLAR

ARM BELLOWS
in elastic knitted fabric
for maximum freedom of
movement.

**ALSO FOR
CHILDREN!**

KK01728061XX
red

OUTER POCKET



KK01728041XX
blue



KK01728071XX
black



SUIT

SUMMER K

ONE LAYER KARTING SUIT

Made of lightweight and
durable cotton and polyester
fabric, ideal for indoor karting.
Outer pockets.



KK01719

KK01719C
FOR CHILDREN

1 LAYER
SIZES: S-XXL

for children:
120/130/140/150 height

sizing information on page 349

ARM BELLOWS
in elastic knitted fabric
for maximum freedom of
movement.

**ALSO FOR
CHILDREN!**

KK01719041XX
blue

OUTER POCKET



KK01719061XX
red



KK01719071XX
black



RAIN SUIT

Waterproof kart oversuit made in ultrathick (0.15 mm), lightweight and resistant transparent material. Heat welded taped seams, waterproof central zipper with inner V shaped gusset to protect against heavy rain. Comfortable stretch band on waist and elastic bellows on wrist to get the best comfort. Adjustable ankle closure with zipper and velcro allows you to fit quickly the suit. High resistance nylon protection on right elbow to protect against engine's heat. Available for adults and for children.

KK03106

KK03106C
FOR CHILDREN

SIZES: XS-XXL

for children:
120-130-140-150-160cm height

sizing information on page 349



HEAT WELDED
taped seams

ALSO FOR
CHILDREN!

ELASTIC
BAND

HEAT
PROTECTION

ELASTIC
BELLOWS
on wrist

V SHAPED
GUSSET

ADJUSTABLE
ankle bellows

KS WINTER-R SHIRT

KK03021E



Long sleeved underwear shirt for winter use made of new stretch fabric. Realized with "3D" seamless technology for the best freedom of movement and comfort.

SIZES:

- SM (corresponding sizes S/M - suit sizes 44-48)
- LXL (corresponding sizes L/XL - suit sizes 50-54)
- XXL (corresponding sizes XXL/XXXL - suit sizes 56-60)

NEW CHILDREN SIZES: 8-10 years, 10-12 years

ALSO FOR
CHILDREN!

KS WINTER-R PANTS

KK03022E



Long johns for winter use made of new stretch fabric. Realized with "3D" seamless technology for the best freedom of movement and comfort.

SIZES:

- SM (corresponding sizes S/M - suit sizes 44-48)
- LXL (corresponding sizes L/XL - suit sizes 50-54)
- XXL (corresponding sizes XXL/XXXL - suit sizes 56-60)

KS WINTER-R BALACLAVA

KK03020E



Kart balaclava for winter use made of new stretch fabric. Made with "3D" seamless technology for the best comfort.
Size: one size fits all.

KS SPRING

KK03012



KK03012020XX
white



Long sleeved shirt, hydrofobic highly hygienic hollow fiber. Crew neck top with ultra flat seams. Compact weaving for thermal insulation.

SIZES:
SMA (corresponding sizes XS/S - suit sizes 44-48)
MED (corresponding sizes M/L - suit sizes 50-54)
XLAR (corresponding sizes XL/XXL - suit sizes 56-60)

NEW

CHILDREN SIZES: 8-10 years, 10-12 years

ALSO FOR CHILDREN!

KS SUMMER BALACLAVA

KK03018



Hydrophobic highly hygienic hollow fiber. Low density jacquard weaving for high breathability for use in hot conditions.

ONE SIZE

KS SUMMER

KK03016



KK03016020XX
white



Short sleeved shirt, stretch fabric, hydrofobic highly hygienic hollow fiber. Ultra-low density jacquard weaving for high breathability. Ideal in hot conditions.

SIZES:
SMA (corresponding sizes XS/S - suit sizes 44-48)
MED (corresponding sizes M/L - suit sizes 50-54)
XLAR (corresponding sizes XL/XXL - suit sizes 56-60)

NEW

CHILDREN SIZES: 8-10 years, 10-12 years

ALSO FOR CHILDREN!

KS SUMMER SHORTS

KK03017



Stretch fabric, hydrofobic highly hygienic hollow fiber. Low density jacquard weaving for high breathability for use in hot conditions.

SIZES:
SMA (corresponding sizes XS/S - suit sizes 44-48)
MED (corresponding sizes M/L - suit sizes 50-54)
XLAR (corresponding sizes XL/XXL - suit sizes 56-60)

BALACLAVA

KK03027

Balaclava in polyester and spandex fabric.

ONE SIZE

KK03027020XX
white



KK03027071XX
black



NEW

BALACLAVAS

KK03026

Disposable balaclava in TNT anallergic material.

Packages: 25 pieces

ONE SIZE



NEW

BALACLAVA

KK03005

Knit cotton balaclava.

ONE SIZE

KK03005020
white



KK03005061
red

KK03005041
blue

KK03005071
black

KS SOCKS

KK03019

Technical socks with differentiated weave. Mid length.

SIZES:
S/M/L



KK03019020XX
white



TOP LEVEL KART GLOVES WITH TOTALLY PRINTABLE DESIGN
AVAILABLE ONLY UPON REQUEST
Made in stretch fabric, it is possible to customize the gloves.
Unlimited customization ways thanks to the totally printed design.



SIZES: XXS-XL
sizing information on page 349
CHILDREN SIZES: 4-6

4	XXXXXS
5	XXXXS
6	XXXS

ALSO FOR CHILDREN!

SILICONE PALM

EXTERNAL SEAMS

PRECURVED

ELASTIC WRIST STOP

SOFT PRINTED FABRIC

SLANTED CUT


KS-ART GLOVES

Making of *Art*

CONCEPT & DESIGN



DIGITAL PROJECT



GRAPHIC PRINT



CUT & PRODUCTION



FINISHES



This model of gloves can be customized through the use of images, photos and color blendings. This peculiar feature is possible thanks to our proprietary technology "OMP Print Art". In order to outline what spaces are at the customer's disposal for personalization, we show you the exploded view of those areas. Create your KS-ART gloves right now on our website: www.ompracing.com

GLOVES KS-1R

KK02740

KS-1 R GLOVES

Elasticized super top glove. Silicone inserts on the palm, precurved for maximum grip. External seams for maximum sensitivity.



ALSO FOR CHILDREN!

SIZES: XXS-XL

sizing information on page 349

CHILDREN SIZES: 4-6

KK02740C

with inner seams to increase comfort in smallest size

4	XXXXXS
5	XXXXS
6	XXXS

ULTRA-GRIP is used on the fingertips and forefingers for maximum grip on the steering wheels

EXTERNAL SEAMS

PRECURVED

SILICONE INSERTS

ELASTIC BAND on the wrists

SLANTED CUT

KK02740071XX fluo
black/white/silver

GLOVES KS-2R

KK02747

SIZES XXS-XL

sizing information on page 349

CHILDREN SIZES: 4-6

4	XXXXXS
5	XXXXS
6	XXXS

PROFESSIONAL KART GLOVE

Kart gloves made of resistant and comfortable stretch fabric. Bellows on knuckles and fingers for best freedom of movement and breathable inserts in mesh fabric to increase comfort Fresh design and modern colore range.

ALSO FOR CHILDREN!

EXTERNAL SEAMS

RUBBER PROTECTION

SILICONE RUBBER INSERTS

ELASTIC WRIST STOP

KK02747242XX
navy blue/white/cyan



KK02747060XX
red/black



KK02747058XX
yellow fluo/green fluo



KK02747120XX
white/red/black



KK02747071XX
black

GLOVES KS-2 ART

KK02748

PROFESSIONAL KART GLOVE

Entry level kart gloves with printed graphic. Stretch polyester lightweight fabric and silicone rubber palm for best grip. Elastic band on wrist to improve fitting. External seams and thin palm material.

ALSO FOR CHILDREN!

SIZES: XXS-XL

sizing information on page 349

CHILDREN SIZES: 4-6

4	XXXXXS
5	XXXXS
6	XXXS

EXTERNAL SEAMS

KK02748178XX
black/fluo yellow



ELASTIC WRIST STOP

SILICONE RUBBER PALM
for best grip



KK02748076XX
black/white



KK02748275XX
black/cyan



KK02748274XX
black/fluo green



KK02748073XX
black/red



KK02748179XX
black/fluo orange

GLOVES KS-3

KK02743E

PROFESSIONAL KART GLOVE

Kart gloves made of resistant and comfortable stretch fabric. Synthetic leather palm with silicon rubber inserts for the best grip. Elastic wrist stop to increase comfort and rubber protection on knuckles.

SIZES: XXS-XL

sizing information on page 349

CHILDREN SIZES: 4-6

4	XXXXXS
5	XXXXS
6	XXXS

ALSO FOR CHILDREN!

INTERNAL SEAMS

RUBBER PROTECTION

KK02743E270XX
black/fluo green/white



RUBBER INSERTS



KK02743E076XX
black/white



KK02743E175XX
black/blue/white



KK02743E096XX
black/fluo orange



KK02743E060XX
black/red



KK02743E059XX
black/fluo yellow

SYNTHETIC LEATHER PALM
with antiskid rubber inserts

ELASTIC WRIST STOP



GLOVES

KS-4

KK02744E

PROFESSIONAL KART GLOVE

Kart gloves made of resistant and comfortable stretch fabric. Palm in suede leather, elastic wrist stop to increase comfort, adjustable leather strap on wrist velcro closure.

SIZES XXS-XL

sizing information on page 349

CHILDREN SIZES: 4-6

4	XXXXXS
5	XXXXS
6	XXXS

ALSO FOR CHILDREN!

INTERNAL SEAMS

KK02744E060XX
red/black



SUEDE
LEATHER
PALM

ELASTIC WRIST
STOP

ADJUSTABLE
LEATHER STRAP



KK02744E231XX
fluo green/black



KK02744E277XX
purple/black



KK02744E146XX
blue/black



KK02744E071XX
black



KK02744E059XX
yellow fluo/black

FORMULA K



RS KART



PRAGA KART



DEKM



GLOVES

ARP

KK02745

ARP - ADVANCED RAIN PROOF GLOVES WATER REPELLENT EXTERNAL TREATMENT

Rainproof kart gloves with waterproof membrane to protect hands against rain and bad weather.

THE GLOVE FIT VERY TIGHT.



SIZES: XXS-XXL

sizing information on page 349



GLOVES

RAIN K

KK02739

NEOPRENE KARTING GLOVE

Water and wind resistant.

Neoprene material.

Improved grip and fitting.

SIZES XXS-XL

sizing information on page 349

CHILDREN SIZES: 4-5

4	XXXXXS
5	XXXXXS

ALSO FOR
CHILDREN!



HIGH LEVEL PROFESSIONAL KART BOOTS WITH TOTALLY PRINTABLE DESIGN

AVAILABLE ONLY UPON REQUEST

It is possible to customize the shoes by adding/removing the inner foot support to get more comfort/sensibility. Unlimited customization ways thanks to the totally printed design.



ALSO FOR CHILDREN!

SIZES: 32-48

sizing information on page 349



Making of Art

CONCEPT & DESIGN

DIGITAL PROJECT

GRAPHIC PRINT

CUT & PRODUCTION

FINISHES

SHOES



This model of shoes can be customized through the use of images, photos and color blendings. This peculiar feature is possible thanks to our proprietary technology "OMP Print Art". In order to outline what spaces are at the customer's disposal for personalization, we show you the exploded view of those areas. Create your KS-ART shoes right now on our website: www.ompracing.com

KARTING shoes

KARTING shoes

TOP LEVEL KARTING SHOES

Super top boots with new generation sole which guarantees highest sensitivity, featuring Rotor lacing inspired by the fireproof ONE EVO XR boots. Made of perforated microfiber with technical protection on the tip.



ALSO FOR
CHILDREN!

SIZES 32 - 47

sizing information on page 349



ROTOR
LACING

IC/810071XX
black/silver

PERFORATED MICROFIBER
for maximum breathability

SIDE REINFORCEMENT
ON THE TIP

REAR BELLOW

PIVOT-LIKE HEEL
DESIGN
for smooth pedal
actuation

INJECTED SOLE
for maximum grip and
resistance to wear



TOP LEVEL KARTING SHOES

Top level karting shoes, derived directly from F1&WRC racing shoes. Realized in polyurethane, with ultralight outsole specifically designed for karting that guarantees the highest sensitivity when driving. Rear inserts in elastic padded material for improved comfort, separate ankle adjustment with velcro strap, pivot heel design for smooth actuation. Large areas in mesh fabric for best breathability.



ALSO FOR
CHILDREN!

SIZES 32 - 48

sizing information on page 341



IC/815244XX
blue navy/white/cyan

PIVOT-LIKE HEEL
DESIGN
for smooth pedal
actuation

INJECTED SOLE
for maximum grip and
resistance to wear



IC/815120XX
white/black/red



IC/815270XX
black/white/fluo green



IC/815058XX
fluo yellow/fluo green



IC/815070XX
black/white/grey

SHOES

KS-2

IC/825

MICROFIBER SHOES

Karting shoes in microfiber. Outsole specifically designed for kart driving, rear insert in elastic padded material for improved comfort, separate ankle adjustment with velcro strap. Modern and fresh design, lace-free fitting.

ALSO FOR
CHILDREN!

SIZES 32 - 47

sizing information on page 349

NEW

IC/825020XX
white



ELASTIC
FIT

SIDE
REINFORCEMENT

OUTSOLE
specifically designed
for karting



FOCUS ON

VELCRO STRAP

LACE-FREE
FITTING

LIGHT AND
COMFORTABLE

SIDE REINFORCEMENT

OUT SOLE
specifically for kart



IC/825071XX
black



IC/825059XX
fluo yellow



IC/825060XX
red

SHOES

KS-3

IC/826

SUEDE LEATHER SHOES

Karting shoes in suede leather with mesh inserts for high breathability. Outsole specifically designed for kart drivers, rear insert in elastic padded material for improved comfort. Modern and fresh design.

ALSO FOR CHILDREN!

SIZES 32 - 47

sizing information on page 349

NEW

IC/826060XX
red

HEEL
REINFORCEMENT

SIDE
REINFORCEMENT

REAR BELLOW

OUTSOLE
specifically designed
for karting



VELCRO STRAP

SUEDE LEATHER



IC/826073XX
black/red



IC/826178XX
fluo yellow/black



IC/826244XX
blue/cyan



IC/826076XX
black/white



IC/826071XX
black

High-height karting boots in polyurethane with waterproof membrane under the laces and high height ankle to protect feet against rain and bad weather. Adjustable double strap with velcro closure and rear bellow to increase comfort and freedom of movement. High resistance side protection on tip. The high-grip injected sole and the light weight make the boots perfect for driving in all weather conditions, not only while raining.

NEW INWARD LACING STRAP TO AVOID INTERFERENCE WITH KART THROTTLE CABLE THINNER INSOLE CONSTRUCTION TO IMPROVE SENSIBILITY



IC/817E071XX
black

ADJUSTABLE
DOUBLE STRAP
with velcro closure

REAR BELLOW

PIVOT-LIKE HEEL
DESIGN
for smooth pedal
actuation

INJECTED SOLE
for maximum grip and
resistance to wear



HOME AND DRY



THE ULTIMATE
ANTI-RAIN TECHNOLOGY



HELMETS

GP-R K

SC799K

SIZES: XXS-XL

sizing information on page 349

**SNELL-K 2020
HOMOLOGATION**

NEW

FULL FACE HELMET

Made in composite material. Lightweight shell, high ventilation thanks to four air intakes on chin and eight vents on top. Standard size eyepoint, soft inner comfortable fabrics that allows best fitting comfort, double ring closure



8 AIR VENTS
on top

SOFT INNER
COMFORTABLE
FABRICS

4 AIR VENTS
on chin



EIGHT TOP AIR VENTS



HELMETS

KJ8 EVO

SC790E

SIZES: XS-L

sizing information on page 349

**CMR 2016
HOMOLOGATION**

FULL FACE KARTING HELMET

Full face karting CMR helmet made in composite material. Lightweight, with soft and comfortable high breathability internal lining, bordered strap with double D ring clousure and high precision adjustable visor with easy block system. The air vents and intakes ensure the best air ducting.

Two visors included in the box (clear and iridium blue).



AIR VENTS
and intakes to ensure the
best air ducting

EASY BLOCK SYSTEM

IRIDIUM VISOR
included in the box



HELMETS CIRCUIT EVO

SC613

SIZES XS-XXL

sizing information on page 349

HOMOLOGATION
ECE 22.05

FULL FACE KARTING HELMET
Full face thermoplastic helmet, velvet lining (not fireproof), step setting visor.

AIR VENTS
and intakes to ensure the
best air ducting

SC613099XX
fluo yellow

REMOVABLE BREATH
GUARD

AIR VENT

CHIN CURTAIN



SC613020XX
white



SC613170XX
matt black



HELMETS STAR

SC607E

SIZES S-XXL

sizing information on page 349

HOMOLOGATION
ECE 22.05

OPEN FACE KARTING HELMET
Open face helmet with ABS shell, velvet lining not fireproof, with revomable peak.

SUN PEAK

SC607E170XX
matt black



SC607E020XX
white



HELMET ACCESSORIES

GP-R K EVO (SC799K) ACCESSORIES

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



VISORS

Clear visor

SC195

Iridium visor

SC197

Dark visor


SC196

PIVOT KIT

SC194

KJ8 EVO (SC790E) ACCESSORIES

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



AIR VENTS

Spare couple of front air vents

SC166

Spare couple of rear air vents

SC167

VISIÈRE

Clear visor

SC160

Iridium gold visor

SC163

Smoked visor

SC161

Iridium blue visor

SC162

LOCKING SYSTEM

SC168

SPOILER

Rear transparent spoiler (optional)

SC133

Rear black spoiler

SC172

SPARE VISOR

Movement pivot kit

SC164

SPARE SCREWS

For tear off

SC184

SPARE CHEECK PADS

Size XS-XXL (no picture).

SC176

SPARE TOP INNER LINING

Size XS-XXL (no picture).

SC177

TEAR OFF KIT

5 PIECES

SC165

HELMET ACCESSORIES

CIRCUIT EVO (SC613) ACCESSORIES

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



AIR VENTS

Spare front air vents

SC187

Spare rear air vents

SC188

Spare chin air vent

SC189

VISORS

Clear visor
(included with the helmet)

SC185

Dark visor

SC186

AIR VENT

Spare chin air vent

SC189

SPARE VISOR

Movement pivot kit

SC190

STAR (SC607E) ACCESSORIES

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



SUN PEAK

black sun peak
(included with the helmet)

SC153

white sun peak

SC178




DAVIDE FORÈ



JONATHAN THONON

COMMUNICATION STARTS NOW!



JAMES WHARTON

PIT-LINK TRAINER




EMMO FITTIPALDI



WEARABLE AMPLIFIER

6100015



Bluetooth Communication Kit for Karting
or Circuit. Wearable Digital Amplifier.
USB rechargeable.

EARPLUGS KIT

6300021

Earplugs with smartpho-
ne male jack 3.5mm
connector.
Spare set of Super Soft
Foam Tips.
Metal case.


MALE JACK
3.5 mm



USB C MICORPHONE KIT

6300020

Radio helmet kit for full
face helmet - usb-c
connector for pit-link
trainer - with 3.5mm
stereo connector
for earplugs.



HEADSET

6200005

Jack 3.5mm- Smartphone comp.
WITH PTT BUTTON - ANDROID compatible

6200006

Jack 3.5mm- Smartphone comp.
WITH PTT BUTTON - iPHONE compatible



Professional Headset with Noise cancelling
Microphone, Jack 3.5mm connector for
smartphone.

AMPLIFIER - KART PRO KIT
DRIVER AND PIT LANE

6100016

with ANDROID compatible
headset

6100020

with iPHONE
compatible headset



Wearable amplifier, professional headset,
USB microphone radio kit and professional
earplugs.

AMPLIFIER - KART BASIC KIT
DRIVER

6100017

Wearable amplifier, , USB microphone radio
kit and professional earplugs.



PIT-LINK TRAINER SYSTEM ARCHITECTURE



KS-1 PRO BODY PROTECTION

KK049178

FIA homologated karting body protection. Outside in resistant polycarbonate material, inner lining in nitrile rubber and shockproof memory foam that dissipates energy in case of accident. KS-1 PRO offers complete protection to the driver (ribs, front and back) combined with maximum comfort thanks to the internal padding and the exclusive auto-adjustable fitting system.

NEW



ADJUSTABLE
shoulder and
lateral strap
with velcro

INNER LINING
in nitrile rubber
and shockproof
memory foam

OUTSIDE
in resistant
polycarbonate
material

SIZE ADJUSTER KIT

KK049/PAD



Size adjuster kit in expanded polyethylene for KS-1 PRO. Includes two flanks and one back part. 6mm thick. Inner fabric in washable Lycra, external side with velcro for attachment to the antishock layer of KS-1 PRO. This adjuster kit can replace the standard kit (3 mm) to increase comfort whenever the strap adjusters are not enough to guarantee the best adhesion to the body. Sizes: S, M, M wide, L, L wide, XL, XL wide

KS-1 PRO can accommodate various heights and body shapes thanks to seven different sizes: four standard-fit sizes (S-M-L-XL) and 3 wide-fit sizes (M wide, L wide, XL wide).

SIZE	USER HEIGHT (cm)	USER CHEST CIRCUMFERENCE (cm)
S	H < 152	63-71
M	152 < H < 170	69.5-80
M wide	152 < H < 170	79.5-90
L	170 < H < 188	77-90
L wide	170 < H < 188	87-100
XL	H > 188	90-105
XL wide	H > 188	105-120



SCAN THE QR
CODE TO LEARN
HOW KS-1 PRO
PROTECTS THE
DRIVER



WORLD CHAMPION JEREMY IGLESIAS
AND HIS KS-1 PRO RIB PROTECTOR

BODY PROTECTION

KK048

In polycarbonate material. Provides support and protection to ribs and back. Adjustable straps to improve comfort fittings. Properly shaped and stuffed to have ultra-comfort.



KK048071XX
black

SOFT AREA

KK048178XX
yellow

SIZES:
XS/S (lower chest 70-89 cm / height 160-170 cm)
M/L (lower chest 89-110 cm / height 170-190 cm)

RIB PROTECTION VEST

KK04001

Material: shock absorbing. Inserts: high vibration absorption. Straps: double adjustable. Cover: stretch fabric. Sizes: XS-XL



KK04001XXX041
blue

KK04001XXX061
Red

KK04001XXX071
Black

CARBON RIB PROTECTION VEST

KK047E

Carbon fiber rib protection vest. Straps: adjustable. Sizes: XS-L

ALSO FOR CHILDREN!



SHOE COVER

KK08071XX

Nylon rainproof shoe-cover. Seams: heat welded. Sole: ultra soft reinforced rubber.

Sizes:
XS (32/34)
S (35/37)
M (38/40)
L (41/43)
XL (44/47)



KS RAINCOAT

KK03107

NEW

Raincoat made in ultrathin, lightweight and resistant transparent material.
Suitable for mechanics and paddock operators.
Sizes: S-M-L-XL



COLLAR

KK04003

Anatomic homologated collar in expanded polyurethane multi density foam with increased rigidity at the rear "fin" of the collar. One size.

F DE K 1997 HOMOLOGATED



KK04003000071 Black

KK04003000073 Red/black

KK04003000075 Blue/black

COLLAR

KK04009

Waterproof kart neck support collar, modern K STYLE design. One size.



ELBOW AND KNEE PADS

KK04005071

Padded knee pads One size.



KK04006071

Padded elbow pads. One size.

FLAT KART SEAT

KK05032

8 SIZES

REF.	LARGH.
KK0503227	27 cm
KK0503229	29 cm
KK0503230	30 cm
KK0503231	31 cm
KK0503232	32 cm
KK0503233	33 cm
KK0503236	36 cm
KK0503238	38 cm



DIGITAL TYRE PRESSURE

NC/072

0,6 CLASS

Digital tyre pressure gauge.
Resolution: 0.05 bar.
Range: 0-7 bar.



ANALOG TYRE PRESSURE

NC081

0,1 CLASS

Analog tyre pressure gauge.
Resolution: 0.1 bar.
Range: 0-40 psi, 0-2.7 bar.



KS COVER

KK03201

Waterproof kart cover, modern K-STYLE design.



SEMITRANSSPARENT SEAT 8 SIZES

KK05030XX

KK05030LXX

REF.	WIDTH
KK0503027	27 cm
KK0503029	29 cm
KK0503030	30 cm
KK0503031	31 cm
KK0503032	32 cm
KK0503033	33 cm
KK05030L36	36 cm
KK05030L38	38 cm



SEAT PADDING

KK036

Polyethylene seat padding kit (5 piece kit) pre-cut pads for kart seats. All components are self adhesive to facilitate positioning on any seat shell. Thickness: 8 mm



TYRE BAG

KK03300

Polyamide nylon tyre bag (suitable for 4 tyres), tear resistant waterproof fabric.



KS SUITS TABLE

PLEASE
NOTE

The XX in each part number indicates the location of the size.

KS-ART SUIT

ALSO FOR CHILDREN!

HOMOLOGATION	LAYERS	SIZES	
CIK-FIA Level 2	2	46 64	✓

KK01726178XX

KS-2 ART SUIT

ALSO FOR CHILDREN!

HOMOLOGATION	LAYERS	SIZES	
CIK-FIA Level 2	2	44 62	✓

KK01729172XX

KK01729060XX

KK01729244XX

KK01729086XX

KS-3 SUIT

ALSO FOR CHILDREN!

HOMOLOGATION	LAYERS	SIZES	
CIK-FIA Level 2	3	42 62	✓

KK01727274XX

KK01727073XX

KK01727178XX

KK01727199XX

KK01727242XX

KK01727089XX

KK01727071XX

KS-4 SUIT

ALSO FOR CHILDREN!

HOMOLOGATION	LAYERS	SIZES	
CIK-FIA Level 1	4	S XXL	✓

KK01728061XX

KK01728041XX

KK01728071XX

SUMMER K SUIT

ALSO FOR CHILDREN!

HOMOLOGATION	LAYERS	SIZES	
	1	S XXL	✓

KK01719061XX

KK01719041XX

KK01719071XX

KART GLOVES TABLE

KS ART GLOVES					PLEASE NOTE
PALM INSERT	EXTERNAL SEAMS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
SILICONE PALM	✓		✓	XXS XL	
					KK02746XX
KS-1R GLOVES					PLEASE NOTE
PALM INSERT	EXTERNAL SEAMS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
SILICONE PALM	✓		✓	XXS XL	
					KK02740071XX
KS-2R GLOVES					PLEASE NOTE
PALM INSERT	EXTERNAL SEAMS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
SILICONE	✓		✓	XXS XL	    
					KK02747071XX KK02747120XX KK02747242XX KK02747060XX KK02747058XX
KS-2 ART GLOVES					PLEASE NOTE
PALM INSERT	EXTERNAL SEAMS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
SILICONE	✓		✓	XXS XL	     
					KK02748076XX KK02748275XX KK02748274XX KK02748273XX KK02748179XX KK02748178XX
KS-3 GLOVES					PLEASE NOTE
PALM INSERT	EXTERNAL SEAMS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
SYNTHETIC LEATHER AND SILICONE			✓	XXS XL	     
					KK02743E076XX KK02743E175XX KK02743E270XX KK02743E060XX KK02743E096XX KK02743E059XX
KS-4 GLOVES					PLEASE NOTE
PALM INSERT	EXTERNAL SEAMS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
SUEDE LEATHER		✓	✓	XXS XL	     
					KK02744E071XX KK02744E146XX KK02744E274XX KK02744E060XX KK02744E178XX KK02744E277XX

KART SHOES TABLE

KS ART SHOES					PLEASE NOTE
OUTSOLE	REAR INSERTS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
ULTRALIGHT	✓	✓	✓	32 48	
					IC/818XX
KS-1R SHOES					PLEASE NOTE
OUTSOLE	REAR INSERTS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
ULTRALIGHT	✓	✓	✓	32 48	    
					IC/815058XX IC/815070XX IC/815120XX IC/815270XX IC/815244XX
KS-2 SHOES					PLEASE NOTE
OUTSOLE	REAR INSERTS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
LIGHT	✓	✓	✓	32 47	   
					IC/825020XX IC/825071XX IC/825059XX IC/825060XX
KS-3 SHOES					PLEASE NOTE
OUTSOLE	REAR INSERTS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	
LIGHT	✓		✓	32 47	     
					IC/826071XX IC/826178XX IC/826244XX IC/826073XX IC/826060XX IC/826076XX

Rok Cup



Luxor





AUTOMOBILI LAMBORGHINI SQUADRA CORSE COLLECTION



SQUADRA CORSE

Available on lamborghinistore.com

SUIT

IA857ELAMB-C

SIZES 46-64

sizing information on page 349



ONE ART SUIT
"RECORD" LIMITED EDITION

Totally printed FIA top level suit.
Regular fit with ultraflat antirubbing
seams, soft knitted fabric inside.

Available only on
lamborghini.com



FLOATING SLEEVES
Semi floating arm bellows.

STRETCH DRY SYSTEM
High breathability parts.
in Dry System 3D material
on back, hips and under
the sleeves

KNITTED MATERIAL

IA857LAMB-C179XX
orange/black

INNER POCKET
One comfortable
hidden inner pocket



SUIT

IA857ELAMB-A

SIZES: 46-64

sizing information on page 349



ONE ART SUIT
"SPEED" EDITION

Totally printed FIA top level
suit. Regular fit with ultraflat
antirubbing seams, soft
knitted fabric inside.

On request only.



IA857LAMB-A178XX
black/yellow

SUIT

IA857ELAMB-B

SIZES: 46-64

sizing information on page 349



ONE ART SUIT
"RACING" EDITION

Totally printed FIA top level
suit. Regular fit with ultraflat
antirubbing seams, soft
knitted fabric inside.

On request only.



IA857LAMB-B188XX
grey/green

SUIT

ONE-S

IA837LAMB

DEVELOPED DIRECTLY FROM OMP'S TOP DRIVERS EXPERIENCE
Made of shiny, High-Tech Nomex® fabrics and innovative new inner materials, allowing a significant weight reduction. Outer pockets.



**SIZES 46-64
3 LAYERS**

SFI 3-2A/5 on request
sizing information on page 349



SLIM FIT
CUT

PRE-CURVED
SLEEVES

DRY SISTEM
3D BREATHABLE
MATERIAL



HIPS AND
LUMBAR
INSERTS



SUIT

ONE-S

FOR
CHILDREN!

IA837LAMBC2

**ONE-S REPLICA SUIT
FOR CHILDREN FROM
7 TO 11 YEARS OLD**
ONE-S replica suit for
Automobili Lamborghini
Squadra Corse designed
for young motorsport
enthusiasts, like all the
tracksuits worn by the
Squadra Corse racing
drivers.
Not FIA approved.

On request only.



SIZES:
7-9 YEARS (120-140CM)
10-11 YEARS (140-160CM)
sizing information on page 349



SUIT

ONE-S

FOR
CHILDREN!

IA837LAMBC1

**ONE-S REPLICA SUIT
FOR CHILDREN FROM
2 TO 6 YEARS OLD**
ONE-S replica suit for
Automobili Lamborghini
Squadra Corse designed
for young motorsport
enthusiasts, like all the
tracksuits worn by the
Squadra Corse racing
drivers.
Not FIA approved.

On request only.



SIZES:
2-3 YEARS (80-100CM)
4-6 YEARS (100-110CM)
sizing information on page 349



SUIT

ONE VINTAGE

IA842LAMB

RETRO RACING SUIT STYLE

Typical style worn by the great champions of F1 in the mid 70s. Produced with the same ultra-light fabrics of the new ONE EVO and ONE-S suits.



SHAPED COLLAR with inner soft knitted material

SIZES 46-64

3 LAYERS

WEIGHT: 235 gr/m²

SFI 3-2A/5 on request
sizing information on page 349



MANICHE PRECURVATE

TAGLIO SLIM



ELASTIC



SUIT

ONE VINTAGE

IA842LAMBC2

ONE VINTAGE REPLICA SUIT FOR CHILDREN FROM 7 TO 11 YEARS OLD

ONE Vintage replica suit for Automobili Lamborghini Squadra Corse designed for young motorsport enthusiasts, like all the tracksuits worn by the Squadra Corse racing drivers. Not FIA approved.

On request only.



FOR CHILDREN!

SIZES:

7-9 YEARS (120-140CM)
10-11 YEARS (140-160CM)
sizing information on page 349



SUIT

ONE VINTAGE

IA842LAMBC1

ONE VINTAGE REPLICA SUIT FOR CHILDREN FROM 2 TO 6 YEARS OLD

ONE Vintage replica suit for Automobili Lamborghini Squadra Corse designed for young motorsport enthusiasts, like all the tracksuits worn by the Squadra Corse racing drivers. Not FIA approved.

On request only.



FOR CHILDREN!

SIZES:

2-3 YEARS (80-100CM)
4-6 YEARS (100-110CM)
sizing information on page 349



UNDERWEAR ONE TOP

ULTRA-LIGHT UNDERWEAR TOP WITH EXCLUSIVE FEATURES

Advanced technology knitted fabric with maximum breathability 3D knitted inserts for maximum cooling in hot conditions that aligns with the breathable inserts of ONE ART ONE-S1, ONE-S, ONE-SL, ONE EVO, and TECNICA EVO suits.



IAA/739ELA

SFI 3.2A/5 on request

SMA

corresponding sizes XS/S
suit sizes 44-48

MED

corresponding sizes M/L
suit sizes 50-54

XLAR

corresponding sizes XL/XXL
suit sizes 56-60


on request:

2XLAR

corresponding sizes XXXL
suit sizes 62-64



MANUFACTURER: OMP
MODEL: R-IAA-004
FIA STANDARD: FIA 8856-2000



MANUFACTURER: OMP
MODEL: R-IAA-005
FIA STANDARD: FIA 8856-2000

SFI 3.2A/5 on request

SMA

corresponding sizes XS/S
suit sizes 44-48

MED

corresponding sizes M/L
suit sizes 50-54

XLAR

corresponding sizes XL/XXL
suit sizes 56-60

on request:

2XLAR

corresponding sizes XXXL
suit sizes 62-64

SOCKS

IAA/724LAMB

Sizes: XS - S - M - L
SFI 3.3



MANUFACTURER: OMP
MODEL: IAA/723
FIA STANDARD: FIA 8856-2000

ONE BALACLAVA

IAA/741ELA



DRY SYSTEM
3D breathable material




MANUFACTURER: OMP
MODEL: R-IAA-006
FIA STANDARD: FIA 8856-2000

ONE LONG JOHNS

IAA/740EPLA

ULTRA-LIGHT PANTS WITH EXCLUSIVE FEATURES

Advanced technology knitted fabric with maximum breathability. 3D knitted inserts for maximum cooling in hot conditions.



MANUFACTURER: OMP
MODEL: R-IAA-005
FIA STANDARD: FIA 8856-2000

SFI 3.2A/5 on request

SMA

corresponding sizes XS/S
suit sizes 44-48

MED

corresponding sizes M/L
suit sizes 50-54

XLAR

corresponding sizes XL/XXL
suit sizes 56-60

on request:

2XLAR

corresponding sizes XXXL
suit sizes 62-64



GLOVES ONE EVO X

IB/771/LAMB

SUPER PROFESSIONAL GLOVES

Top level extremely lightweight precurved gloves. Upper made in breathable comfortable material, exclusive high technology palm in silicone rubber proven to give optimal grip, lightness and sensitivity. External seams for maximum feeling on steering wheel, elastic wrist stop to get maximum fitting comfort.

NEW

available also in fluo yellow: see on lamborghinistore.com

MANUFACTURED ENTIRELY IN ITALY

SUPER LIGHT HONEYCOMB ENGINEERED FABRIC

SIZES XS-XL

sizing information on page 349

PRECURVED EXTERNAL SEAMS

BALL POINT silicone inserts

DOUBLE ELASTIC wrist closure for secure fit



FIA 8856-2018

FIA APPROVED

MANUFACTURER: OMP
MODEL: ONE EVO X
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018

HARNESS PAD

DB/454/LAMB

PAIR OF HARNESS PADS

In velour, to be used with 2" seat belts or child seat's belts, velcro fastening.

MANUFACTURED ENTIRELY IN ITALY



GLOVES DIJON

IB/746E/LAMB

VINTAGE GLOVE

'70s design with fabrics and quality of last generation gloves. Fire-resistant fabric with stretch suede inserts. Internal seams.

MANUFACTURED ENTIRELY IN ITALY

FIA 8856-2018

FIA APPROVED

MANUFACTURER: OMP
MODEL: FIRST-S.01
HOM. NO: DC.019.19-G
FIA STANDARD: FIA 8856-2018

SUEDE LEATHER INSERTS on palm and fingers for very good grip

ELASTIC WRIST STOP



GLOVES TAZIO

IB/747/LAMB

VINTAGE GLOVE

Smooth leather and cotton fabric.

INTERNAL SEAMS

SIZES S-XL

sizing information on page 349

STRAP WITH VELCRO



BOOTS ONE EVO X

IC/806ELAMB

SIZES 36 - 48

sizing information on page 349

PROFESSIONAL TOP LEVEL

Perforated full grain leather for high breathability and fabric inserts. High resistant, injected sole, best grip. Velcro strap for best fitting. Structure designed to increase the sensitivity on the pedal. Thin laces to guarantee and permit a good sliding and a quick lacing of the boots.

VELCRO STRAP

THIN LACES
for high sliding
and quick lacing

FABRIC INSERT
for best fitting

NEW

available also
in black:
see on
lamborghini.com

FIA 8856-2018

FIA APPROVED

MANUFACTURER: OMP
MODEL: ONE EVO X
HOM. NO: XX.000.00-X
FIA STANDARD: FIA 8856-2018



BOOTS CARRERA

IC/784ELAMB

SIZES: 37-48

sizing information on page 349

VINTAGE CLASSIC BOOTS

Polished leather lined in soft jersey. Molded rubber sole resistant to hydrocarbons. High quality treated leather for an ultra-soft feel. Accurate hand-made production.



EMBOSSED WITH
LEATHER LOGO

FIA 8856-2018

FIA APPROVED

MANUFACTURER: OMP
MODEL: CARRERA.01
HOM. NO: DC.112.20-Z
FIA STANDARD: FIA 8856-2018



CHAIR

AUTOMOBILI LAMBORGHINI OMP CHAIR/MINI CHAIR

HA/777/LAMB/NN

Chair in synthetic leather with reclining mechanism, pneumatic seat height adjustment and adjustable armrests. Wheeled base.

COMFORTABLE
SEAT AND
BACKREST



HA/821/J/LAMB/GR
black/green



MINI CHAIR
HA/821/J/LAMB

AUTOMOBILI LAMBORGHINI MINI CHAIR

Small-sized version of the OMP Chair. Very compact, height adjustable with armrest and wheeled base.



HA/821/J/LAMB/OR
black/orange



HA/821/J/LAMB/GI
black/yellow

MEC

BLAST EVO

NB1580E

PROFESSIONAL
MECHANICS SUIT

Made of lightweight and resistant polytester and cotton fabrics. The knitted elastic fabric inserts on back and hips and the comfortable arm-bellows guarantee the best freedom of movements. Several practical pockets to store tools and parts: two large-sized on the legs, two with zip closure (one on the right leg and one on the chest) and an inner one on the chest.

Aggressive design with racing-inspired shoulders and highlighted stitching.

SIZES 44-64

sizing information on page 349
1 LAYER

MY2021

POCKET
with zipSEVERAL
PRACTICAL POCKETS
to store tools and partsREMOVABLE
PADDED KNEE
PADS
ergonomic shapeANKLES CLOSURE
with velcro strap

KART

KS-1R

KK720LAMB

SIZES: 44-62

FOR CHILDREN:
120/130/140/150/160
HEIGHT ON REQUEST

homologation CIK-FIA LEVEL 2
sizing information on page 349

ULTRA LIGHT TOTALLY
PRINTED SUIT

High comfort due to the new soft and light fabrics, elastic crotch insert, new semi-floating stretch sleeves with mesh inserts for best ventilation. Stretch inserts on lower back and inner knee pads for protection.



MESH INSERTS

SEMI FLOATING
SLEEVESELASTIC CROTCH
INSERTSALSO FOR
CHILDREN!

MANUFACTURER: OMP
MODEL: K-KK-001
HOM. NO: CIK-FIA 2013/02
FIA STANDARD: 2013-1

MEC

WORKSHOP

NB/1896/LAMB

TECHNICAL SHORT GLOVE FOR
PROFESSIONAL USE

Back in technical elastic fabric with syntetic leather and silicone rubber design. Improved fitting and softer fabrics.

SIZES: S-XXL

sizing information on page 349

Self adjustable tunnel
waist band to cover
two sizes

NEW

TECHNICAL
ELASTIC
FABRIC

THIN SYNTHETIC LEATHER

KART

KS-1R

KK02740LAMB

KS-1R GLOVES

Elasticized super top karting glove. Silicone inserts on the palm, precurved for maximum grip. External seams for maximum sensitivity.

SIZES: XXS-XL

sizing information on page 349



KART

KS-1R

IC/810LAMB

TOP LEVEL KARTING SHOES

Super top boots with new generation sole which guarantees highest sensitivity, featuring Rotor lacing inspired by the fireproof ONE EVO R boots. Made of perforated microfiber with technical protection on the tip.

SIZES: 34-47

sizing information on page 349



KART

UNDERWEAR

KS SUMMER SHIRT

KK03016LAMB

Stretch fabric, hydrophobic highly hygienic hollow fiber. Ultra-low density jacquard weaving for high breathability. Ideal in hot conditions.

SIZES:
XS-S (44-48)
M-L (50-54)
XL (56-60)
XXL



KS SUMMER SHORTS

KK03017LAMB

Stretch fabric, hydrophobic highly hygienic hollow fiber. Low density jacquard weaving for high breathability. Ideal in hot conditions.

SIZES:
XS-S (44-48)
M-L (50-54)
XL (56-60)
XXL



KS SUMMER BALACLAVA

KK03018LAMB

Hydrophobic highly hygienic hollow fiber. Low density jacquard weaving for high breathability. Ideal in hot conditions. ONE SIZE



KS SOCKS

KK03019LAMB

Technical socks with differentiated weave. Mid length.

SIZES:
S-M-L



TEAMWEAR

Art
TECHNOLOGY

Customize your teamwear with OMP Art Technology! You can personalize the graphics of your Winter Jacket, Sweater, Softshell, Polo and T-shirt.



WINTER JACKET

SOFTSHELL

SWEATER

POLO

T-SHIRT

WINTER JACKET

TOTALLY PRINTABLE POLYESTER WINTER JACKET

Comfortable, with soft pile interior, ideal for low temperature.



HIDEAWAY HOOD

CLOSED WITH ZIPPER IN THE MIDDLE

TWO HANDY SIDE POCKETS AND ONE COMFORTABLE INNER POCKET

WRISTBAND CLOSING WITH VELCRO

PRODUCTS AVAILABLE ONLY UPON REQUEST WITH CUSTOM DESIGN FOR SPECIAL ORDERS

OR5929

OR5929B
FOR CHILDREN

SIZES: XXS-XXL

for children:
8/10-10/12



ALSO FOR CHILDREN!

SOFTSHELL

TOTALLY PRINTABLE POLYESTER SOFTSHELL WITH REMOVABLE LONG SLEEVES

Comfortable, with soft knit fabric interior. Regular fit.



CLOSED WITH ZIPPER IN THE MIDDLE

TWO SIDE POCKETS, ONE INNER POCKET

PRODUCTS AVAILABLE ONLY UPON REQUEST WITH CUSTOM DESIGN FOR SPECIAL ORDERS

OR5927

TAGLIE: XXS-XXL



SWEATER

**TOTALLY PRINTABLE
POLYESTER SWEATER**
Comfortable, with soft knit
fabric interior. Regular fit.



CLOSED WITH ZIPPER
IN THE MIDDLE

TWO HANDY SIDE
POCKETS

ELASTIC WRISTBANDS
AND WAISTBAND FOR
MAXIMUM COMFORT



PRODUCTS AVAILABLE
ONLY UPON REQUEST
WITH CUSTOM DESIGN
FOR SPECIAL ORDERS

OR5926

OR5926B
FOR CHILDREN

SIZES: XXS-XXL

for children:
8/10-10/12

**ALSO FOR
CHILDREN!**

T-SHIRT

**TOTALLY PRINTABLE
CREW NECK POLYESTER
T-SHIRT**
Comfortable, breathable,
and hygienic thanks to
antibacterial treatment.
Regular fit.



PRODUCTS AVAILABLE
ONLY UPON REQUEST
WITH CUSTOM DESIGN
FOR SPECIAL ORDERS

OR5924

OR5924B
FOR CHILDREN

SIZES: XXS-XXL

for children:
8/10-10/12

**ALSO FOR
CHILDREN!**

POLO

**TOTALLY PRINTABLE
SHORT SLEEVED
POLYESTER POLO SHIRT**
Comfortable, breathable,
and hygienic thanks to
antibacterial treatment.
Regular fit.



PRODUCTS AVAILABLE
ONLY UPON REQUEST
WITH CUSTOM DESIGN
FOR SPECIAL ORDERS

OR5923

OR5923B
FOR CHILDREN

SIZES: XXS-XXL

for children:
8/10-10/12

**ALSO FOR
CHILDREN!**

MECHANIC'S TROUSERS

**OR5930
OR5931**

**TECHNICAL
MULTI-POCKET
TROUSERS**
In polyester and cotton
fabric.

BELTS LOOPS
with radio holder slots

TWO FTONTAL
POCKETS

PLENTY OF PRATICAL
POCKETS

SHORT VERSION
SIZES: S-XXXXL

OR5931

CUSTOMIZABLE
FLAPS

SELF ADJUSTIVE
TUNNEL WAIST BAND
to cover two sizes

CUSTOMIZABLE
FLAPS

LONG VERSION
SIZES: M-XXXXL

OR5930




Designed in Italy, Racing Spirit is the intersection of casual, leisure and technical gear. It is an understated style that does not distract from the fact that Racing Spirit's Tech Collection is intensely functional, performing and fashionable. Craftsmanship, Quality, and attention to detail is setting Racing Spirit apart from all others; it's made to be beautiful and it's made to be evocative.

Racing Spirit it's not just something that feels good, looks good and performs well, it's a brand experience, a comprehensive collection of garments you can wear everyday that revolves around a lifestyle. What makes Racing Spirit special is our approach, not just a smarter look, but also a reminder of the sophistication and technicality of racing.

Find out more at RacingSpirit.com [@RacingSpiritBrand](#)

3L JACKET

SIZES: XS-3XL




RS/3L/1101/071
BLACK

This microporous waterproof 3-layer fabric with excellent breathability will protect you perfectly during all outdoor activities on and off the track.

It allows water vapor to pass through the fabric and keep your body extremely dry.

This product is environmentally friendly as it utilizes 60% of polyester recycled from water bottles.



i got this

QUILTED JACKETS

Made from lightweight resistant nylon, soft-shell inserts and filled with Graphene insulation, this sophisticated outerwear is ideal for travel, commuting and everyday outings.



These puffers convert to an emergency travel pillow in just a few steps.




RS/DO/1101/071

BLACK



CARBON STRIPE



RS/DO/1102/071

BLACK



CUSTOM PULLER


GRAPHENE
CARBON FIBER COMPOSIT

Always feel warm, but never too warm, Graphene is a single layer of graphite made from honeycomb sheets of carbon.

Graphene is an excellent heat conductor, lightweight, compressible making this product an excellent and always available companion.

NYLON JACKETS

Wind resistant and water repellant, this multi-purpose jacket is a light and real-world multi season garment. It also features a ghost inner zipper for embroidery personalization.



SPEEDLINE DESIGN

RS/DO/0002/071

RS/DO/0001/071

0001



SIZES: XS-3XL

SOFT-SHELL

Ready for anything - whether it's a day at the track or a travel adventure - this technologically advanced soft-shell is designed to protect you from the elements at a moment's notice.

SIZES: XS-3XL



CARBON ZIPPER



INTERNAL OWNERS LABEL

RS/SS/1102/071

BLACK

TECH FLEECE

RS/FZ/1101/082


TITANIUM



REFLECTIVE STITCHING


SIZES: XS-3XL

The innovative fabric is made of a brushed interlocking textile with Micro-Fresh technology that always fits perfectly, allows you to move freely and in total comfort. Soft to the touch and breathable, this European fabric is a consumer favorite.



HIGH TECHNOLOGY - QUICK DRY - MAXIMUM COMFORT

This MICROFRESH fabric helps sweat to disperse easily thanks to its structure and the type of fabric they are made from.



Our technical polo and tees are designed to move naturally and effortlessly providing the performance you need. Synthetic materials have come a long way in terms of quality and performance.


Once seen with skepticism, polyester and Nylon products are now a technological advanced way of manufacturing clothing for the activewear and sports brands. Develop to enhance comfort, synthetic fabrics quickly disperse sweat thanks to their structure and keeps the body cool and dry. Our spirit of innovation lives on by holding and enhancing the virtues of both OMP Racing and Bell Helmets.

TECNO PIQUÉ

SIZES: XS-3XL



RS/PL/1101/071/XX
BLACK



RS/PL/1101/020/XX
WHITE



ADV. TECNO PIQUÉ

000000: 000300



This polo was designed to change the way we think about clothing. The new textile technologies used for this nylon fabric offers the benefit of combining great breathability with the lowest fabric weight and thickness. The advanced knit structure not only wicks sweat away from the skin, but also disperses the moisture over a greater area, creating an incredibly fast-drying shirt.

RS/PL/1102/082/XX
TITANIUM



These polos also packable and ready to go ensuring maximum freedom of movement for all your enhanced sporting performances.

RS/PL/1102/020/XX
WHITE




SPEEDLINE NECKTAPE



The human body reacts to temperature, humidity or physical effort by releasing energy. This energy turns into sweat, which must be removed as quickly as possible to avoid sudden variations in body temperature and Polartec® Delta™ speeds up the elimination of sweat fast and easy. This advanced fabric was created so cooling fabric technologies could better utilize the body's natural cooling process; sweat.

Delta™ works more efficiently by elevating touch-points for increased airflow, faster moisture dispersal, and reduced wet-cling.

RS/TS/1105/020/XX
WHITE

POLARTEC®

THE SCIENCE OF FABRIC

The textured fabric combined with a loose fit helps the t-shirt stand off the skin for improved heat convection and airflow, allowing you to stay cool and look good in hot conditions.



QUICK DRYING



BREATHABLE



ANTIBACTERIAL



COOL TOUCH

RS/TS/1105/071/XX
BLACK

CARGO PANTS

SIZES: XS-3XL

Technical pants are the ultimate versatile outdoor wear. Made of a soft yet resistant nylon and spandex yarns, these pants enhance comfort, ventilation and mobility. By utilizing the most innovative fabrics and techniques, we turn a moment into momentum. Challenge your mind and discipline your body.



ICON LOOP



RS/PA/1102/082/XX

GRAPHITE



QUICK DRYING



BREATHABLE



STRETCH



ANTI-PILLING



RS/PA/1101/082/XX

GRAPHITE

ACTION BELTS

Simple and practical, these stretch belts are made of comfortable woven fibers that will keep pants up without being uncomfortable on the hips when you move.

The hook-on buckle is light, quick and easy to latch and undo. Three lengths available: S/M – 100cm/39", L/XL – 110cm/43" and 2XL – 130cm/51"



Color: Black

Length:
100cm / 39"
ONE SIZE

OR5883071



Color: Black

RS/BT/1101/071/XX



STRETCH



Color: Graphite

RS/BT/1101/082/XX

SPEEDLINE HOODIE

SIZES: XS-2XL



This heather long sleeve hoodie is the perfect pullover for those memorable days at the racetrack or summer night bonfires with your friends.

Pleasing to the eye, comfortable and super soft to the touch; this interwoven item also features a lightweight jersey lining on the hood with drawstring. Take advantage of the front kangaroo pocket to keep your hands tucked in, then throw the hood up to fight the wind on even cooler days.



RS/HP/0003B

STORM BLUE

ICON HOODIE

RS/HZ/0003B

SIZES: XS-2XL

This heather long sleeve hoodie is as pleasing to the eye as it is comfortable and it's super soft to the touch. The French Terry fabrication creates a smooth, flat surface on the outside and a cross-looped texture on the inside.

Featuring a lightweight jersey lining on the hood with drawstring and split front kangaroo pockets, this hoodie has your back 24/7.



RS/HZ/0003B

DARK GRAY



ICON POLO

COTTON PIQUÉ



WHITE

RS/PL/0003B

The Original Racing Spirit polo with an iconic heritage patch will simply amaze you how far a classy polo can go.

With this polo you'll feel you're always one of the best dressed wherever you go. Strategically placed contrast plackets gives the polo a stylish detail while the pique cotton weaving gives this item a subtle feel.



SPEEDLINE DESIGN

RS/PL/0001B


WHITE

ICON POLO

SIZES: XS-2XL

The Original Racing Spirit polo with an iconic heritage patch will simply amaze you how far a classy polo can go.

With this polo you'll feel you're always one of the best dressed wherever you go. Strategically placed contrast plackets gives the polo a stylish detail while the pique cotton weaving gives this item a subtle feel.



RS/PL/0002B

BLACK

SPEEDLINE DESIGN

RS/PL/0004B

BLACK



Nothing is more important to us than capturing the imagination of people who share our love of the sport. Using our unique design skills to bring dynamic new form to good original ideas is what differentiates our lifestyle tees from merchandise. We believe that the mind flourishes when simplicity is elevated and clutter is removed, because less is more. We got this.

A larger selection of tees is available at Racing Spirit.

ORIGINAL

RS/TS/0016/080

SIZES: XS-2XL

Racing Spirit Original Tee

Welcome to Original and never underestimate the importance of one go-to shirt like this one!



BLOCK

RS/TS/0013/071

SIZES: XS-2XL



Block Tee

Show your Racing Spirit and your love for style with our Block Tee. Our red helmet icon makes a subtle statement of who we are on and off the track.



100 % COTTON •Heritage Twill tags on neck, left arm and bottom

- Made in the U.S.A.
- 30/1 Combed Ring Spun
- Jersey Construction creates a lightweight breathable shirt with a very soft touch

RACING

RS/TS/0029/081

□□□□: □□2□□



Racing Is In My Blood

You don't need to be Ayrton Senna to wear this one, but you can proudly say that racing is in your blood too.

RS/TS/0010/020

□□□□: □□2□□

TURN



Turn Tee

Every driver knows about the unique feeling closing the visor. Every motorsport enthusiast knows that once a driver is on track and pushing to the limit it's just him and the car.

ICON

RS/TS/0023/042

SIZES: XS-2XL



Icon In Circle Tee

We may be used to post-race donuts, but they weren't always the default celebration for racing drivers. Alex Zanardi is in fact credited with making donuts a common gesture during his IndyCar days.

HATS

Hats are about emotions. It's all about how it makes you feel. Look cool and protect yourself with an OMP and Racing Spirit cap! Flex-fit technology keeps you comfortable during long days at the track, home or course. This lightweight and breathable fabric also provides a perfect fit for all activities on and off the track.

00/0/0002/071

0000: 00 /000



/ /0002/063

0000: 00 /000

FLEXFIT.



BREATHABLE LIGHTWEIGHT STRETCH



00/0/0001/042

0 0 0 0 0



STRETCH



WINDPROOF



THERMAL
REGULATION



00918

PR918020 white
PR918071 black



00918

For children
PR918C071 black
PR918C020 white

SHIRT UMBRELLA

COTTON SHIRT

OR5902080

SIZES: 38,39,40,41,42,43,44



- Long sleeve shirt
- Breathable
- Made in Turkey
- 100% cotton
- Embroidered OMP logo



100 % COTTON

UMBRELLA

PR923

DIAMETER: 1M



OMP UMBRELLA

ONE BACKPACK

ORA/2964

Tech backpack with several external pockets and inner organizer compartments. Adjustable waist, chest and shoulder belts. Made of lightweight and durable material.

COLOUR: Black

DIMENSIONS: 45 x 38 x 20 cm



FIRST BACKPACK

ORA/2965

Sportswear backpack in resistant nylon fabric, with external pocket and a practical handle. Length adjustable shoulder straps.

NEW SOFTER FABRIC

COLOUR: Black

DIMENSIONS: 40 x 30 x 18 cm



CABIN TROLLEY

ORA/2968

Ultra compact trolley. Lightweight construction, provided with trolley, with handle and several compartments and pockets. Ideal for hand-held luggage in flight.

NEW SOFTER FABRIC

COLOUR: Black

DIMENSIONS: 55 x 40 x 20 cm



CO-DRIVER PLUS BACKPACK

ORA/2966

Lightweight backpack with organizational features included plenty of internal and external accessory pockets.

COLOUR: Black

DIMENSIONS: 40 x 34 x 20 cm



CO-DRIVER BAG

ORA/2967

Light weight sporty brief bag with removable shoulder strap. **DIMENSIONS: 44,5x6x25 cm**



TRAVEL BAG

ORA/2969

Generous dimensioned travel bag made in nylon, provided with trolley. Large central compartment, big pockets and side padded compartment. Provided with a practical adjustable shoulder strap. Anti-rollover rigid base and new fresh design.

COLOUR: Black

DIMENSIONS: 90 x 38 x 40 cm



STYLE OMP CHAIR

HA/777E

OMP CHAIR

Chair in synthetic leather with reclining mechanism, pneumatic seat height adjustment and adjustable armrests.



HA/777E/NB
black/blue



HA/777E/AIR
Black with breathable airnet fabric



HA/777E/NW
black/white



HA/777E/NG
black/yellow



HA/777E/NN
black



HA/777E/NR
black/red

COMFORTABLE
seat and backrest

RECLINING MECHANISM

MIN 44 CM / MAX 52 CM

WHEELED BASE

STYLE

MINI OMP CHAIR

HA/821

Small-sized version of the always appreciated OMP Chair. Very compact, height adjustable with armrest and wheeled base, perfect for small spaces (motorhome, paddock).

NORMAL SIZE IN
THE BACKGROUND
TO SEE DIFFERENT
MEASURE



HA/821/NB
black/blue



HA/821/NR
black/red



HA/821/PW
pink/white



HA/821/NG
black/yellow

MIN 40 CM / MAX 47 CM



STYLE

STYLE

OMP CHAIR PERSONALIZZATE BY



MOTO GP / MOTO 2 / MOTO 3



Available on extremedesign.com

PROMOTIONAL ITEMS

PR925



A futuristic foosball table with OMP colors, ideal for your paddock hospitality. 9 balls included. Dimensions: 144x73x92 cm

HC/801

Chair base with wheels and pneumatic adjustment. Dimensions: 345x270 mm



PR939

OMP black barrel with soft removable upper. Suitable to store parts, ideal for your garage.



X/963/CINT



Safety harnesses fasten structure to be matched with the seat support X/963.

X/963



Both bottom mounting or side mounting models with side brackets.

PR922



Paddock stool with height adjustment, footstool, customized yellow spring.

PROMOTIONAL ITEMS

PR937

Microfiber towel 42x90 cm



PR908

OMP pen with pen holder.



PR934

OMP logo 3D silicon keychain.



PR936

Power bank with OMP light up logo. USB type-C port, 4000mAh.



PR880

Lanyard.



PR935

OMP Silicone bracelet.



X/683/BR



Racing suit bag. Karting version available (X/683/BK).

PR938

800ml aluminium water bottle with snap hook



X/867



Flag. Dimensions: 1000x1500 mm

PROMOTIONAL ITEMS

X/889



Assorted OMP stickers.

X/930



Assorted resin sticker sheets omp logos 15x10 cm

X/846



Assorted sticker sheet with: tow hooks, extinguisher and master switch stickers.

X/889E



Assorted OMP stickers.

X/694E/80TNT



Racing design tnt band, sold per meter. Height: 80 cm Roll: 24 m

X/694E/15



Nylon band. Height 15cm roll 500m (7kg)


SOME OF OUR FRIENDS




ALPHA KARTING




CKR



EVO KART




GOLD KART



GRASSER RACING TEAM




IMPERIALE RACING




JESOLO KART




JOHN FILIPPI




LGK



PCR



ROMEO FERRARIS



SOSPIRI RACING

ONE ART COLLECTION

ONE ART SUIT, GLOVES, SHOES

**FIA
8856-2018**



IA01857E072XX



IB/763EXX



IC/819EXX

**FIA
8856-2018**

ONE EVO COLLECTION

ONE EVO X SUIT

**FIA
8856-2018**



IA01861171XX



IA01861083XX



IA01861178XX



IA01861073XX



IA01861244XX

ONE EVO X SL SUIT

**FIA
8856-2018**



IA01862XX

ONE EVO X GLOVES

**FIA
8856-2018**



IB/771/N/XX



IB/771/NGI/XX



IB/771/BC/XX



IB/771/R/XX



IB/771/W/XX

ONE EVO X R SHOES

**FIA
8856-2018**



IC/805E071XX



IC/805E246XX



IC/805E370XX



IC/805E099XX



IC/805E172XX



IC/805E020XX

ONE EVO X SHOES

**FIA
8856-2018**



IC/806E071XX



IC/806E099XX



IC/806E061XX



IC/806E020XX

ONE-S COLLECTION

ONE-S SUITS

**FIA
8856-2018**



IA0185307XX



IA0185308XX



IA01860249XX

ONE-S SHOES

**FIA
8856-2018**



IC/822178XX



IC/822071XX



IC/822249XX



IC/822099XX



IC/822061XX



IC/822020XX

ONE-S GLOVES

**FIA
8856-2018**



IB/770/N/XX



IB/770/GF/XX



IB/770/BA/XX



IB/770/R/XX



IB/7570/W/XX

TECNICA COLLECTION

TECNICA EVO SUITS

**FIA
8856-2018**



IA01859E076XX



IA01859E373XX



IA01859E178XX



IA01859E073XX



IA01859E060XX



IA01859E244XX

TECNICA GLOVES

**FIA
8856-2018**



IB/772/NW/XX



IB/772/NGI/XX



IB/772/BC/XX



IB/772/NR/XX



IB/772/R/XX



IB/772/W/XX

TECNICA SHOES

**FIA
8856-2018**



IC/823077XX



IC/823073XX



IC/823178XX



IC/823242XX

TECNICA-S SUITS



IA01850076XX



IA01850089XX



IA01850063XX



IA01850043XX

TECNICA-S GLOVES



IB/764/N/XX



IB/764/GF/XX



IB/764/BGI/XX



IB/764/R/XX

FIRST COLLECTION

FIRST EVO SUITS

**FIA
8856-2018**



IA01854E076XX



IA01854E089XX



IA01854E184XX



IA01854E063XX



IA01854044XX

FIRST EVO GLOVES

**FIA
8856-2018**



IB/767/N/XX



IB/767/GF/XX




IB/767/BC/XX



IB/767/R/XX

FIRST-S SUITS

**FIA
8856-2018**



IA01828D071XX



IA01828D083XX



IA01828D184XX



IA01828D061XX



IA01828D244XX

FIRST-S GLOVES

**FIA
8856-2018**



IB/761A/N/XX



IB/761A/BV/XX



IB/761A/R/XX

FIRST SHOES

**FIA
8856-2018**



IC/824071XX



IC/824182XX



IC/824242XX



IC/824073XX



IC/824061XX

KARTING COLLECTION

KS ART COLLECTION

KS ART SUITS, GLOVES, SHOES



KK01726073XX

KK02745XX

IC/818XX

KS-1 COLLECTION

KS-1R GLOVES, SHOES



KK02740071XX

IC/810071XX

KS-1 SHOES



IC/815058XX

IC/815070XX

IC/815120XX

IC/815270XX

IC/815244XX

KS-2 COLLECTION

KS-2 ART SUIT



KK01729172XX

KK01729244XX

KK01729060XX

KK01729086XX

KS-2R GLOVES



KK02747071XX

KK02747120XX

KK02747242XX

KK02747060XX

KK02747058XX

KS-2R GLOVES



KK02748076XX

KK02748275XX

KK02748274XX

KK02748273XX

KK02748179XX

KK02748178XX

KS-2 SHOES



IC/825020XX

IC/825071XX

IC/825059XX

IC/825020XX

KS-3 COLLECTION

KS-3 SUITS



KK01727274XX

KK01727073XX

KK01727178XX

KK01727199XX

KK01727242XX

KK01727089XX

KK01727071XX

KS-3 GLOVES



KK02743E076XX

KK02743E175XX

KK02743E270XX

KK02743E060XX

KK02743E096XX

KK02743E059XX

KS-3 SHOES



IC/826071XX

IC/826178XX

IC/826244XX

IC/826073XX


IC/826060XX

IC/826076XX

SIZING INFORMATION


RACING SUIT SIZING TABLE

	IT SIZING	42	44	46	48	50	52	54	56	58	60	62	64
	Weight (kg)	50-60	55-65	60-70	65-75	70-80	75-85	83-88	85-92	87-95	90-100	95-110	105-115
	Height (cm)	150-160	155-165	158-170	165-175	170-180	170-183	177-187	182-190	185-195	187-198	190-200	190-200
A	Chest (cm)	83-87	87-91	91-95	95-99	99-103	103-107	107-111	111-115	115-119	119-123	123-127	127-131
B	Waist (cm)	67-71	71-75	75-79	79-83	83-87	87-91	91-95	95-99	99-103	103-107	107-111	111-115
C	Hips (cm)	80-84	84-88	88-92	92-96	96-100	100-104	104-108	108-112	112-116	116-120	120-124	124-128
D	Thigh (cm)	46-48	48-50	51-53	53-55	56-58	58-60	61-63	63-65	66-68	68-70	71-73	73-75
E	Arm (cm)	57-59	58-60	60-62	61-63	63-65	64-66	66-68	67-69	69-71	70-72	72-74	73-75
F	Inside leg (cm)	68-70	70-72	72-74	74-76	76-78	78-80	80-82	82-84	84-86	86-88	87-89	87-89
G	Shoulders (cm)	41-42	42-43	44-45	45-46	47-48	48-49	50-51	51-52	53-54	54-55	56-57	57-60
H	Back (cm)	46-49	47-50	48-51	49-52	50-53	51-54	52-55	53-56	54-57	55-58	56-59	57-60




KARTING SUIT SIZING TABLE

	IT SIZING	42	44	46	48	50	52	54	56	58	60	62
	Weight (kg)	50-60	55-65	60-70	65-75	70-80	75-85	83-88	85-92	87-95	90-100	95-110
	Height (cm)	150-160	155-165	158-170	165-175	170-180	173-183	177-187	182-190	185-195	187-198	190-200
A	Chest (cm)	80-84	84-88	88-92	92-96	96-100	100-104	104-108	108-112	112-116	116-120	120-124
B	Waist (cm)	64-68	68-72	72-76	76-80	80-84	84-88	88-92	92-96	96-100	100-104	104-108
C	Hips (cm)	82-86	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118	118-122	122-126
D	Thigh (cm)	47-50	50-52	52-55	55-57	57-60	60-62	62-65	65-67	67-70	70-72	72-74
E	Arm (cm)	58-60	60-62	62-64	63-65	64-66	66-68	68-70	69-71	71-73	72-74	73-75
F	Inside leg (cm)	70-72	72-74	74-76	76-78	78-80	80-82	82-84	84-86	86-88	88-90	88-90



CHILDREN KART SUIT SIZING TABLE

	IT SIZING	120	130	140	150	160
	Height (cm)	110-120	120-130	130-140	140-150	150-160
A	Chest (cm)	57-62	63-68	69-74	75-80	81-86
B	Waist (cm)	48-53	54-59	60-65	66-71	72-77
C	Hips (cm)	58-63	64-69	70-75	76-81	82-87
D	Thigh (cm)	37-39	40-42	43-45	46-48	49-51
E	Arm (cm)	46-48	49-51	52-54	54-56	56-58
F	Inside leg (cm)	51-53	54-57	58-63	64-67	68-72



FIA HELMETS COMPARISON SIZE TABLE

	XXS	XS	S	M	L	XL
J-R			57-58	58-59	60-61	61-62
GP-R - GP-R K	54-55	55-56	57-58	58-59	60-61	61-61+
KJ 8 EVO		52-53	54-55	56-57	58-59	

ECE HELMETS COMPARISON SIZE TABLE

	XS	S	M	L	XL	XXL
CIRCUIT / STAR	53-54	55-56	57-58	59-60	61-62	63-64

Circumference cm

SHOES COMPARISON SIZE TABLE

European sizes	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
USA sizes	1	2	3	3 1/2	4 1/2	5	6	6 1/2	7 1/2	8	9	10	10 1/2	11 1/2	12	13	14
UK sizes	13 KID	1	2	2 1/2	3 1/2	4	5	5 1/2	6 1/2	7	8	9	9 1/2	10 1/2	11	12	13
cm	21	22	23	23,5	24,3	25	25,5	26	27	27,5	28,1	28,7	29,5	30,2	31	31,5	

GLOVES COMPARISON SIZE TABLE

European sizes	4	5	6	7	8	9	10	11	12	13
USA sizes	5XS	4XS	3XS	2XS	XS	S	M	L	XL	XXL
Hand circumf (cm)	17,5-18,4	18,5-19,2	19,3-19,9	20-20,7	20,8-21,5	21,6-22,3	22,4-23	23,1-23,7	23,8-24,8	24,7-25,4



For a correct measurement: please hold tape in center of palm and measure around hand.



Together as one



See all the novelties on

2021/ **THE WEB SERIES**

TERM SALE

By placing an order, the buyer accepts and unconditionally agrees with the conditions described in this document, and undertakes to follow them during the course of the business relationship with OMP Racing, declaring to have read and accepted them. The buyer also agrees that OMP Racing don't consider themselves bound to different conditions, except where agreed in writing in advance. The buyer accepts the terms of sale indicated below. In the event of any legal dispute, the Court of Genoa, Italy, is competent. OMP Racing reserves the right to modify the terms of sales anytime, also in view of possible regulatory changes.

The new Terms Of Sale will be effective starting from the date of publication on OMP Racing official website (www.ompracing.com). For any request of clarification or complaint, contact the following email address: info@ompracing.it

CHARACTERISTICS AND PRICES OF PRODUCTS The price indicated are VAT excluded. The characteristics and technical data of the items presented in this catalogue are not binding and can be changed without notice. The products' colors can also be considerably altered.

RETURNED ITEMS - DELIVERY TIME OMP Racing is not responsible for delayed deliveries and will not pay for possible consequent damages. Returned goods will be accepted only when authorized by OMP, provided with regular goods return note, and carriage paid. OMP will charge all the costs deriving from damages on the returned goods or missing parts. Defective or not functioning items that will be returned after having been purchased will be repaired in the necessary time and will not be substituted by new ones in any way. Orders made in writing (fax, mail, e-mail, etc.) will be considered automatically confirmed and will be forwarded in accordance with the normal procedure. The goods travel at the risk of the consignee, and any damage caused during the carriage will be charged to the consignee.

CARE AND MANTAINANCE Before the use of any item, carefully read the labels and the user's manual, and strictly follow the instructions. Improper use or maintenance can reduce the effectiveness of the item, provoke untimely wear and increase the risk of serious or lethal injuries in case of accident or fire. Improper use or maintenance void the guarantee and relieve OMP Racing from any responsibility towards the user.

WARNING

Motorsport is an intrinsically dangerous activity, that can result in serious or lethal injuries. The items described in this catalogue provide for protection on specific parts of the body for a limited period of time in controlled test conditions, in accordance with the FIA standard specified on each item's label. No device can provide a complete protection from every injury in case of accident or fire. The user, at the time when he uses the products, relieves the manufacturer, the distributor, the owner, the employees, the agents, the sales representatives from any responsibility. It is the user's responsibility to become familiar with all available informations about the correct use and maintenance of the products. If uncertain of the correct use and maintenance, the user must not use the products. The manufacturer, the distributor and their respective owners, employees, agents and representatives are not responsible for mistakes or omissions.

DISCLAIMER

- Each personal safety device is part of a complete safety system including the other racewear products, protections, the vehicle, the racetrack, the event organization.
- Personal safety products are not conceived to provide the same performance level or protection through the whole specific product. Different parts or areas of the product can provide different levels of protection, in spite of the fact that they may appear the same.
- Personal safety products must always be inspected before use and replaced after any evidence of wear, and after exposure to chemicals, excessive heat or any unusual condition.
- Products are sold to be used in legally sanctioned autosport events only, and are not intended to be used and/or installed for regular street use, as street use safety products are subject to different homologations and laws depending on the State or country.

- It is the user's responsibility to become familiar with all available informations about the correct use and maintenance of the products. If uncertain of the correct use and maintenance, the user must not use the products. The manufacturer, the distributor and their respective owners, employees, agents and representatives are not responsible for mistakes or omissions.

- Every single modification or customization of the products, and every operation on them may reduce their security features. Thus, the user is responsible at his own risk for the reduction of security features caused by modification or customization.

BY THE USE OF THESE PRODUCTS, THE USER ACKNOWLEDGES:

That each personal safety device is part of a complete safety system including the other racewear products, protections, the vehicle, the racetrack, the event organization; that personal safety products are not conceived to provide the same performance level or protection through the whole specific product. Different parts or areas of the product can provide different levels of protection, in spite of the fact that they may appear the same; that personal safety products must always be inspected before use and replaced after any evidence of wear, and after exposure to chemicals, excessive heat or any unusual condition.

That the helmet is conceived and designed to reduce the risk of cranial and facial injuries only in case of impact. That no helmet can protect against any possible and foreseeable impact. That helmets are not recommended and sold for high-risk jobs such as refuelers. Further information at the following web addresses: www.ompracing.com and www.ompamerica.com

INDEX

A

- 91 Accessories (universal)
- 154 Air cooling kit

B

- 336 Bags
- 241 Bonnet pins

C

- 246 Chemical products
- 238 Chronometers
- 239 Co-driver accessories
- 239 Co-driver map lights

E

- 244 Electrical accessories
- 198 Extinguishers
- 212 Extinguisher accessories

G

- 264 Gloves - kart
- 123 Gloves - mechanics
- 54 Gloves - racing
- 114 Gloves - vintage

H

- 284 Helmets - kart
- 82 Helmets - racing

K

- 294 Karting accessories

L

- 300 Lamborghini Collection

M

- 297 Manometers - kart
- 244 Master switches

N

- 237 Nets - racing

O

- 336 OMP Style

P

- 242 Pedalsets and footrest
- 238 Pit boards
- 342 Promotional items

R

- 236 Racing accessories
- 322 Racing Spirit collection
- 192 Roll bars
- 196 Roll bars - accessories

S

- 166 Safety belts
- 155 Seats - accessories
- 297 Seats - kart
- 160 Seats - off road
- 160 Seats - off road brackets
- 130 Seats
- 156 Seats - brackets
- 274 Shoes - kart
- 66 Shoes - racing
- 116 Shoes - vintage
- 244 Stay bars
- 235 Steering wheel - accessories
- 234 Steering wheel - hubs
- 216 Steering wheels - racing
- 235 Steering wheel - spacers
- 247 Strut braces
- 40 Suits - customization "SU MISURA"
- 252 Suits - kart
- 120 Suits - mechanics
- 18 Suits - racing
- 112 Suits - vintage
- 197 Sumpguards

T

- 318 Teamwear
- 241 Tow hook
- 245 Tyre warmers

U

- 262 Underwear - kart
- 50 Underwear Cool Shirt and accessories
- 45 Underwear - racing

W

- 338 Wheeled chair

Z

- 92 Zeronoise communication devices



SINCE 1973

CONTACT US

OMP RACING S.p.A. (Headquarter)

Via E. Bazzano, 5
16019 Ronco Scrivia (GE) Italy
Phone: +39 010 96501
Fax: +39 010 935698
Email: info@ompracing.it

EXPORT SALES

Phone: +39 0109650150
Fax: +39 010 935698
Email: export.sales@ompracing.it

ITALIAN SALES

Phone: +39 010 9650147
Fax: +39 010 93505808
Email: venditre.italia@ompracing.it

OMP RACING Inc. (OMP AMERICA)

241 NE 61st St. Miami, FL 33137
Phone: (305) 373-0051
Fax: (305) 373-6673
Toll Free: 1 866 OMP-2637
www.ompamerica.com
Email: info@ompamerica.com

TWENTY TWENTY-ONE


CATALOG

OMP

SINCE 1973



OMPRACING.COM



X/881/2021EN



8 027281 141989